

RAINFALL at AmbleCounty of NorthumberlandObserver Amble U.D.C.River Basin Coquet & B. 5

Type of Gauge.....

Annual Average.....in. based on..... years obs. un-weighted. Period of average..... Ref.....

Diameter							5				
Height							10				
Altitude							12				
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January							2.57	2.29	4.43	1.99	
February							2.74	.67	.97	1.71	
March							3.43	.44	2.22	2.44	
April							1.69	.13	(.90)	.80	
May							2.66	2.38	(.78)	.76	
June							1.38	2.15	2.21	.53	
July							1.90	2.01	1.95	6.21	
August							2.10	2.11	2.55	1.13	
September							1.33	2.11	1.27	2.01	
October							2.23	2.93	3.78	2.37	
November							1.22	1.99	1.80	3.14	
December							5.88	3.42	1.14	2.48	
TOTALS							29.13	22.63	(24.00)	25.57	

1937 Cinema 50' high 200' S.S.W. Fence 6' high 35' S.S.E. Wall 2' high 15' N.N.W.
 Fence 6' high 71' N.N.E.

Proposed climate station.

Position of Station on reduced Ordnance Survey Map, }
 1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1937			Amble	600 ft.	S.E.	Amble	700 ft.	S.S.W.

Station No. 3590/4/5

41

RAINFALL at AmbleCounty of Northumberland Observer Amble U.D.C.River Basin Coquet & C-5

Type of Gauge

Annual Average in, based on years obs. un-weighted. Period of average Ref.

File No. 450681/35

Diameter	5"		004	975							
Height	1' 0"			1							
Altitude	12'			41							
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	2.83	3.84			4.36	.96	2.29	8.07	.75	1.43	
February	5.62	(1.56)			1.38	.28	2.69	1.27	.73	3.56	
March	2.77	1.03			.39	1.05	3.52	.26	1.24	.74	
April	.80	1.35			1.01	.54	3.84	1.13	.50	2.21	
May	1.21	1.30			3.35	1.61	1.46	1.07	.65	1.95	
June	.45	.77			1.69	1.41	(1.50)	2.10	1.00	1.44	
July	2.04	2.64			2.06	2.35	(4.30)	.73	1.48	3.50	
August	3.29	2.05			2.06	3.84	(.10)	6.28	1.98	3.56	
September	.54	2.84			1.49	3.01	1.45	2.71	.50	3.41	
October	3.91	(2.08)			2.76	.96	.48	1.85	5.24	.87	
November	2.75	.58			.63	3.82	1.92	1.45	2.74	6.53	
December	.32	(1.72)			1.80	2.33	1.93	2.03	2.05	2.74	
TOTALS	26.53	(21.76)	-		22.98	23.16	(24.48)	28.95	18.86	31.94	

1941 Gauging 50' high 200' S.W. Fence 6' high 83' S.E. Wall 2' high 15' N.N.W. Fence 6' high 71' N.N.E.

1942 Feb. Oct. & Dec. part estd.

1947 June - Aug. est. owing to broken gauge.

1949, April. Fence broken.

" August - gauge has been repaired.

20054

Position of Station on reduced Ordnance Survey Map,
1 mile to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1941			Amble	600ft	S.E.	Amble	700ft.	S.W.

BRITISH RAINFALL ORGANIZATION

Station No. 3590/4/5

51

RAINFALL at Ambleside

County of Northumberland

Observer

Ambleside V.D.C.

River Basin Coquet & C-5

Type of Gauge New H.O. gauge 9.53

Annual Average in based on years obs. un-weighted. Period of average

Ref.

" " 25.48 " 16 " within 1937-57 "

File No.

4.50881/35

Diameter ...	5"											
Height ...	1' 0"											
Altitude ...	12'											
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means	
January ...	2.40	1.61	.85	2.66	2.19	4.10	2.19	2.49	2.34	4.02		
February ...	2.79	.59	1.35	2.30	2.29	1.78	2.36	3.41	.26	2.24		
March ...	4.08	2.42	.39	1.36	1.77	.65	1.86	2.90	.65	1.69		
April ...	2.09	1.13	2.55	.42	.57	1.01	.38	2.19	1.93	0.60		
May ...	3.17	1.94	2.19	2.52	1.40	.46	2.00	2.01	.45	1.76		
June ...	1.43	1.92	2.31	1.70	1.32	1.90	1.51	2.02	1.94	0.65		
July ...	1.93	3.12	(1.80)	2.39	1.17	2.80	2.68	3.31	2.15	4.17		
August ...	3.33	2.64	(3.00)	4.78	.98	7.04	4.16	1.35	.26	3.13		
September ...	.67	3.39	1.95	2.69	.67	2.61	2.27	2.64	1.28	1.66		
October ...	.82	4.00	1.49	3.39	1.89	1.67	1.78	1.27	1.65	5.63		
November ...	7.63	3.75	1.41	3.23	1.64	1.41	1.16	.59	4.71	3.66		
December ...	1.45	3.37	.88	1.55	3.24	2.13	1.83	4.22	3.54	1.62		
TOTALS ...	31.79	29.88	20.17	28.07	19.13	27.56	24.18	28.40	21.16	30.85		
	D	n.p.	n.p.	D	d.	D	D	D	D	D		

1951 Cinema 50' 200' SSW; Fence 6' 33' SSE; Wall 2' 15' NNW;
 Fence 6' 71' NNE;
 1952 n.p. Orig. Engineer believes frequent interference.
 1953 Np. inc. also much cut.
 1956 Fence 3 1/2' at 12'S, Hut 7' at 20' N, Fence 4' at 30' E, Fence 4' at 25' W.

00604

Position of Station on Ordnance One-Inch map :

No. of Map.....

National Grid Reference NH(46) 246047

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.
1951			Ambleside	600' SE	Ambleside	700' SSW.

Summary of Earlier Records from 10-year Sheets :

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
			1937 ✓ but d 39	41.42, 45.50 ✓ but d 42, 47	