

RAINFALL AT Tortington

Lat. Lon. County of West Sussex
 Rain Gauge, by Prof. A. B. C. Major J. A. T. Evans Esq
 50 mm 5 Copper

Dec 2

Diameter ..				14	5 from June 24.05						
Height				16	1.0						
Altitude ..				25	25						
Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	MEANS.
January ..				3.63	3.77	1.44	6.34	.88	1.24	1.22	
February ..				1.50	3.80	.82	2.89	1.19	1.50	.47	
March				2.93	.73	4.49	1.93	.97	2.46	3.66	
April				1.80	1.31	2.01	1.18	4.21	2.19	1.28	
May				2.93	3.74	.38	2.09	2.22	1.46	1.55	
June				2.93	1.47	3.84	1.42	2.68	1.25	2.86	
July				3.42	.82	.50	.46	1.35	2.41	2.63	
August				4.40	2.56	3.34	.54	1.22	3.19	3.06	
September ..				3.03	1.60	1.99	1.03	.53	1.73	3.48	
October				6.41	2.97	1.36	4.63	5.75	2.38	7.31	
November ..				2.29	1.36	5.59	5.85	2.40	1.27	1.32	
December ..				2.67	2.86	.92	2.25	3.41	3.40	4.72	
TOTALS ..				37.95	26.99	26.68	30.61	26.81	24.48	33.56	

1903 Tortington Church 150 yards S
 Ford Junction Station $\frac{1}{4}$ mile S
 House 39 ft high 51 ft N
 Tree 80 ft high 44 yds S.E.
 1904 June 24 New Gauge set up in place of old 14"

RAINFALL at Totington House ArundelCounty of SussexObserver Major J. A. Travers SecundRiver Basin Arvon 2Mr TraversCopper Pink Aff Rain Gauge, by

funnel correct

glass	{	.50	=	.510
		.40	=	.403
		.30	=	.303
		.20	=	.205
		.10	=	.103
		.01	=	.010

square glass not better

Diameter ...	5										
Height	10								0.8		
Altitude ...	25 K										
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.
January ...	3.17	1.19	3.42	4.57	.51		1.06	1.30	3.61	5.71	
February ...	4.68	1.58	2.81	1.32	4.17		4.53	1.67	.94	2.83	
March	1.24	1.87	4.63	3.20	4.83		4.26	2.16	1.26	5.13	
April	2.57	1.57	.05	2.74	1.93		.92	1.84	2.05	2.16	
May	2.03	1.31	1.31	2.50	1.25		1.99	1.51	1.38	.24	
June	2.27	1.85	2.86	1.40	1.10		2.82	2.37	1.22	.88	
July	2.35	.52	1.91	2.00	2.21		.56	2.25	3.42	1.42	
August	2.38	.84	6.62	4.93	1.48		1.32	5.66	2.63	3.22	
September ..	.18	1.29	2.75	2.36	1.57		1.93	1.44	5.86	1.42	
October ...	3.56	4.93	3.56	5.17	2.24		5.40	3.88	1.25	.52	
November ...	4.72	6.75	1.21	3.89	3.59		3.62	1.27	2.32	2.51	
December ...	3.55	7.02	3.39	1.93	8.94		4.39	1.97	2.77	5.10	
TOTALS ...	32.70	30.72	34.52	36.01	33.82	N.R.	32.80	27.32	28.71	31.14	
	D	D	2	2	2			2		D imp	

1910 Horset has distal more than then height perhaps 1/4 more

1919 Stone Foundation 4 ft - 10 ft W.
 Out-throw 5 ft - 8 ft E.
 well 12 ft - 12 ft N.

Inspected } Sound Copper R.A. on lawn in winter, in kitchen garden in summer. Both sites excellent.
 C.S. 20.1V.14 } Show says some water is put in the outer can to steady gauge. Recommended substituting stakes & large bottle.

Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.
1910	50.50.19 N	0.34.32 W	Find Junction	1/2 Mile	S	Totington	150 yds	S

RAINFALL at Torlington House, ArundelCounty of SussexObserver Mrs TraversRiver Basin Arund 2

Copper, Brit. Ass. Rain Gauge, by _____

Annual Average 27.3 in. based on 16 years obs. weighted. Period of average 1861-1915. Ref. S.

Diameter ...	5"										
Height	0 8										
Altitude ...	25"										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	MEANS.
January ...	3.64										
February ...	69										
March	2.57										
April	2.78										
May	1.36										
June	1.91										
July	4.88										
August	93										
September...	3.14										
October	2.30										
November...	1.33										
December...	3.38										
TOTALS...	28.91	#									

1920 Inspected 1914.

Position of Station on reduced Ordnance Survey
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long. W.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction
1920	50° 50' 13"	0° 34' 32"	Ford Junction	1/2 mi	S	Torlington	150 yds	S