



RAINFALL at Ashford (Albert Road)County of KentObserver A. E. BrunkerRiver Basin Stour & c. 2Type of Gauge Standard

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

|           |       |       |       |       |       |       |       |        |       |       |       |  |
|-----------|-------|-------|-------|-------|-------|-------|-------|--------|-------|-------|-------|--|
| Diameter  | 5     |       |       |       |       |       |       |        |       |       |       |  |
| Height    | 10    |       |       |       |       |       |       |        |       |       |       |  |
| Altitude  | 135   |       |       |       |       |       |       |        |       |       |       |  |
| Year      | 1931  | 1932  | 1933  | 1934  | 1935  | 1936  | 1937  | 1938   | 1939  | 1940  | Means |  |
| January   | 2.29  | 2.57  | 2.11  | 2.58  | 2.02  | 4.62  | 5.71  | 3.70   | 6.25  | 2.51  | 34.36 |  |
| February  | 2.86  | .65   | 2.58  | 0.18  | 3.77  | 1.81  | 4.54  | 1.12   | 1.42  | 2.22  | 2115  |  |
| March     | .46   | 1.41  | 2.27  | 3.21  | .21   | 1.02  | 4.77  | .72    | 2.24  | 2.78  | 1912  |  |
| April     | 3.58  | 2.20  | 1.43  | 1.90  | 3.13  | 1.56  | 2.68  | .62    | 2.61  | 1.24  | 2095  |  |
| May       | 1.87  | 2.71  | 2.62  | .74   | 1.80  | .31   | 2.90  | 3.26   | 1.66  | .60   | 1847  |  |
| June      | .79   | 1.30  | 2.52  | 1.28  | 2.21  | 3.91  | 1.69  | .78    | 1.40  | .56   | 1644  |  |
| July      | 2.41  | 3.68  | 1.45  | 1.70  | .39   | 4.01  | 1.10  | 2.20   | 3.04  | 2.77  | 2278  |  |
| August    | 3.96  | .67   | .76   | 1.96  | 3.75  | 1.24  | 1.60  | (2.44) | 2.07  | .13   | 1858  |  |
| September | 1.77  | 1.99  | 3.87  | 1.43  | 3.90  | 3.20  | 2.75  | (2.89) | 0.87  | 1.88  | 2455  |  |
| October   | .50   | 7.73  | 1.74  | 1.92  | 4.55  | 2.69  | 3.58  | 3.85   | 9.63  | 3.60  | 3979  |  |
| November  | 4.26  | 1.19  | 1.49  | 3.28  | 5.84  | 4.83  | 1.35  | 2.94   | 5.21  | 6.68  | 3707  |  |
| December  | .49   | .47   | .45   | 6.77  | 4.21  | 2.64  | 5.45  | 3.39   | 1.94  | 2.13  | 2494  |  |
| TOTALS    | 25.24 | 26.57 | 23.29 | 26.95 | 35.78 | 31.84 | 38.12 | 27.91  | 38.40 | 27.10 | 30120 |  |
|           | D     | D     | D     | D     | D     | D     | D     | D      | D     | D     |       |  |

1931. Close boarded fence 5'6" high 10'4" S.W. Close boarded fence 5'4" high 10'6" W.N. Pear tree 20' high 33' N.W. Elder tree 16' high 13' S.W.  
 1936 Pear tree has been felled  
 1938. Aug. & Sept. adjusted for accumulations.

Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....  
 1 mile to 1 inch Series

| Date  | Lat. N. | Long. | Railway Station. | Distance from gauge | Direction from gauge | Parish Church. | Distance from gauge | Direction from gauge |
|-------|---------|-------|------------------|---------------------|----------------------|----------------|---------------------|----------------------|
| 1931. |         |       | Ashford (Kent)   | 1000 yds.           | 171° 20' N.          | Ashford        | 370 yds.            | 170° N.              |

Station No. 278

## RAINFALL at Ashford (Albert Road)

41

County of Kent Observer A. E. Brunninger Esq.

River Basin Skene R. 2

Type of Gauge Snowden

Annual Average in. based on years obs. un-weighted. Period of average Ref

File No. 601976/27

|           |       |       |       |       |       |       |       |       |       |       |        |   |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|---|
| Diameter  | 5"    |       |       |       | 301   | 565   |       |       |       |       |        |   |
| Height    | 1' 0" |       |       |       |       | 1     |       |       |       |       |        |   |
| Altitude  | 185'  |       |       |       |       | 41    |       |       |       |       |        |   |
| Year      | 1941  | 1942  | 1943  | 1944  | 1945  | 1946  | 1947  | 1948  | 1949  | 1950  | Means  |   |
| January   | 3.01  | 2.61  | 5.77  | 1.67  | 2.36  | 1.94  | 2.48  | 3.32  | 1.46  | 1.57  | 2.619  | ✓ |
| February  | 2.90  | 1.05  | 1.55  | 1.53  | 1.76  | 2.86  | 1.99  | 1.29  | 1.42  | 5.30  | 2.163  | ✓ |
| March     | 2.00  | 2.47  | 2.28  | 2.23  | 2.74  | 2.11  | 5.53  | 1.80  | 1.87  | 1.08  | 1.611  | ✓ |
| April     | 1.53  | 1.40  | 1.53  | 1.33  | 1.17  | 2.00  | 1.50  | 1.28  | 1.36  | 2.46  | 1.556  | ✓ |
| May       | 1.66  | 3.04  | 2.27  | 1.60  | 2.41  | 3.92  | 1.24  | 1.80  | 1.99  | 1.36  | 2.029  | ✓ |
| June      | 1.68  | 2.28  | 1.45  | 1.43  | 1.67  | 3.00  | 2.54  | 2.44  | 1.93  | 1.19  | 1.401  | ✓ |
| July      | 3.21  | 2.85  | 1.63  | 3.18  | 2.06  | 2.32  | 1.74  | 1.79  | 1.80  | 2.25  | 2.183  | ✓ |
| August    | 5.11  | 2.34  | 1.11  | 2.26  | 2.32  | 4.28  | 1.04  | 2.82  | 1.96  | 2.79  | 2.403  | ✓ |
| September | 2.25  | 2.19  | 1.64  | 2.62  | 1.12  | 2.29  | 1.92  | 2.29  | 2.53  | 2.18  | 1.803  | ✓ |
| October   | 1.50  | 3.36  | 2.57  | 4.77  | 1.65  | 2.36  | 2.29  | 1.51  | 7.05  | 1.82  | 2.588  | ✓ |
| November  | 4.26  | 2.33  | 2.07  | 4.88  | 1.87  | 4.43  | 1.71  | 1.57  | 4.13  | 6.46  | 3.271  | ✓ |
| December  | 1.71  | 3.03  | 1.96  | 2.59  | 4.12  | 3.52  | 3.00  | 2.72  | 1.37  | 2.75  | 2.680  | ✓ |
| TOTALS    | 27.82 | 26.95 | 23.83 | 27.09 | 21.25 | 35.03 | 22.98 | 23.63 | 24.87 | 30.24 | 26.309 | ✓ |

1941. Close boarded fence 5'6" high 10' S.W. Close boarded fence 5'6" high W.N. Fence high 12' S.W. Felled on 12/9/44.  
 1949. Close boarded fence re-erected 11/11/49 6' high 10' S.W. Also down 1944.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map

Reference No.

| Date. | Lat. N. | Long. | Railway Station. | Distance from gauge | Direction from gauge | Parish Church. | Distance from gauge. | Direction from gauge. |
|-------|---------|-------|------------------|---------------------|----------------------|----------------|----------------------|-----------------------|
| 1941  |         |       | Ashford          | 1000 yds            | 170° E of N          | Ashford        | 370 yds              | 170° E of N           |

BRITISH RAINFALL ORGANIZATION

Station No. 278

RAINFALL at ASHFORD (ALBERT ROAD)

51

County of KENT

Observer A. E. BROUNGER, Esq.

River Basin STOUR &amp; C 2

Type of Gauge SNOWDON

Annual Average in. based on years obs. un-weighted. Period of average Ref

" " 29.20 " " 33 " " 1924-57 " " 1916-50 File No. 601076727

| Diameter ...  | 5"    |       |       |       | 301   | 305   |       |       |       |       |        |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--------|
| Height ...    | 1'0"  |       |       |       |       | 1     |       |       |       |       |        |
| Altitude ...  | 185'  |       |       |       |       | 51    |       |       |       |       |        |
| Year ...      | 1951  | 1952  | 1953  | 1954  | 1955  | 1956  | 1957  | 1958  | 1959  | 1960  | Means  |
| January ...   | 3.60  | 2.82  | 1.69  | 1.75  | 3.90  | 4.86  | 2.28  | 3.90  | 2.60  | 4.17  | 3157 ✓ |
| February ...  | 6.36  | 1.35  | 2.24  | 2.41  | 2.25  | 1.95  | 4.80  | 3.76  | 0.04  | 2.20  | 2756 ✓ |
| March ...     | 3.84  | 3.81  | .23   | 3.28  | 2.23  | .79   | 1.21  | 1.40  | 1.90  | 1.73  | 2072 ✓ |
| April ...     | 1.92  | 1.52  | 1.59  | 0.35  | .31   | .81   | .45   | 1.64  | 2.57  | 0.73  | 1189 ✓ |
| May ...       | 2.21  | 1.24  | 1.49  | 1.79  | 4.32  | .46   | 1.25  | 2.18  | 0.76  | 1.75  | 1745 ✓ |
| June ...      | 1.53  | 1.33  | 2.92  | 3.07  | 1.86  | 2.57  | .96   | 4.44  | 2.26  | 1.10  | 2204 ✓ |
| July ...      | 1.43  | .59   | 2.54  | 3.76  | 1.04  | 2.20  | 3.05  | 1.48  | 2.40  | 2.47  | 2126 ✓ |
| August ...    | 4.13  | 3.53  | 2.11  | 3.54  | 2.28  | 3.14  | 2.93  | 4.56  | 1.18  | 5.11  | 3251 ✓ |
| September ... | 3.60  | 4.37  | 3.76  | 2.30  | 1.56  | 2.39  | 3.72  | 3.42  | 0.15  | 2.56  | 2783 ✓ |
| October ...   | 2.30  | 2.84  | 3.11  | 2.16  | 6.34  | 1.20  | 1.92  | 4.66  | 3.01  | 7.40  | 3484 ✓ |
| November ...  | 5.16  | 3.86  | 1.72  | 5.73  | 1.44  | .94   | 4.31  | 2.12  | 4.26  | 6.00  | 3554 ✓ |
| December ...  | 3.31  | 3.26  | 1.12  | 1.80  | 3.09  | 3.41  | 1.90  | 4.31  | 6.90  | 4.51  | 3361 ✓ |
| TOTALS ...    | 39.39 | 30.52 | 24.52 | 31.94 | 30.62 | 24.72 | 28.18 | 38.47 | 28.03 | 39.73 | 31612  |
|               | D     | D     | D     | D     | D     | D     | D     | D     | D     | D     |        |

1951 Close boarded fence 3 1/2' 10' 5 by 10; Close boarded fence 6' 10' 10 by 10.

Position of Station on Ordnance One-Inch map: No. of Map National Grid Reference T86 089 230

| Date. | Lat. N. | Long. | Railway Station. | Distance Direction from gauge | Parish Church.    | Distance Direction from gauge. |
|-------|---------|-------|------------------|-------------------------------|-------------------|--------------------------------|
|       |         |       | Ashford          | 1000' 170° E N                | St Kamp's Ashford | 370' 170° E N                  |

Summary of Earlier Records from 10-year Sheets:

| Record D, or d | 1910-19 | 1920-30 | 1931-40    | 1941-50       | 1951-60 |
|----------------|---------|---------|------------|---------------|---------|
|                |         | < 1924  | ✓          | ✓             |         |
|                |         | ✓       | ✓ bur d'40 | ✓ bur d'41-44 |         |