

RAINFALL

Station Wood Burn NO 3No. 97- 967877County ANTRIM(Old No. —)Authority BELFAST WATER COMMISSIONERSGrid Ref. 1J(33) 361896Altitude 233m 764B ft.River Basin Wood BurnFile 2522 52 BELFAST

TF

Tributary Boydstown

YEAR	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...										4.80	
February...										3.73	
March ...										3.25	
April ...										3.67	
May ...										2.10	
June ...										2.44	
July ...										9.14	
August ...										5.60	
September										3.70	
October ...										6.90	
November										5.34	
December										3.10	
TOTAL ...										53.77	
Percentage											

AVERAGE ANNUAL RAINFALL

Actual

Estimated from data for:-

1881-1915 in.

1916-1950 in.

in.

Type and capacity of gauge

N+Z BRADFORD (5-INCH)

*NOTES on unorthodox equipment or exposure, inspections, changes of equipment, site or altitude:-

Earliest year with complete data (D : W : M).

*NOTES on years with incomplete or unsatisfactory data:-

1960 DATA RECEIVED MARCH 1962.

*Each note to be dated. Continue notes overleaf if necessary.

Belfast 3/63:500:KW

RAINFALL

Station Wood Burn No 4 No. 97- 967862
 County ANTRIM (Old No. _____)
 Authority BELFAST WATER COMMISSIONERS Grid Ref. 15(33) 354883
967862 2234 Altitude 730 B ft.
 River Basin Wood Burn
 File 2522 51 BELFAST TF 11/11/11 Tributary BOYSTOWN

YEAR	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...										4.80	
February ...										3.95	
March ...										3.26	
April ...										3.90	
May ...										2.40	
June ...										2.45	
July ...										7.59	
August ...										5.60	
September ...										3.15	
October ...										6.15	
November ...										5.20	
December ...										3.00	
TOTAL ...										51.95	
Percentage ...											

AVERAGE ANNUAL RAINFALL

Actual

Estimated from data for:-

1881-1915 _____ in. _____

1916-1950 _____ in. _____

_____ in. _____

Type and capacity of gauge N+2 BRADFORD (5-inch)

*NOTES on unorthodox equipment or exposure, inspections, changes of equipment, site or altitude:-

Earliest year with complete data (D : W : M) _____

*NOTES on years with incomplete or unsatisfactory data:-

1960 DATA RECEIVED MARCH 1962

*Each note to be dated. Continue notes overleaf if necessary.

Belfast 3/63:500:KW

RAINFALL

Station WOOD BURN No. 1
 County ANTRIM
 Authority BELFAST WATER COMMISSIONERS
967865
1
51 BELFAST
 File 2522 TF WATERBURY

No. 97-967865
 (Old No. _____)
 Grid Ref. 1J(33) 35 3896
 Altitude 259m 849 ft.
 River Basin WOOD BURN
 Tributary ---

YEAR										1960	Means
January ...										5.14	
February...										4.30	
March ...										3.57	
April ...										3.83	
May ...										0.20?	
June ...										2.55	
July ...										8.78	
August ...										5.70	
September										3.70	
October ...										7.30	
November										5.20	
December										3.12	
TOTAL ...										53.39	
Percentage											

AVERAGE ANNUAL RAINFALL

Actual

Estimated from data for:-

1881-1915 in. _____

1916-1950 in. _____

_____ in. _____

Type and capacity of gauge N & Z BRADFORD (5-INCH)

*NOTES on unorthodox equipment or exposure, inspections, changes of equipment, site or altitude:-

Earliest year with complete data (D : W : M) _____

*NOTES on years with incomplete or unsatisfactory data:-

1960 DATA RECEIVED MARCH 1962

*Each note to be dated. Continue notes overleaf if necessary.

Belfast 3/63:500:KW