

Station No. 5544/1

RAINFALL at Comrie (Invergeldie Lodge)

41

County of Perth

Observer Hafs. Hydro-Electric Board

River Basin 7-Tay - Eam

Type of Gauge

Annual Average in. based on years obs. un-weighted. Period of average Ref.

File No.

Diameter			880	653			5"				
Height				1			1.14'			7' 0"	
Altitude				41			795.25'				
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January							-100	8.70	5.20	4.65	
February								7.80	5.55	6.95	
March								5.60	2.35	4.70	
April								4.10	5.90	5.05	
May								4.90	3.75	2.45	
June								6.00	2.55	1.60	
July							-100 #100 Jmp.	4.95	1.80	7.20	
August							0.00	8.05	4.75	8.85	
September							6.15	6.20	2.30	10.70	
October							4.40	7.40	9.85	6.30	
November							7.70	4.55	6.05	5.50	
December							3.45	11.85	8.70	3.00	
TOTALS							7100 Jmp.	80.10	58.75	66.95	

14.7.47 Gauge transferred from Dalnol (Kilmore) 4 miles N. of Comrie in Glen Lednock.
1950 readings only to .05 in

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1947			Comrie	4 1/2 m.	114°	Comrie	4 mls.	150°

BRITISH RAINFALL ORGANIZATION

Station No.

5544/7

51

Observer

Elec Bd.

2014年12月10日

Ref.

" " 57-48 " " " 11 " " 1948-59.

Period of average.....

File No.

lus. 8.1.58 G. found. A little off E vs W. G. on small knoll sloping down to S. wood but general shelter from wind 100's and steep hillside to W. F. is moderately good. To be made up. G. could be moved to hollow 60's S.W. but leave for present.

1958. Antio low but accepted.
1960 nplow

No. of Map.....

National Grid Reference **27/742278**

Summary of Earlier Records from 10-year Sheets :

		1910-19	1920-30	1931-40	1941-50	1951-60
Record D, or d					C imp. 1947 d 48-50	

RAINFALL at Lednock Dam

51

County of PerthshireObserver North of Scotland Hydro Electric Board

River Basin _____

Type of Gauge Snaddon

Annual Average _____ in. based on _____ years obs. un-weighted. Period of average _____

Ref. _____

File No. _____

Diameter	...				88	560		5				
Height	...							1'0"				
Altitude	...					51		1140'				
Year	...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January	...				-100	5.23	4.02	10.73	6.51	2.42	4.43	
February	...					4.36	2.84	7.45	2.73	1.86	7.16	
March	...					3.12	2.88	5.78	2.04	5.88	2.64	
April	...					2.47	1.86	1.95	1.94	4.62	7.12	
May	...				-100	3.78	3.50	2.66	4.42	1.53	3.89	
June	...				2.36	2.94	4.71	1.66	3.83	2.85	2.76	
July	...				2.95	0.88	5.25	3.82	5.16	6.75	4.26	
August	...				4.81	1.20	7.54	6.54	5.48	2.09	5.19	
September	...				7.18	4.30	8.13	3.91	6.71	1.06	4.97	
October	...				9.31	5.12	4.24	3.71	4.94	6.52	8.16	
November	...				13.53	3.50	2.53	3.11	1.61	10.06	7.35	
December	...				10.41	11.82	9.46	7.80	9.07	10.43	6.99	
TOTALS	...				-100 inc	48.72	56.96	59.12	54.46	56.07	64.92	

Ins 8.9.58. G. sound. Gentle slope W for 20' then much steeper O/E S-W-N.
 Remains 1 f.w. No good site nearby. Remake T.W. Power lines overhead
 Dip stick only used. Readings should not be used for survey purposes
 1954 up inc 1955, 1956, 1957 up nonorthodox site
 1958. G. nonorthodox site.
 up 1959, 1960 inclusive site

Annual average 60.46 in. based on 2 yrs obs. 1958-59. Period of average 1916-50. Ref. S.

Position of Station on Ordnance One-Inch map:

No. of Map _____

National Grid Reference 27/729287

Date	Lat. N.	Long.	Railway Station	Distance Direction from gauge	Parish Church	Distance Direction from gauge

Summary of Earlier Records from 10-year Sheets:

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60