

RAINFALL at Comwood (Yealm Head N. 25)County of S. DevonObserver Inquirer & Surveyor.  
Elmington St. Mary R.D. CouncilRiver Basin Ton & Co. - 3.Comwood Rain Gauge, by \_\_\_\_\_

|               |      |      |      |      |      |      |        |       |       |       |                |
|---------------|------|------|------|------|------|------|--------|-------|-------|-------|----------------|
| Diameter ...  |      |      |      |      |      |      | 5      |       |       |       |                |
| Height .....  |      |      |      |      |      |      | 10     |       |       |       |                |
| Altitude ...  |      |      |      |      |      |      | 540    |       |       |       |                |
| Year .....    | 1920 | 1921 | 1922 | 1923 | 1924 | 1925 | 1926   | 1927  | 1928  | 1929  | 1930<br>MEANS. |
| January ...   |      |      |      |      |      |      |        | 8.41  | 15.57 | 5.91  | 10.67          |
| February ...  |      |      |      |      |      |      |        | 5.04  | 6.10  | 4.28  | 2.73           |
| March .....   |      |      |      |      |      |      |        | 6.44  | 7.89  | 1.44  | 4.23           |
| April .....   |      |      |      |      |      |      |        | 3.43  | 3.59  | 1.07  | 4.66           |
| May .....     |      |      |      |      |      |      |        | .92   | 1.91  | 5.36  | 4.27           |
| June .....    |      |      |      |      |      |      |        | 4.81  | 4.34  | 4.12  | 2.09           |
| July .....    |      |      |      |      |      |      |        | 7.39  | 3.14  | 3.51  | 4.56           |
| August .....  |      |      |      |      |      |      |        | 6.45  | 3.68  | 6.80  | 7.37           |
| September...  |      |      |      |      |      |      |        | 9.19  | 1.83  | .74   | 8.43           |
| October ..... |      |      |      |      |      |      |        | 3.54  | 4.93  | 11.71 | 8.81           |
| November...   |      |      |      |      |      |      |        | 12.95 | 7.11  | 9.13  | 20.12          |
| December...   |      |      |      |      |      |      |        | 1.01  | 8.03  | 8.09  | 13.39          |
| TOTALS...     |      |      |      |      |      |      | inches | 72.45 | 76.98 | 75.55 | 73.38          |

Inspected by W. G. G. G. G. 12/11/28 see green file.

1928, Jan. includes 7 days of Dec. 1927, when g. was snowed under.

Position of Station on reduced Ordnance Survey  
Map, 2 miles to 1 inch Series

No. of Map \_\_\_\_\_

Reference No. \_\_\_\_\_

| Date. | Lat. N. | Long. | Railway Station. | Distance from gauge | Direction from gauge | Parish Church. | Distance from gauge | Direction from gauge |
|-------|---------|-------|------------------|---------------------|----------------------|----------------|---------------------|----------------------|
| 1930  |         |       | Comwood G.W.R.   | 2 mi.               | S.S.W.               | Comwood        | 1 1/2 mi.           | S.S.W.               |

RAINFALL at Cornwood (Yealm Head No. 5)County of South DevonshireObserver W. H. Thompson, Esq., C.E.River Basin Erme C. - 3.Type of Gauge MO.

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

731250/26.

|           |       |       |       |       |       |       |       |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Diameter  | 5.    |       |       |       |       |       |       |       |       |       |       |
| Height    | 1.0.  |       |       |       |       |       |       |       |       |       |       |
| Altitude  | 540.  |       |       |       |       |       |       |       |       |       |       |
| Year      | 1931  | 1932  | 1933  | 1934  | 1935  | 1936  | 1937  | 1938  | 1939  | 1940  | Means |
| January   | 7.33  | 7.56  | 4.27  | 6.44  | 1.85  | 10.53 | 9.45  | 10.68 | 8.73  | 3.45  |       |
| February  | 6.45  | .05   | 6.39  | .18   | 6.10  | 6.82  | 11.35 | 3.24  | 4.93  | 5.98  |       |
| March     | 3.30  | 3.85  | 6.91  | 5.58  | 1.58  | 7.50  | 7.14  | .89   | 2.49  | 5.16  |       |
| April     | 4.61  | 6.13  | 5.26  | 5.40  | 7.90  | 5.12  | 6.88  | .23   | 4.83  | 3.68  |       |
| May       | 4.50  | 6.39  | 2.89  | 2.52  | 2.55  | 1.25  | 4.97  | 5.40  | 1.07  | 2.24  |       |
| June      | 6.93  | 5.23  | 2.72  | 2.60  | 7.43  | 2.31  | 1.68  | 2.88  | 5.59  | 1.06  |       |
| July      | 8.48  | 5.15  | 5.44  | 1.27  | 1.12  | 10.69 | 4.58  | 5.86  | 10.09 | 5.43  |       |
| August    | 6.66  | 2.27  | 2.57  | 6.01  | 3.49  | 1.42  | 1.49  | 7.66  | 6.68  | .37   |       |
| September | 2.46  | 7.66  | 3.21  | 6.40  | 7.90  | 5.50  | 4.48  | 3.20  | 0.77  | 2.60  |       |
| October   | 1.71  | 13.02 | 6.16  | 5.46  | 8.34  | 3.26  | 4.64  | 8.62  | 7.56  | 5.79  |       |
| November  | 10.69 | 5.38  | 2.33  | 3.15  | 10.01 | 5.66  | 4.60  | 10.70 | 13.60 | 13.76 |       |
| December  | 4.01  | 5.91  | 2.67  | 19.60 | 8.49  | 7.98  | 7.12  | 7.46  | 4.78  | 7.70  |       |
| TOTALS    | 67.13 | 68.62 | 50.82 | 64.61 | 66.76 | 68.04 | 68.08 | 67.82 | 71.12 | 57.22 |       |

Position of Station on reduced Ordnance Survey Map,  
1 mile to 1 inch Series

No. of Map.....

Reference No.....

| Date. | Lat. N. | Long. | Railway Station. | Distance from gauge | Direction from gauge | Parish Church. | Distance from gauge | Direction from gauge |
|-------|---------|-------|------------------|---------------------|----------------------|----------------|---------------------|----------------------|
| 1931  |         |       | Cornwood         | 2m.                 | SSW                  | Cornwood       | 1 1/2m              | SSW                  |

RAINFALL at Comwood (Yealm Head N° 5) Station No. 1679 41County of South Devonshire Observer W. H. Thompson Esq. C.F.O.B.E.River Basin Exon & C. - 3Type of Gauge M.O.Annual Average <sup>\*</sup> in. based on ..... years obs. un-weighted. Period of average ..... Ref. ....File No. Y31250/26

|           |       |       |       |       |       |       |         |       |       |       |       |
|-----------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|-------|
| Diameter  | 5"    |       |       |       | 368   | 054   |         |       |       |       |       |
| Height    | 1' 0" |       |       |       |       |       |         |       |       |       |       |
| Altitude  | 540   |       |       |       |       |       |         |       |       |       |       |
| Year      | 1941  | 1942  | 1943  | 1944  | 1945  | 1946  | 1947    | 1948  | 1949  | 1950  | Means |
| January   | 6.33  | 8.90  | 13.94 | 10.06 | 3.51  | 7.17  | 5.70    | 13.55 | 2.68  | 4.57  |       |
| February  | 7.62  | .65   | 3.26  | 2.56  | 7.02  | 6.93  | (2.50)  | 3.01  | 3.06  | 6.48  |       |
| March     | 6.98  | 6.21  | 1.95  | .51   | 2.98  | 4.13  | (1.50)  | 2.68  | 3.21  | 3.99  |       |
| April     | 1.38  | 2.75  | 2.24  | 4.89  | 1.78  | 2.94  | 4.84    | 3.22  | 3.39  | 4.23  |       |
| May       | 5.21  | 8.55  | 6.53  | .99   | 5.17  | 7.79  | 2.93    | 3.29  | 4.29  | 2.90  |       |
| June      | 3.62  | .43   | 3.00  | 5.14  | 7.29  | 7.28  | 4.75    | 3.70  | 1.23  | 2.66  |       |
| July      | 1.77  | 4.07  | 4.29  | 6.65  | 3.95  | 2.75  | 4.67    | 3.14  | 2.49  | 8.09  |       |
| August    | 9.35  | 7.43  | 5.78  | 4.76  | 4.26  | 8.15  | 1.38    | 5.08  | 3.19  | 11.32 |       |
| September | .41   | 5.61  | 6.67  | 3.53  | 5.18  | 9.68  | 3.55    | 4.40  | 5.27  | 10.44 |       |
| October   | 3.16  | 5.52  | 5.21  | 7.16  | 5.86  | 3.94  | 2.66    | 6.09  | 9.78  | 3.33  |       |
| November  | 3.83  | 1.10  | 4.86  | 13.38 | 1.08  | 12.64 | 5.42    | 4.40  | 8.60  | 12.09 |       |
| December  | 6.51  | 10.53 | 5.22  | 5.28  | 9.96  | 7.94  | 5.21    | 9.06  | 3.90  | 6.21  |       |
| TOTALS    | 56.17 | 61.75 | 62.95 | 64.91 | 58.04 | 81.34 | (55.11) | 60.62 | 51.09 | 76.31 |       |

30004

\* Ev. 62.6 computed (Wys.wis) F.B. 493 possibly reliable but not to be published because obtained only using factor 10.6/100 (21.X45)

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series No. of Map ..... Reference No. 28-67612

| Date. | Lat. N. | Long. | Railway Station. | Distance from gauge | Direction from gauge | Parish Church. | Distance from gauge | Direction from gauge |
|-------|---------|-------|------------------|---------------------|----------------------|----------------|---------------------|----------------------|
| 1941  |         |       | Comwood          | 2 m.                | S.S.W.               | Comwood        | 1 1/2 miles         | S.S.W.               |



Station No. 1679RAINFALL at Cornwood (Yealm Head No 5)

51

County of S. DevonObserver W. H. Thompson, Esq. C.E., O.B.E.,River Basin E. & E-3W. M. S. G. T. Esq. B. Eng. (1952)Type of Gauge M.O.

Annual Average \* in. based on ..... years obs. un-weighted. Period of average ..... Ref .....

File No. 731250/26

|               |        |      |      |      |      |      |      |      |      |      |       |
|---------------|--------|------|------|------|------|------|------|------|------|------|-------|
| Diameter ...  | 5"     |      |      |      | 368  | 054  |      |      |      |      |       |
| Height ...    | 11' 0" |      |      |      |      | 1    |      |      |      |      |       |
| Altitude ...  | 540'   |      |      |      |      | 51   |      |      |      |      |       |
| Year ...      | 1951   | 1952 | 1953 | 1954 | 1955 | 1956 | 1957 | 1958 | 1959 | 1960 | Means |
| January ...   | 4.50   | 961  | Card |      |      |      |      |      |      |      |       |
| February ...  | 6.33   |      |      |      |      |      |      |      |      |      |       |
| March ...     | 8.29   |      |      |      |      |      |      |      |      |      |       |
| April ...     | 3.38   |      |      |      |      |      |      |      |      |      |       |
| May ...       | 3.53   |      |      |      |      |      |      |      |      |      |       |
| June ...      | 1.79   |      |      |      |      |      |      |      |      |      |       |
| July ...      | 1.92   |      |      |      |      |      |      |      |      |      |       |
| August ...    | 9.71   |      |      |      |      |      |      |      |      |      |       |
| September ... | 6.83   |      |      |      |      |      |      |      |      |      |       |
| October ...   | 1.44   |      |      |      |      |      |      |      |      |      |       |
| November ...  | 8.89   |      |      |      |      |      |      |      |      |      |       |
| December ...  | 5.50   |      |      |      |      |      |      |      |      |      |       |
| TOTALS ...    | 65.11  |      |      |      |      |      |      |      |      |      |       |

Terminated 1952, but may be resumed

62.6 computed (179m x 0.35) (1954-55) possibly reliable but not to be published because obtained only using factor 106:100 (31.10-45)

Position of Station on Ordnance One-Inch map : No. of Map ..... National Grid Reference 20 - 67612

| Date. | Lat. N. | Long. | Railway Station. | Distance Direction from gauge | Parish Church. | Distance Direction from gauge. |
|-------|---------|-------|------------------|-------------------------------|----------------|--------------------------------|
| 1951  |         |       | Cornwood         | 2m. S.W.                      | Cornwood       | 1 1/4 m. S.W.                  |

Summary of Earlier Records from 10-year Sheets :

| Record D, or d | 1910-19 | 1920-30                   | 1931-40 | 1941-50 | 1951-60 |
|----------------|---------|---------------------------|---------|---------|---------|
|                |         | Camp 1926<br>Mist - 29.30 | ✓<br>—  | ✓<br>—  |         |