

RAINFALL at Comwood (Yealm Head No 2.)County of S. DevonObserver Inquirer & Surveyor,
Bampton St. Mary R. D. BamptonRiver Basin Tam & L. - 3Comwood Rain Gauge, by _____

Diameter ...							5				
Height							10				
Altitude ...							1305				
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930 Mean.
January ...								9.27	16.94	5.52	11.49
February ...								5.74	7.32	3.88	2.73
March								7.72	8.54	1.65	4.14
April								4.16	3.37	1.13	3.45
May								1.16	2.42	5.84	4.28
June								5.57	4.47	4.17	2.20
July								8.90	3.97	2.54	5.58
August								7.71	3.92	6.13	6.91
September...								11.73	2.03	.93	7.96
October								5.23	6.24	11.77	8.52
November...								14.09	7.74	11.29	18.55
December...								1.25	8.03	8.70	13.61
TOTALS...							imp	83.97	84.74	73.56	75.09

Inspected by Dr Gleanfoole 12/11/38. see green file
 unenclosed on floor
 1928. Jan. includes 7 days of Dec. 1927 when g. was snowed under

Position of Station on reduced Ordnance Survey } No. of Map _____

Map, 2 miles to 1 inch Series

Reference No. _____

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1930			Comwood G.W.R.	3 1/2 mi.	S.W.	Comwood	3 mi.	S.S.W.

RAINFALL at Cornwood (Yealm Head No.2)County of South DevonshireObserver W. H. Thompson, Esq., R.E. *River Basin Erm & C. - 3Type of Gauge M. & R.

Annual Average.....in. based on.....years obs. un-weighted. Period of average.....Ref.....

731250/26.

Diameter	5.										
Height	1.0.										
Altitude	1305										
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January	7.89	11.39	4.45	7.62	2.29	9.48	10.48	11.88	10.54	(4.73)	
February	7.24	.08	6.94	.31	6.99	7.95	12.84	3.60	5.52	(8.05)	
March	4.02	4.10	7.49	5.96	1.45	8.32	8.58	1.18	3.79	5.80	
April	4.41	7.44	5.57	5.47	9.17	5.81	6.56	.52	4.71	4.33	
May	4.72	7.27	2.92	2.86	2.84	1.12	5.02	6.98	1.16	2.74	
June	7.63	4.40	2.98	4.18	6.58	4.05	1.69	3.32	6.61	1.41	
July	9.73	5.36	6.47	1.21	1.36	11.68	4.80	6.17	10.91	5.89	
August	6.34	2.25	2.82	6.88	3.45	1.53	1.03	8.33	7.07	.40	
September	3.21	8.31	2.93	6.27	8.06	6.01	4.95	3.95	1.27	2.78	
October	1.95	13.42	6.45	6.69	9.40	3.46	4.69	11.65	8.00	5.70	
November	11.16	5.79	2.53	2.69	10.56	6.23	5.09	13.18	13.54	14.79	
December	5.43	6.60	3.05	20.39	8.85	8.63	7.75	7.90	7.79	6.20	
TOTALS	73.73	76.41	54.60	70.53	71.00	74.27	72.88	78.66	80.56	62.82	

* Printed in B.R. with footnote Gauge overexposed on moor.
1940 Jan + Feb apportioned.

Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1931			Cornwood	3 3/4 m	SSW	Cornwood	3 m	SSW
1940			Cornwood	5 1/4 m	SSW			

RAINFALL at Comwood (Yealm Head N° 2) Station No. 1681 41
 County of South Devonshire Observer W. H. Thompson Esq. C.E. OBE
 River Basin Exe F.C. - 3
 Type of Gauge mo.

Annual Average in. based on years obs. un-weighted. Period of average Ref.

File No. 731250/26

Diameter	5"				368	036					
Height	1' 0"										
Altitude	1305'										
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	8.75	10.10	13.21	9.96	5.00	8.92	6.09 (13.50)	4.35	4.85		
February	8.45	1.15	3.96	4.00	8.41	7.35	(3.00) 4.19	3.90	11.80		
March	6.61	7.19	2.73	7.4	2.20	4.75	(2.00) 4.69	3.71	4.24		
April	1.86	3.10	3.98	4.80	4.05	3.68	5.86	3.58	4.06	4.06	
May	4.24	8.36	7.43	1.54	5.09	7.96	3.60	4.75	5.48	2.84	
June	3.36	4.49	4.46	6.33	9.08	9.38	5.63	5.04	1.79	2.54	
July	2.39	4.78	5.21	5.50	5.23	3.64	5.66	3.82	2.82	8.79	
August	10.02	9.00	8.19	5.68	3.26	8.67	1.55	7.15	3.74	11.09	
September	7.0	5.98	7.35	4.80	6.47	12.72	3.91	6.45	5.72	11.83	
October	5.05	6.70	7.49	8.55	7.92	4.64	2.68	7.07	12.58	3.36	
November	3.82	1.48	6.32	4.81	1.05	13.47	7.65	5.56	8.39	11.57	
December	7.45	11.06	7.25	6.84	11.19	10.21	6.50	11.59	4.02	5.55	
TOTALS	62.70	69.39	77.58	73.59	68.95	95.39	(64.13)	77.39	60.56	82.52	

Gauge overexposed on moor.
 1943 n.p. high
 1948 for part est. by dat.

30004 40009

* Ev. 621 (17 miles) not sufficiently reliable - see page sheet 16.79 - probably low.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series No. of Map 20-621638 Reference No. 20-621638

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1941			Comwood	8 1/2 m	S.S.W.	Comwood	3 m	S.S.W.

Station No. 1681RAINFALL at Corruvood (Yealm Head N° 2) 11 ✓

51

County of S. DevonObserver W. H. Thompson Ref. 1952 Eng. C.E., O.R.E.River Basin Em 1 B-3W. M. Scott, Eng. R. Eng. (1952)Type of Gauge M.O.Annual Average ^{*} in. based on years obs. un-weighted. Period of average Ref.File No. 731250/26

Diameter ...	5"				368	036					
Height ...	1' 0"					1					
Altitude ...	1305'					51					
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	9.64	9.61	Card.								
February ...	4.32										
March ...	4.63										
April ...	5.10										
May ...	3.79										
June ...	2.67										
July ...	2.72										
August ...	10.21										
September ...	6.90										
October ...	1.30										
November ...	8.48										
December ...	4.30										
TOTALS ...	40.06										
	m										

11 Gauge overexposed on snow Terminated 1952

* Av. 69.1 (17 yrs wtd) not sufficiently reliable - see 60 yrs sheet 1674 - probably low

Position of Station on Ordnance One-Inch map :

No. of Map

National Grid Reference 20-621638

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets :

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
		Cimp. 1926	✓	✓ n.p. 43	