

RAINFALL at Ben Lomond, Bomer.County of StirlingObserver J. R. Sutherland, Esq. B.E.River Basin Forth - R. banks tribs. 1.Hoat Rain Gauge, by

Diameter ...					8						
Height					1 0						
Altitude ...					600						
Year ...	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	MEANS.
January ...						7.70	16.40	3.60	10.25	7.95	
February ...						14.35	10.30	1.50	17.55	1.95	
March						5.60	2.10	4.45	3.90	6.70	
April						7.35	6.65	2.65	1.85	5.00	
May						1.50	7.50	5.90	4.50	2.30	
June						2.00	3.30	5.75	3.40	5.20	
July						6.05	3.70	2.05	5.75	2.40	
August					# 8.20	3.40	5.70	10.90	6.40	5.95	
September ..					4.80	2.60	2.85	6.75	9.55	7.65	
October ...					3.50	9.10	13.50	15.90	13.10	1.90	
November ..					12.10	4.50	11.85	14.70	12.05	7.40	
December...					14.65	11.35	13.30	4.70	10.70	15.55	
TOTALS ...					inf. 0	75.50	97.15	78.85	99.00	69.95	

D D

Site selected at 9. VII. 14
at foot of Ben Lomond.

500ft W. of Bomer farm in hollow on hummocky land

Date.	Lat. N.	Long.	Railway Station.	Distance.	Direction.	Church.	Distance.	Direction.

RAINFALL at Duchray Valley, ComrieCounty of StirlingObserver J. R. Sutherland Esq. C.E.River Basin Forth-Right bank tributaries.(1926) G. Henshelwood Esq. C.E.Float Rain Gauge, by _____

Diameter ...	8										
Height	10										
Altitude ...	600										
Year	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930. MEANS.
January ...	11.20	15.20	13.20	12.00	9.65	8.65	18.40	12.40	24.35	3.60	15.15
February ...	14.70	2.60	9.80	9.80	2.50	8.05	11.65	6.45	11.10	3.90	.80
March	9.80	17.00	4.10	5.70	1.25	3.90	8.30	7.40	12.35	2.00	6.60
April	4.00	3.15	5.80	6.80	5.60	9.90	4.60	6.10	5.25	2.00	3.00
May	9.85	7.10	7.95	3.30	8.20	12.50	6.00	4.20	1.95	7.80	4.50
June	3.00	.65	3.95	2.40	4.70	1.20	5.90	8.50	8.70	5.05	4.80
July	6.20	7.05	6.40	7.35	9.60	3.70	4.25	6.60	6.50	7.20	4.60
August	8.15	9.90	6.45	10.35	6.20	7.00	8.05	8.90	9.45	10.00	10.85
September...	5.20	4.40	4.90	13.50	10.15	4.95	5.70	8.50	6.60	3.20	6.20
October	6.70	9.40	4.70	15.00	6.90	9.60	9.80	10.70	13.85	11.50	13.00
November...	12.10	6.80	6.80	6.90	7.95	1.75	14.25	9.00	12.60	14.20	10.00
December...	8.75	15.70	10.50	7.85	16.35	6.80	4.85	2.25	10.50	22.30	12.00
TOTALS...	99.65 d	98.95 d	84.55 d	101.25 d	89.95 d	78.00 d	101.75 d	91.00 d	123.20 d	92.75 d	91.50 w

Position of Station on reduced Ordnance Survey }
Map, 2 miles to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction

RAINFALL at Duchray Valley (Cromer)County of StirlingObserver G. Hushelwood C.E.River Basin 1. Forth - Right BankS. Colquhoun, D.E.

Type of Gauge

S. D. Cameron Esq. C.E. (1946)Annual Average 86.5 in. based on 19 years obs. un-weighted. Period of average 1881-1915 Ref. Summary
computed x 11/36

Diameter	8										
Height	1 0										
Altitude	6 1200										
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January	8.30	17.20	10.45	17.30	4.75	7.55	14.20	15.50	7.50	2.50	
February	8.75	10	6.40	1.95	12.45	5.55	8.30	8.70	11.90	3.90	
March	2.10	4.55	6.10	4.90	3.80	7.45	3.00	9.50	7.55	8.00	
April	4.50	8.90	5.45	6.10	7.10	2.90	4.90	1.50	4.50	5.30	
May	8.25	4.50	3.40	6.05	.85	3.20	2.55	6.40	2.10	1.45	
June	9.60	3.55	3.30	2.60	7.85	3.10	5.00	10.80	4.45	1.10	
July	6.15	6.50	6.90	4.55	2.80	9.60	8.50	7.15	9.40	4.75	
August	2.90	4.75	7.90	7.45	4.00	5.15	5.40	3.90	3.30	3.35	
September	2.60	4.10	1.90	13.05	12.00	7.70	7.20	9.30	4.45	6.35	
October	8.00	10.90	6.45	16.00	18.35	10.15	4.50	18.00	6.10	14.30	
November	16.70	9.30	5.30	2.35	8.10	5.90	1.50	18.30	14.00	11.75	
December	10.90	17.65	2.45	16.80	6.45	14.35	4.50	9.65	5.40	11.30	
TOTALS	58.75	92.00	66.00	99.10	88.50	82.60	69.55	118.70	80.65	74.85	

1940 Jan Feb apportioned for snow.Position of Station on reduced Ordnance Survey Map, } No. of Map..... Reference No.....
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction	Parish Church.	Distance from gauge	Direction

Station No. 5366

RAINFALL at Duchray Valley (Camer)

41

County of StirlingObserver J. Cochran Esq. C.E.River Basin 1. Firth Right BankJas. A. Booth Esq.

Type of Gauge

General Manager (1946)S.D. Cameron Esq. 1947Annual Average 28.5 in. based on 18 years obs. ~~un~~-weighted. Period of average 1881-1915 Ref. S

File No.

Diameter	8"				8.9	38.3					
Height	1'0"					1				1'-3'	
Altitude	600'					41					
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	1.15	(7.80)	9.80	(11.20)	4.00	13.30	13.00	13.40	10.30	8.90	
February	9.80	(2.60)	8.40	3.50	17.00	6.75	(1.00)	11.30	11.00	8.50	
March	3.10	5.60	4.10	1.50	7.55	4.50	5.00	9.60	4.50	7.30	
April	4.25	7.50	6.10	(4.10)	3.30	(1.75)	15.10	6.55	10.50	6.80	
May	3.50	5.30	4.50	(5.00)	5.90	2.05	6.30	3.75	4.50	2.45	
June	0.80	2.80	7.10	(6.00)	6.50	6.90	6.70	7.50	2.10	2.60	
July	4.00	7.00	4.10	5.00	5.15	6.20	6.90	7.20	2.00	10.70	
August	7.60	10.00	11.40	4.60	2.70	3.70	0.00	13.80	6.20	9.70	
September	3.70	11.50	4.90	7.40	8.65	12.00	8.70	12.75	3.10	17.20	
October	7.60	10.50	16.80	7.90	9.50	.20	5.60	12.80	13.25	12.00	
November	10.85	2.70	5.20	10.50	1.35	12.40	13.30	7.10	10.30	6.20	
December	5.90	11.40	4.90	9.85	8.25	10.90	3.50	15.90	17.65	(3.41)	
TOTALS	62.25	(84.70)	87.30	77.15	79.85	80.65	85.10	121.65	95.40	95.76	
	M		n.p.	n.p.	n.p.	n.p.	n	n	M	M	

1943 Jan. Feb. cold from map 47004 04004 20004 90014
 1943 n.p. low. Gauge tilted & was found to be round. 1944 Jan. Apr. May & June amended by ref. S.D. Cameron.
 1944 "gauge shifted & new n.p." n.p. too much wet.

1945 Record n.p. low 6004
 1946 n.p. low. April est. as gauge tampered with. Site to be changed in 1947.
 1947 Site not changed but used improved. To be kept for a few more years Feb. est. for snow
 1948 Bdg. (from the strong) 200 yds S, single strong bldg 600 yds NE, at foot of Ben Tomond 3192 ft high.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1949.			Aberfoyle.	11 m	SE.	Aberfoyle	W. & S.	C.E.

BRITISH RAINFALL ORGANIZATION

Station No. 5366RAINFALL at Duchray Valley (Gomer)

51

County of StirlingObserver L.D. Garwin Esq.River Basin Forth - Right Bank -

Type of Gauge

Annual Average 36.5 in. based on 18 years obs. un-weighted. Period of average 1881-1915 Ref. S" " 89.51 " " 41 " " section 1916-59 " 1916-50 Ref. S

File No.

Diameter ...	<u>8"</u>				<u>889</u>	<u>383</u>					
Height ...	<u>1'3"</u>					<u>1</u>					
Altitude ...	<u>600'</u>					<u>51</u>					
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	<u>10.40</u>	<u>7.00</u>	<u>5.90</u>	<u>(9.43)</u>	<u>4.50</u>	<u>4.70</u>	<u>13.10</u>	<u>10.70</u>	<u>3.60</u>	<u>4.70</u>	
February ...	<u>5.10</u>	<u>3.50</u>	<u>3.40</u>	<u>(6.07)</u>	<u>4.44</u>	<u>2.90</u>	<u>4.80</u>	<u>3.60</u>	<u>3.90</u>	<u>8.20</u>	
March ...	<u>4.50</u>	<u>8.00</u>	<u>2.90</u>	<u>6.10</u>	<u>(2.06)</u>	<u>4.50</u>	<u>8.80</u>	<u>2.70</u>	<u>6.40</u>	<u>3.95</u>	
April ...	<u>6.60</u>	<u>5.00</u>	<u>4.60</u>	<u>(4.40)</u>	<u>4.00</u>	<u>(2.80)</u>	<u>3.25</u>	<u>3.10</u>	<u>6.70</u>	<u>10.15</u>	
May ...	<u>2.20</u>	<u>3.00</u>	<u>5.00</u>	<u>5.00</u>	<u>4.20</u>	<u>5.30</u>	<u>3.80</u>	<u>5.50</u>	<u>1.20</u>	<u>5.40</u>	
June ...	<u>5.70</u>	<u>6.60</u>	<u>1.90</u>	<u>4.30</u>	<u>3.20</u>	<u>4.80</u>	<u>(2.75)</u>	<u>3.50</u>	<u>3.90</u>	<u>3.65</u>	
July ...	<u>4.10</u>	<u>5.00</u>	<u>9.10</u>	<u>3.25</u>	<u>(1.20)</u>	<u>7.70</u>	<u>6.50</u>	<u>6.20</u>	<u>(8.10)</u>	<u>7.10</u>	
August ...	<u>10.10</u>	<u>8.00</u>	<u>6.00</u>	<u>6.10</u>	<u>(1.28)</u>	<u>8.30</u>	<u>6.20</u>	<u>8.50</u>	<u>3.20</u>	<u>5.10</u>	
September ...	<u>7.30</u>	<u>(6.80)</u>	<u>10.00</u>	<u>10.50</u>	<u>6.20</u>	<u>(9.50)</u>	<u>(6.12)</u>	<u>6.25</u>	<u>1.90</u>	<u>4.40</u>	
October ...	<u>2.50</u>	<u>9.10</u>	<u>7.00</u>	<u>14.20</u>	<u>6.00</u>	<u>(6.20)</u>	<u>8.90</u>	<u>9.10</u>	<u>7.60</u>	<u>-100</u>	
November ...	<u>12.00</u>	<u>4.90</u>	<u>13.00</u>	<u>14.90</u>	<u>4.60</u>	<u>3.80</u>	<u>2.70</u>	<u>2.65</u>	<u>9.20</u>	<u>-100</u>	
December ...	<u>11.20</u>	<u>6.00</u>	<u>9.10</u>	<u>16.25</u>	<u>14.00</u>	<u>12.90</u>	<u>11.00</u>	<u>10.50</u>	<u>15.30</u>	<u>-100</u>	
TOTALS ...	<u>81.70</u>	<u>72.90</u>	<u>77.90</u>	<u>(100.50)</u>	<u>65.68</u>	<u>(13.40)</u>	<u>77.90</u>	<u>72.30</u>	<u>71.00</u>	<u>-100</u>	
	<u>M</u>	<u>M</u>	<u>M</u>	<u>M</u>	<u>M</u>	<u>M</u>	<u>M</u>	<u>n.p. low</u>	<u>n.p. low</u>	<u>N.C.</u>	

1951 Corner Farm Simple Stony Bld, 200 yd S; Corner Lodge Simple Stony Bld
 9.11.55 Inspected by R. Crampa: Ben. Hammond 3192' at foot of SW: 600 yds NE.
 suggested move gauge 500 yards to W.
 1958 n.p. low
 1959 n.p. low
 1960 n.p. inc

Position of Station on Ordnance One-Inch map :

No. of Map

National Grid Reference ZY/385041

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.
1951			Aberfoyle	112 E.S.E.	Aberfoyle	112 E.S.E.

Summary of Earlier Records from 10-year Sheets :

Sub

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
	C imp 1914	✓	✓	✓ n.p. 43-46	
	✓	✓ but w 30	-	M	

Air Ministry, Meteorological Office

Station No. 5366/1RAINFALL at Duckray Valley (Gomer) New SiteCounty of Stirling Observer _____River Basin Forch. right Bank-1

Type of Gauge _____

Annual Average _____ in. based on _____ years obs. un-weighted. Period of average _____ Ref. _____

89.5

File No. _____

Diameter ...					889	384						
Height ...						1						
Altitude ...						51			600			
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means	
January ...									-100	5.25		
February ...										7.65		
March ...										4.15		
April ...										10.45		
May ...										5.25		
June ...										3.95		
July ...										7.70		
August ...									-100	5.35		
September ...									2.45	4.40		
October ...									8.95	6.10		
November ...									9.30	11.30		
December ...									14.90	9.60		
TOTALS ...									-600 imp np.	81.15 m		

np 1959 vol

1960 print

Position of Station on Ordnance One-Inch map: No. of Map 62 National Grid Reference 27385041

Date	Lat. N.	Long.	Railway Station	Distance Direction from gauge	Parish Church	Distance Direction from gauge

Summary of Earlier Records from 10-year Sheets:

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
C1960.					