

Station No. 5071/3RAINFALL at Edinburgh 542 ft. (Kether Gardens) N + (1950) 41County of LeithObserver Edinburgh Water Engineer

River Basin

Type of Gauge

Annual Average in. based on years obs. un-weighted. Period of average Ref

File No.

Diameter						5"						
Height						1' 6"						
Altitude						1600'						
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means	
January						6.30 (6.50)	7.10	4.40	2.70			
February						2.10 (2.00)	3.20	3.70	4.70			
March						3.70 (6.00)	4.00	1.30	5.00			
April						1.30	7.10	3.20	4.00	2.90		
May						1.50	4.70	2.30	2.50	1.90		
June						3.30	4.40	5.60	1.30	3.30		
July						5.40	3.30	3.30	2.40	5.00		
August						5.50	0.00	6.90	4.00	6.70		
September						6.70	5.70	4.20	2.20	10.40		
October						1.10	3.10	3.50	7.30	3.60		
November						9.40 (5.80)	3.00	5.30	4.70			
December						5.30 (2.80)	6.60	6.50	1.72			
TOTALS						51.60	51.40	52.90	44.90	52.62		
						M. & H. P.	M. & H. P.	M. & H. P.	M. & H. P.	M. & H. P.		

1946 Turf Ball 1' 6" high 10' diameter m.p. awaiting inspection.

25.9.47 Inspected by Dr. Haswood. Gauge moved to site selected 100 ft further up. May possibly be somewhat overgauged here.

1947 Jan-Mar approx. est. M.O. Nov/Dec, corrected in M.O. Edin. 17/1/48 as figures originally given were those from new site.

1948 m.p. Dec. up. Jan '49 by engineer. 1944 m.p. low. Suggest abandon. (M.O. Edin. Thel

Thelmer has will visit to install.

8/4/50 Record continually low, unreliable. (5.11.50/5) End. 201. Gauge no 5071/3/1 is very new. This was set up as an alternative gauge. Future reports will not be affected.

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.

BRITISH RAINFALL ORGANIZATION

Station No. 5071/3/1

RAINFALL at Edinburgh W. Wks. (Nether Girdlet) New site No. 241
(1950)County of Reckles

Observer

River Basin

Type of Gauge

Annual Average 56.0 in. based on 44 years obs. un-weighted. Period of average 1881 - 1915 Ref. 1.55

File No.

Diameter	...						5"		905	302	
Height	...						1'			1	
Altitude	...						1700'			51	
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means
January	...							11.80	(6.84)	(4.40)	
February	...							6.00	5.60	(6.60)	
March	...							6.20	2.20	6.80	
April	...							3.80	6.20	4.00	
May	...							2.80	3.10	2.30	
June	...							6.90	1.70	4.20	
July	...							4.30	3.00	5.90	
August	...							8.40	5.30	8.70	
September	...							6.10	2.80	13.20	
October	...							4.70	9.10	5.20	
November	...						7.80	4.20	7.00	4.80	
December	...						4.00	(10.26)	8.74	(2.64)	
TOTALS	...						9 imp.	75.46 M	61.58 M	68.74 M	

1947 Dec corrected H.O. 5d in. as figures originally given were those from old site.
 1948 Dec app. with Jan '49 by Eng.
 1950 Jan, Feb, + Dec app. by Engineer

00014	40004	60014
-------	-------	-------

Position of Station on reduced Ordnance Survey Map, }
1 mile to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.

BRITISH RAINFALL ORGANIZATION

RAINFALL at Edinburgh W.W. (Water Engineer) Station No. 5071/3/1

51

County of Peebles Observer Edinburgh Water Engineer

River Basin 1 - Tweed Upper Right Bank

Type of Gauge Octapent

Annual Average 56.0 in. based on 6 years obs. un-weighted. Period of average 1881 - 1915 Ref. 1WS
 " 61.58 " " " " " 1946-56 " " " 1916-50 Ref. 28
1783/1 File No.

Diameter ...	5"				905	362					
Height ...	1'0"					1				1'5"	
Altitude ...	1700'					51					
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	(7.66)	5.76	3.00	(4.08)	4.80	(3.40)	9.10	5.90	3.40	5.60	
February ...	(4.59)	1.44	2.30	(4.92)	(2.30)	(1.90)	6.10	4.30	1.90	8.60	
March ...	(3.98)	3.40	0.70	(4.08)	2.75	2.60	4.90	2.40	4.50	2.60	
April ...	(4.95)	3.74	4.32	1.48	2.42	1.10	2.87	(2.44)	6.20	7.20	
May ...	3.40	3.00	4.60	7.90	4.00	2.40	3.20	4.70	2.50	4.00	
June ...	2.90	3.70	2.40	4.90	3.10	4.10	2.60	3.80	3.70	3.20	
July ...	4.00	3.40	9.30	5.80	2.50	4.80	6.70	5.20	5.40	4.60	
August ...	8.00	5.00	3.80	7.00	2.90	10.20	5.80	6.60	2.00	4.50	
September ...	6.40	2.70	7.20	8.50	4.20	6.30	4.30	5.90	1.50	4.90	
October ...	1.00	7.40	5.70	11.40	4.10	4.10	6.20	5.10	6.70	5.80	
November ...	13.00	4.40	7.30	12.90	3.70	2.40	2.50	1.40	14.10	10.10	
December ...	(8.80)	5.10	5.30	6.70	6.70	8.20	6.30	6.90	10.30	4.90	
TOTALS ...	(68.68)	49.24	55.92	79.68	43.47	62.50	58.87	54.64	62.20	66.30	
	M		M	M	M	M	M	M	M	M	

1952 Jan-Feb. Not applicable. 20004 60004 04004
 1955 H03 estimates agreed by Engineer.
 Ins. 9.60 J. Shaw. o/e in NW semicircle. T.W. prov. Have G
 Small hollow 60x SWW. Try without T.W.

74014 60030

70004

122.6 37.9 99.9 142.3 77.6 93.7 104.6

N01 - N7(36) 113209
 N02 - N7(36) 114209

Position of Station on Ordnance One-Inch map: No. of Map..... National Grid Reference NT06 114209

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets:

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
				Cmp 1947	