

RAINFALL at Eicht DamCounty of Perth.Observer Balfour Beatty & Co.River Basin 14 - Tay - TummelType of Gauge SnowdonAnnual Average ^{54.1} in. based on ~~7~~¹¹ years obs. ~~un~~-weighted. Period of average 1881-1915 Ref S (1943)

Diameter	5"										
Height	1' 0"										
Altitude	1106'					1136'					
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means
January		10.78	6.91	11.16	4.16	3.55	10.05	11.14	5.17	5.4	
February		.01	4.85	2.34	9.62	2.79	4.14	6.23	7.39	2.23	
March		2.88	2.79	5.28	3.59	2.37	1.24	8.06	4.18	4.83	
April	2.16	6.09	3.12	3.58	2.76	2.29	1.55	.94	3.81	4.50	
May	4.07	3.47	1.75	3.94	.78	1.68	3.45	3.16	1.19	1.79	
June	4.69	.88	1.84	1.41	4.46	1.70	3.25	6.00	2.40	1.18	
July	4.53	5.64	3.41	2.64	2.43	5.37	4.67	4.77	6.44	6.39	
August	2.04	3.06	4.04	4.86	4.19	3.71	3.70	4.01	2.30	3.10	
September	1.49	5.36	1.61	6.15	9.28	3.29	4.74	4.84	2.93	3.40	
October	5.30	7.75	5.63	9.74	12.92	8.65	2.07	11.76	3.71	6.66	
November	6.83	6.80	2.33	1.97	5.69	5.40	.72	13.59	10.41	7.20	
December	6.61	8.25	1.08	6.93	2.50	9.57	1.84	6.49	2.67	6.41	
TOTALS	Imp.	59.97	39.36	60.00	62.38	50.37	42.02	80.99	52.60	48.23	
		2	3	2	2.1	2	2	2	2	2	

No objects near gauge.

Position of Station on reduced Ordnance Survey Map,
1 mile to 1 inch Series

No. of Map.....

Reference No.....

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge
1937			Rannoch	6 1/2	S.W.	Bridge of Gair	4 1/2 m	S.

RAINFALL at Ericht Dam

41

County of PerthObserver Balfour Beattie & Co.River Basin 14 Tay TunnelChampion Electric Supply Co.Type of Gauge Snowdon

N. G. S. Hyams Electric Board S (1943)

Annual Average 54.1 in. based on 21 years obs. un-weighted. Period of average 1881-1915 Ref B 375

File No.

Diameter	5"				866	007						
Height	1' 0"					1						
Altitude	1196'					41						
Year	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	Means	
January	0.76	4.93	6.08	9.52	3.50	8.37	6.06	7.44	7.74	5.60		
February	4.57	2.67	7.37	3.36	10.11	6.64	(1.42)	6.66	6.82	9.23		
March	2.08	1.64	5.60	1.69	5.90	3.42	(2.91)	6.43	3.25	3.78		
April	2.28	2.82	5.90	3.82	2.10	2.51	9.76	4.98	5.85	5.49		
May	2.15	3.36	3.51	4.04	5.08	1.34	3.45	2.35	3.39	2.04		
June	0.90	2.17	4.99	6.30	4.87	4.27	4.86	4.76	2.22	3.71		
July	3.48	2.87	2.68	2.32	2.19	4.40	4.62	3.86	2.09	5.74		
August	6.64	5.76	5.53	5.26	2.82	3.63	0.00	7.78	5.67	6.98		
September	2.22	7.69	4.82	3.66	7.15	6.96	6.99	6.95	2.11	10.13		
October	6.86	8.03	11.16	5.47	4.43	.62	5.06	8.31	6.31	6.68		
November	6.57	2.02	4.17	7.66	0.81	5.22	10.16	5.42	6.16	5.79		
December	6.73	7.99	3.49	7.73	6.51	6.71	2.64	9.11	14.00	3.85		
TOTALS	45.24	51.95	65.30	60.83	55.47	54.09	57.93	74.05	65.61	69.02		
	D	D	D	D	D	D	D	D	D	D		

no objects near to gauge, which is on open moor except light open wire fence & high 6' clear all round.

1947 Feb. overest for snow

30004

Position of Station on reduced Ordnance Survey Map, 1 mile to 1 inch Series

No. of Map

Reference No.

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge.	Direction from gauge.
1941			Ranoch	6 1/2 m	S.W.	Bridge of Gair	4 1/2 m	S.

BRITISH RAINFALL ORGANIZATION

Station No. 5563/4

51

RAINFALL at Ercht DamCounty of PerthObserver North of Scotland Hydro. E. C. B. D.River Basin Lay - Lumsail - 14Type of Gauge SnowdonAnnual Average 54.1 in. based on 11 years obs. un-weighted. Period of average 1881-1915 Ref. S

574

File No.

Diameter ...	5"			866	007						
Height ...	1' 0"						on imp. 1' 6"				
Altitude ...	1196'				51						
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	6.39	5.22	4.04	5.46	3.01	4.68	9.81	4.05	3.11	4.73	
February ...	3.30	1.95	3.37	3.72	2.35	2.92	4.21	2.83	2.82	3.76	
March ...	3.33	4.05	2.07	3.36	0.96	4.02	5.66	1.56	4.19	2.19	
April ...	5.82	3.32	3.51	3.07	2.78	2.63	1.74	3.09	3.91	5.51	
May ...	0.91	2.77	3.84	4.74	3.13	4.75	1.80	5.22	1.43	2.95	
June ...	2.34	3.97	1.99	2.83	2.35	3.35	2.96	2.45	3.52	2.41	
July ...	3.57	2.82	6.43	2.49	0.75	5.00	5.62	3.63	5.17	2.52	
August ...	4.73	3.45	3.56	4.15	1.81	5.33	5.14	5.40	3.58	3.34	
September ...	3.42	3.87	6.34	7.38	5.29	6.31	2.66	5.21	1.67	3.33	
October ...	2.07	6.37	3.23	11.13	5.01	5.69	7.30	6.67	6.97	3.83	
November ...	8.48	3.36	9.44	9.27	2.19	4.03	1.74	1.47	6.10	5.30	
December ...	5.49	5.92	7.46	12.77	10.91	9.98	9.75	5.54	8.50	7.48	
TOTALS ...	52.85	47.07	55.28	69.37	40.54	58.69	58.39	47.12	51.27	47.35	
	D	d	D	D	D	d	d	d	d	d	

has 24 557. G. battered. Leaning to NW. Delivery pipe detached. 4' posts & distant all round.
 Rising ground from SSW through N to E. Slight fall to SW - a little o/e to SE. G. to be reset at
 1' 0".
 In Oct 1959 H.E.B. slightly o/e E-S but otherwise good shelter. No
 better site. G. is old and away rapidly deteriorate.

Position of Station on Ordnance One-Inch map :

No. of Map

National Grid Reference 27/511629

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets :

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
			C imp 1931 a 35. ✓	✓	✓