

RAINFALL at Featherbed Top (No. 77)

County of Derbyshire Observer Derwent Valley Water Board

River Basin West Derwent

Type of Gauge

Annual Average in. based on years obs. un-weighted. Period of average Ref.

1934

66019/26 37021/34

Diameter												
Height												
Altitude												
Year	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	Means	
January				#4.36	4.67	6.23	6.92	6.83	8.74	(3.80)		
February				56	8.43	3.98	10.00	2.69	5.43	4.80		
March				7.45	2.91	6.34	5.44	3.02	4.42	5.07		
April				3.55	4.36	2.46	4.47	1.09	3.49	4.11		
May				4.05	7.0	1.42	2.96	4.21	3.73	1.14		
June				3.19	4.53	3.52	2.33	5.97	3.84	1.29		
July				5.10	2.77	7.16	5.18	7.58	9.36	6.44		
August				5.00	2.33	3.22	1.42	3.63	2.94	3.03		
September				3.90	7.13	7.81	2.15	3.92	2.09	4.32		
October				9.52	11.24	6.79	3.11	9.76	4.63	5.79		
November				3.72	7.25	8.65	2.58	6.22	9.13	9.73		
December				8.32	6.15	6.44	4.47	7.80	4.83	7.56		
TOTALS				58.72	62.47	64.02	51.03	62.72	62.63	57.08		

1934. Checky. for 2694, on S. of road, & surrounded by a turf wall. See previous sheet.
1936 not check gauge after 1935

1940 Jan est.

Position of Station on reduced Ordnance Survey Map, } No. of Map Reference No.
1 mile to 1 inch Series

Date.	Lat. N.	Long.	Railway Station.	Distance from gauge	Direction from gauge	Parish Church.	Distance from gauge	Direction from gauge

Station No. 2699/1

RAINFALL at *Heathfield Top No. 77*

51

County of *Derbyshire*Observer *Derwent Valley Water Bd.*River Basin *Trent-Derwent-6*Type of Gauge *Septapont*

Annual Average in, based on years obs. un-weighted. Period of average Ref.

File No. 370241/34

Diameter ...	5"			106	381			5.07'			
Height ...	1' 0"				1						
Altitude ...	1665'				51						
Year ...	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	Means
January ...	9.23	6.12	3.17	6.57	3.56	8.15	4.23	6.48	6.72	8.03	
February ...	7.14	4.93	3.37	4.65	3.78	2.91	5.36	4.11	8.9	4.82	
March ...	4.68	(3.84)	3.88	3.95	4.93	2.28	5.04	3.62	3.32	1.24	
April ...	3.32	4.66	3.82	1.42	3.09	2.91	1.52	2.26	4.66	2.87	
May ...	2.04	2.83	2.62	4.73	6.14	1.78	2.12	5.62	6.2	2.29	
June ...	1.88	3.67	4.27	4.32	4.83	6.16	1.97	6.78	3.04	1.78	
July ...	4.09	3.96	8.17	9.86	1.23	8.76	7.02	8.16	5.63	9.45	
August ...	6.92	4.08	6.64	(9.25)	.88	13.68	8.46	4.68	8.6	7.03	
September ...	3.47	5.98	3.64	6.34	3.26	5.73	10.82	8.11	3.1	5.19	
October ...	1.33	6.14	2.68	10.37	4.23	3.89	6.77	6.44	5.84	8.06	
November ...	10.24	(4.86)	4.83	9.47	3.69	2.61	3.42	2.82	7.43	8.94	
December ...	7.09	(6.34)	3.34	11.74	6.52	7.96	8.57	6.07	9.42	5.93	
TOTALS ...	64.43 M	57.41 NP	50.43 M	82.67	46.14	66.88	65.30	70.15	48.74 M	65.63 M	

1952 WP low - too much for

1953 WP low - 10084 00204

1954 Oct. part est. 103.

Just III 1955 J.B.O.K. One - expect all directions. Tuff wall poor to be completely rebuilt

1967 from end 267. Tuff wall has been rebuilt.

Period of average 1916-1950 S

Thick wall Annual Average 58.6 in based on 23 years obs with 1934-57 About 5 in low Rejected

Position of Station on Ordnance One-Inch map: No. of Map 102 National Grid Reference SK 089921

Date.	Lat. N.	Long.	Railway Station.	Distance Direction from gauge	Parish Church.	Distance Direction from gauge.

Summary of Earlier Records from 10-year Sheets:

Record D, or d	1910-19	1920-30	1931-40	1941-50	1951-60
			C1934	Vp. 43, 47	