


- * SURFACE - AIR 0 MM
- L1 TOP CONDUCTOR - COPPER 0.052 MM
- * DIELECTRIC - FR-4_NO_FLOW_PREPEG 0.32 MM
- L2 L2_GND PLANE - COPPER 0.018 MM
- * DIELECTRIC - FR-4 0.7 MM
- L3 L3_PWR PLANE - COPPER 0.018 MM
- * DIELECTRIC - FR-4_NO_FLOW_PREPEG 0.32 MM
- L4 BOTTOM CONDUCTOR - COPPER 0.052 MM
- * SURFACE - AIR 0 MM

DESIGN CROSS SECTION CHART
TOTAL THICKNESS 1.48 MM


DRILL CHART: TOP to BOTTOM				
ALL UNITS ARE IN MILLIMETERS				
FIGURE	FINISHED_SIZE	TOLERANCE_DRILL	PLATED	QTY
Ø	0.3	+0.0/-0.3	PLATED	165
N	2.1	+0.0508/-0.0508	PLATED	6

ART FILM - TOP




ART FILM - TOP

ART FILM - L2




ART FILM - L2

ART FILM - L3




ART FILM - L3

ART FILM - BOTTOM





ART FILM - BOTTOM

ART FILM - SMT



ART FILM - SMT





JINT-A-01.00.0125



