


Cancellation handling at Juniper Salon


Last-minute gaps trigger manual checking and repeated texting. Lena wants a clear process that fills openings without two clients believing they have the same slot.

TODAY



A slot can stay empty while staff track separate replies by hand.

PROPOSED FLOW




One active offer per opening makes the holder visible and gives the queue a stopping point.

SUCCESS FOR LENA

- Fewer empty slots
- Less repeated checking
- No double claims

Temporal keeps each offer moving

A durable workflow waits for the reply window, records the outcome, and advances the opening without staff repeatedly checking messages.



CLEAR ACCEPTANCE

First valid acceptance holds the slot; other clients hear it is taken.

DECLINE OR TIMEOUT

Move to the next oldest eligible client for this opening.

QUESTION OR CANCELLATION

A question does not hold the slot. Continue after staff cancels only if it remains open.

TWO OPENINGS

Earlier appointment first, then oldest-created opening. One active offer per client and service.

Temporal: docs.temporal.io/develop/typescript | docs.temporal.io/encyclopedia/workflow-message-passing

Prototype scope and practical next step

The prototype demonstrates the staff decision flow locally. It keeps Lena's existing Square process and makes every simulated message unmistakable.

IN THE PROTOTYPE

- Add openings with service, stylist, exact time, and duration
- Match opted-in clients by service, availability, and stylist preference
- Offer oldest matching request first, one client at a time
- Show active holder, reply status, and Square handoff

SIMULATED OR EXCLUDED

- Sample waitlist data; no real client records
- No SMS sent; all message examples are labeled SIMULATED
- No Square connection; staff update the real calendar
- Travel time and service practicality stay with staff

NEXT WITH LENA

- Run one salon-led cancellation walkthrough through the Square update.
- Confirm match rules, opt-outs, contact frequency, and travel judgment.
- Then decide whether live messaging merits a separate integration step.

LOCAL RUN

Node.js 20+ and Docker Desktop: npm install, then npm run dev.

Evaluators run from the public repository. No public deployment.

USABILITY LENS

GenderMag

gendermag.org/gendermag.php