

DOUGH BOSS.



BRAND & CATERING PACK

The catering dozen box, the brand around it, and how to make it real.

VERSION 1 · 3 OCTOBER 2026

STATUS: CONCEPT FOR DEVELOPMENT · INTERNAL, NOT FOR PUBLICATION

Imagery is concept: AI food stand-ins and composited print. See the gates in Section 1.

CONTENTS

01 STATUS AND GATES	5
What this pack is	6
Where things stand	6
Specialist panel (box photography and artwork)	6
Gates before anything goes public	7
Conventions used throughout	7
02 BRAND IDENTITY	8
Positioning (from the live site, verbatim where quoted)	9
Verified lines we may print	9
The wordmark	9
Colour	10
Typography	10
Voice	10
Photography direction	10
03 PACKAGING	12
Structure	13
Print	13
Panels and copy	14
Files	14
04 TECHNICAL DATA	20
0. Key decisions (spec-sheet summary)	21
1. Structure	21
2. Materials and food contact in Australia	23
3. Print	25
4. Labelling (NSW bakery, catering box)	27
5. Sustainability and recyclability claims	28
6. Australian converters and printers (request quotes from each)	29
7. Open items	30
05 PHOTOGRAPHY AND WEBSITE MASTERS	31
The set	32
Grade	32
Web delivery (UX specification)	32
Before the real shoot	32
06 COSTING	40
0. Basis and conventions	41
1. Custom printed corrugated mailer boxes	42
2. Plain stock boxes (pilot before custom print)	43

3. Greaseproof liner sheets	43
4. Seal labels (round kraft, about 70 mm)	44
5. Merchandise	45
6. Printed paper takeaway bags	46
7. Cost model: landed packaging cost per catering box-set	46
8. Merch cost model (ex GST, AUD, garment + decoration, before setup/screen fees and freight)	48
9. RFQ templates	48
10. Open [CONFIRM]/[QUOTE] items that change the numbers	49
07 MERCHANDISE	50
0. Rules that apply to every item	51
1. Staff t-shirt	52
2. Bib apron	53
3. Cap	53
4. Tote bag	54
5. Takeaway paper bag (counter orders)	54
6. Coffee or drink cup sleeve: not recommended (parked)	54
7. Sticker sheet	55
8. Counter tent card	55
9. Window decal (shopfront)	55
10. Approval and proof steps (every item)	56
11. Brand in the wild: usage rules	56
Sources (read 3 Oct 2026)	57
08 MARKETING	58
How to read this section	59
1. Positioning: catering as the hero product	59
2. Launch plan	60
3. In-store point of sale	63
4. Content and photography	64
5. Measurement: the tracking already built, and how the box ties in	65
6. Risks and compliance checklist	66
Open items for Elie (this section only)	68
09 PRODUCTION AND EXPANSION	69
Part A. Production documentation	70
Part B. Brand governance	75
Part C. Expansion	77
Part D. Decisions and gaps register	79
10 BEFORE THE FACTORY	82
1. Decide or supply before sending the RFQ	83
2. Audit: what the PDS and the dieline v1 did not give	84
3. Conflicts found between pack documents	85

4. Not verified (do not rely on yet)85

A ORIGINAL BRIEF86

Outcome86

Owner direction (verbatim words)86

Hard rules86

Verified copy available (from the live site, read 2026-10-02/03)86

Product facts (site data)86

Working structure (proposal, all sizes [CONFIRM])87

Look87

Owner answers (3 Oct 2026)87

Owner addition (3 Oct 2026): the pack photos double as website imagery87

B OPEN ITEMS INDEX88



01

STATUS AND GATES

Where the pack stands, the specialist panel, and what must happen before anything goes public.

STATUS, GATES AND HOW TO USE THIS PACK

Pack version: v1, 3 October 2026. **Status:** CONCEPT FOR DEVELOPMENT. Internal only. Nothing in this pack is to be printed in volume, published or shown to customers until the gates below are cleared.

WHAT THIS PACK IS

The working brand and catering pack for Dough Boss. It sets out the catering "dozen box" and everything the brand needs around it: identity, structure and dieline, print specification, technical data, photography and website masters, costing, merchandise, marketing, production documentation, governance and expansion. It is written so a converter, a printer, a photographer, a web developer and a new shop manager can each work from it without a briefing call.

WHERE THINGS STAND

Workstream	Status	Evidence
Brand identity (wordmark, colour, type, voice)	Drafted from the live site	Section 2
Catering box structure (FEFCO 0427, 385 x 290 x 50 mm internal)	Working size; physical fit test outstanding	Section 3, dieline PDF
Box artwork (lid, front, sides, back, inside lid, liner, seal)	Final concept, vector, 2 spot inks	Section 3
Packaging data sheet (PDS)	Specification drafted from published sources; tests outstanding	Section 4 and the separate PDS PDF
Photography and website masters (W1 to W11)	Concept set passed the six-specialist panel at 8.5 or above (round 5)	Section 5
Costing	Published prices only, dated 2026-10-03; the real black-board spec needs quotes	Section 6
Merchandise	Specified; blanks priced from published lists	Section 7
Marketing launch plan	Drafted; owner decisions open	Section 8
Production, governance, expansion	Drafted	Section 9
Factory tech packs (box, dieline v2, merchandise)	Drafted for RFQ and samples; send only under NDA once the Section 10 decisions are made	Section 10 and the separate factory PDFs
Hero video (final)	7.5 s seamless ping-pong loop, 1080x1920, box stack in the top band	Concept; same publication gates

SPECIALIST PANEL (BOX PHOTOGRAPHY AND ARTWORK)

Specialist	R1	R2	R3	R4	R5
Packaging design director	7.5	8.2	8.3	8.4	8.7
Brand lead	8.0	8.3	8.6	8.7	8.7
Director of photography and colourist	8.0	8.5	8.3	8.6	8.6
Food stylist	7.5	8.2	8.3	8.5	8.5
VFX supervisor	6.5	7.5	8.2	8.3	8.6
Web UX and performance lead	7.0	7.5	8.6	8.6	8.6

Pass mark 8.5 from every specialist. R5 re-checked only the W4 seal macro, where the director and VFX had blocked on the exposed flute along the lid edges and leftover retouch marks. Both edges are now closed folds, as on a real FEFCO 0427. The other four scores carry forward from R4. **All six specialists are at 8.5 or above.**

GATES BEFORE ANYTHING GOES PUBLIC

1. **Packaging is real.** The owner confirms in writing that the produced box matches this artwork and structure. Until then every photograph is labelled "concept" and is not presented as the product (Australian Consumer Law, overall impression).
2. **Real food.** The bakes in every image are AI stand-ins. They are replaced with photographs of the real bakes before publication, and a Lebanese baker reviews the toppings for authenticity.
3. **Wordmark and trade mark.** The wordmark is the live site's. The ownership and trade-mark position is open (decisions register, Part D). No volume print until it is settled.
4. **Claims.** Only the verified lines in Section 2 may print. "Since 2009", "Fresh from the oven" and "Three shops baking daily" carry a **[CONFIRM]** before permanent print.
5. **Physical tests.** Fit (12 real bakes), vent hold, liner strike-through, stack (hot, 5 high) and lid sag, as listed in the PDS.
6. **Quotes.** The real specification (black board, opaque white plus ember, custom 0427 size) has no published price. Order nothing until written quotes are in.

CONVENTIONS USED THROUGHOUT

- **[CONFIRM: ...]** marks a fact still to be confirmed by the owner, a supplier or a test. **[QUOTE]** marks a price that has to be requested. **REGULATOR-CHECK** marks a point for NSW Food Authority or FSANZ.
- **OBSERVED** facts were read from a cited source on the stated date. **INFERRED** facts are reasoning from those sources.
- Prices are AUD. USD figures are converted at the dated RBA rate and flagged as estimates; a card charge converts at the bank's own rate on the day.
- No price, date, specification or stock level in this pack is invented. The appendix lists every open item found in the pack.



02

BRAND IDENTITY

Wordmark, colour, typography, voice and photography direction.

BRAND IDENTITY

Dough Boss is a contemporary Lebanese bakery with three shops in Sydney (Revesby, Bankstown, Roselands). This section sets out the identity the catering box carries, and every item that follows it, so the brand looks the same on a box, a shirt, a shop window and the website.

Status: CONCEPT FOR DEVELOPMENT (3 October 2026). The wordmark is the one on the live site today. The trade mark position is an open question (see the decisions register). Nothing here is to be printed in volume or published until the gates in the status section are cleared.

POSITIONING (FROM THE LIVE SITE, VERBATIM WHERE QUOTED)

- What we are: "A contemporary Lebanese bakery." "Oven-baked in Sydney since 2009" [CONFIRM before any permanent print].
- What we make: "Authentic manoush, pizza, pies and wraps, made to order across Revesby, Bankstown and Roselands." ("Authentic" is held off packaging and ads until confirmed; see the compliance notes.)
- Catering, the hero product: "Office runs, footy nights and functions. Tell us what you need and we'll help plan the spread." "Feed the whole table."
- The feeling: dark, warm, generous, honest. Black and cream with one red full stop. The food carries the colour.

VERIFIED LINES WE MAY PRINT

Line	Where it may go	Status
FEED THE WHOLE TABLE.	Catering box lid, catering page, tees (back)	Live site catering heading
FRESH FROM THE OVEN.	Inside lid, seal, counter card	Live site hero line [CONFIRM as a printed claim]
A CONTEMPORARY LEBANESE BAKERY.	Back wall, about page, apron	Live site footer
THREE SHOPS BAKING DAILY	Back wall	Live site [CONFIRM as a printed claim]
REVESBY · BANKSTOWN · ROSELANDS	Front wall, bags, window	Live site locations
doughboss.com.au · catering@doughboss.com.au · @doughboss	Back wall, cards	Live site footer
Allergen information available on request.	Box, counter card, menus	FSANZ display-or-on-request basis
Never: "Minis", prices, phone numbers, "halal", "gluten free", "best", "allergen-free", recyclable or compostable claims, "Since 2009" until confirmed.		

THE WORDMARK

The logo is the live site's wordmark: **DOUGH BOSS.** in Bebas Neue capitals, letter-spaced 0.13 em, inside a single-rule box, with the full stop in ember red. It is rebuilt exactly from the site's CSS (22 px type, padding 8 / 8 / 7 / 11 px, 2 px rule), so every application scales those ratios.

- **Construction:** box rule = 2/22 of the type size; padding top 8/22, right 8/22, bottom 7/22, left 11/22; cap height about 0.70 of the type size, centred in the line box.
- **Colourways:** cream on black (primary); char on kraft or paper (mono, for one-colour jobs; the full stop goes char too); cream on ember is NOT allowed.
- **Clear space:** at least the height of the "D" all round the box.
- **Minimum size:** box width 25 mm for digital print, 45 mm for screen print and DTF, 90 mm for embroidery, 110 mm for cut vinyl (the 1.45 % rule weight sets the limit), carton flexo: Bebas 11 mm type or larger so the rule stays at least 1.0 mm.
- **Don't:** stretch, outline, add effects, re-letter, change the spacing, drop the box on its own, or let a generator draw it. In photographs it is always composited from the vector artwork.

COLOUR

The palette is the live site's design tokens. On packaging the black is the board itself (black kraft), and only two inks print: opaque white and ember.

Name	HEX	RGB	CMYK (naive, uncoated: proof before use)	Use
Char	#0a0807	10 8 7	0 20 30 96	Page and panel background; type on kraft
Coal	#151210	21 18 16	0 14 24 92	Secondary dark surfaces
Cream	#eee8de	238 232 222	0 3 7 7	Type and the wordmark on dark; "white" on screen
Ember	#e2231a	226 35 26	0 85 88 11	The one accent: the full stop, the hinge band, the seal ring
Ember dark	#b71912	183 25 18	0 86 90 28	Hover and pressed states on screen only
Gold	#f1a132	241 161 50	0 33 79 5	Screen accent for food warmth (never on packaging)
Paper	#f7f5f0	247 245 240	0 1 3 3	Light page background, liner paper
Mist	#b8b1a4	184 177 164	0 4 11 28	Secondary text on dark

- **Ember** prints as **PANTONE 485 C** (reference; approve against 485 U on the real board over a white underlay). Published third-party values for 485 C: #DA291C, Lab 47.72 / 65.46 / 51.39, about 4.4 dE from the screen ember.
- **White on black kraft** reads warm cream (a single hit at about 60 to 70 % opacity, with fibre showing). That is the intended look; approve it against a press drawdown, never a screen proof.
- CMYK values above are a naive conversion for briefing only. Every printed item is matched by proof.

TYPOGRAPHY

Role	Typeface	Use
Display	Bebas Neue (regular)	Wordmark, headlines, box lid, signage. Tracking 0.01 em for headlines, 0.13 em only in the wordmark
Text and labels	Barlow (500 / 600) and Barlow Condensed 600	Body copy, small caps labels, addresses, legal lines
Handwriting	Real handwriting only (marker on the seal, chalk on boards)	Never a "handwriting" font on printed items

Both typefaces are free Google Fonts released under the SIL Open Font License 1.1 [CONFIRM the licence file at download and keep it with the master files]. Supply printers with outlined text.

VOICE

Short, warm, confident, plain. Speak about the food and the occasion, never the customer's background. No hype, no false urgency, no superlatives we cannot prove. One idea per line. Australian English.

PHOTOGRAPHY DIRECTION

Dark, real, high contrast, personal, professional but never perfect. One soft key light from the left, deep shadows to the lower right, true blacks. Real surfaces (brushed steel, dark timber, greaseproof paper), real crumbs, grease halos on the liner, a slightly crooked seal, handwriting on the label, flour on the bench. No people, no hands, no steam or haze, no lemons, no invented shop settings. Logos and print are never drawn by an image generator: plates are made blank and the vector artwork is composited as print. Real photographs of the real box and the real bakes replace every concept image before publication.

BRAND BOARD

DOUGH BOSS.

PRIMARY: CREAM ON CHAR, EMBER FULL STOP. BUILT FROM THE SITE CSS (22 PX: PADDING 8/8/7/11, RULE 2, TRACKING .13 EM).

DOUGH BOSS.


MONO ON KRAFT (ONE-COLOUR JOBS: THE FULL STOP GOES CHAR IN PRINT)

FEED THE WHOLE TABLE.

REVESBY · BANKSTOWN · ROSELANDS


Bebas Neue display · Barlow text · Barlow Condensed labels

Palette




CHAR

#0a0807



COAL

#151210



CREAM

#eee8de



EMBER

#e2231a




EMBER DARK

#b71912



GOLD

#f1a132



PAPER

#f7f5f0



MIST

#b8b1a4

Type

BEBAS NEUE ABCDEFGHIJKLMNOPQRSTUVWXYZ 0123456789

Barlow 400 Fresh from the oven, every morning. 0123456789

Barlow 600 Feed the whole table.

BARLOW CONDENSED 600 REVESBY · BANKSTOWN · ROSELANDS



03

PACKAGING

The catering dozen box: structure, print, panels, dieline and artwork.

PACKAGING: THE CATERING DOZEN BOX

One box holds one dozen bakes, 4 x 3, on a greaseproof liner. Orders stack: Morning Tea is 2 boxes, Office Platter 3, Function Spread 5. The box is the hero of the catering product, so it is built to look and work like a premium takeaway mailer, not a pizza box.

STRUCTURE

Item	Specification	Status
Style	FEFCO 0427 one-piece folder: hinged lid from the back wall, rolled double front and side walls, tuck front	Working
Internal size (L x B x H)	385 x 290 x 50 mm	[CONFIRM: fit test with 12 real bakes, 4 x 3, about 9 cm each]
Approximate outside size	about 391 x 295 x 53 mm (E-flute)	INFERRED; converter's CAD sets the allowances
Board	E-flute single wall, caliper 1.6 mm, about 32 ECT (about 5.6 kN/m). B-flute is the fallback if the lid sags or the stack test fails	[CONFIRM with converter]
Outer face	Black kraft (dyed black liner, or natural kraft flood-printed black as a third ink)	[CONFIRM availability]
Inner face	Natural brown kraft, food-contact declaration for the intended use	[CONFIRM: DoC]
Flat blank (working die)	593.8 x 781.0 mm	From the parametric dieline
Lid front	One tuck flap 45 mm deep, 3 mm side relief, 6 mm corner radii	[CONFIRM with structural engineer]
Locks	2 tabs on the rolled front wall, 22 mm wide x 6 mm deep, into 24 x 2.5 mm base slots; 2 tabs per rolled side wall into matching slots	Working
Vents	4 x Ø10 mm round, 2 per side wall (the 290 mm ends) at 20 % and 80 % of the wall length, mid-height; 8 punches on the flat (outer and inner ply), aligned exactly when rolled (v2)	[CONFIRM by 30-minute hold test]
Thumb notch	None. The tuck opens from the flap edge; a notch was removed in review because it weakened the front wall	Decision
Liner sheet	Greaseproof 40 to 50 gsm, KIT 6 or above, no added PFAS (total fluorine below 100 ppm)	[CONFIRM by strike-through test]
Seal label	Round kraft, 70 mm, across the lid front and front wall	Working
Stacking	Up to 5 boxes, hot	[CONFIRM by test]

Note: the PDS research text says "2 per long side wall". The vents are on the side walls, which are the 290 mm ends of the box. The dieline and the photographs follow that placement.

PRINT

Item	Specification
Process	Water-based flexo post-print (production). Digital only for prototypes, or if a white-capable digital press is found
Inks	2 spot colours: WHITE OPAQUE (single hit; reads warm cream on black kraft with fibre showing) and EMBER (PANTONE 485 C reference, printed over a white underlay choked 0.3 mm)
Dieline	Its own spot layer named Dieline , 100 % magenta, overprint, never printed
Bleed / safe	3 mm bleed; 5 mm safe zone inside every cut and crease; print kept 6 mm clear of every cut-out
Type	Outlined text; Bebas Neue no smaller than 11 mm cap height for the wordmark on board; rules no thinner than 1.0 mm
Inside print	Lid inside: mono wordmark and "FRESH FROM THE OVEN." in one colour on the natural kraft [CONFIRM: inside print adds a pass; drop it if the quote is high]
Approval	Press drawdown on the real board for white opacity and for 485 over white. Never approve colour from a screen proof

PANELS AND COPY

Panel	Content
Lid	DOUGH BOSS. wordmark (cream, ember full stop) and "FEED THE WHOLE TABLE."
Front wall	REVESBY · BANKSTOWN · ROSELANDS and the ember hinge band
Side walls	Wordmark, vents
Back wall	"A CONTEMPORARY LEBANESE BAKERY.", "THREE SHOPS BAKING DAILY" [CONFIRM] , doughboss.com.au · catering@doughboss.com.au · @doughboss, "Allergen information available on request."
Inside lid	Mono wordmark, "FRESH FROM THE OVEN." [CONFIRM as a printed claim]
Liner	"DOUGH BOSS." in a repeating ember pattern [CONFIRM: printed liner costs more; plain is the fallback]
Seal	FOR _____, DATE _____, tick boxes CHEESE / ZA'ATAR / MEAT / SPINACH, BOX ___ OF ___, filled in by hand with marker

Never on the box: "Minis", prices, phone numbers, recycling or compostable claims, certification marks, "Since 2009" until confirmed.

FILES


File	Contents
DoughBoss-DozenBox-Dieline-v2.pdf	Separated 1:1 print and die file: page 1 outside plates with the die, page 2 die with dimensions, legend and title block, page 3 inside print, page 4 separations proof. Spot plates WHITE OPAQUE, EMBER PMS 485 C, DIE CUT, DIE CREASE, DIMENSIONS
DoughBoss-DozenBox-Die-v2.dxf	Die geometry for the converter's CAD (CUT, CREASE, VENT layers, mm)
DoughBoss-CateringBox-TechPack-revA.pdf	The factory technical pack (send under NDA)
flats/*.pdf	Vector artwork per panel: lid, front, side, back, inside lid, liner, seal
art.py, dieline.py	The parametric source: change the internal size and every panel and the die regenerate

The following pages show the dieline and the artwork flats.

DIELINE AND PRINT



Dieline v2, page 1: outside print (WHITE OPAQUE and EMBER PMS 485 C plates) with DIE CUT and DIE CREASE overlaid.



Dieline v2, page 2: the die with dimensions, line legend and title block. Flat blank 593.8 x 781.0 mm.




Dieline v2, page 3: inside print viewed from inside the box.

ARTWORK FLATS



Closed box: lid, front, sides and back as printed (white opaque and ember on black kraft).



Back wall.




Inside lid: mono wordmark and "FRESH FROM THE OVEN." on natural kraft.



Greaseproof liner: repeating ember "DOUGH BOSS." [CONFIRM printed liner vs plain].



Seal label, 70 mm round kraft: FOR, DATE, tick list, BOX ____ OF ____, filled in by hand.



04

TECHNICAL DATA

PDS research: structure, board, food contact, print, labelling, converters.

DOUGH BOSS "DOZEN" CATERING BOX: PDS TECHNICAL RESEARCH

INTERNAL. Prepared 2026-10-03 for the packaging data sheet (PDS). Not legal advice.

- **OBSERVED** = I read it at the cited URL on 2026-10-03 (all access dates below are 2026-10-03). Where the fetch tool returned only a search-result summary, the line says (search summary only); re-read those before relying on them.
- **INFERRED** = my prepress or engineering reasoning from the observed facts.
- **[CONFIRM: ...]** = an open gap for the converter, the owner or a physical test. **REGULATOR-CHECK** = confirm with NSW Food Authority or FSANZ.
- I invented no prices, MOQs, lead times or test results. Every MOQ or lead time below is quoted from the company's own page. **Quotes have to be requested from each converter.**

0. KEY DECISIONS (SPEC-SHEET SUMMARY)

Item	Decision	Basis
Style	FEFCO 0427 one-piece folder: hinged lid from the back wall, tuck front into front-wall slots, ear-lock side tabs	OBSERVED (FEFCO code, §1.1)
Working internal size	385 x 290 x 50 mm (L x B x H, FEFCO internal convention)[CONFIRM: fit test with 12 real bakes, 4 x 3]	Brief
Flute / board	E-flute single wall (about 1.5 to 1.6 mm). Target about 32 ECT (about 5.6 kN/m) or equivalent. B-flute is the fallback if the lid sags or the stack test fails	INFERRED from §1.2 and §1.4
Outer liner	Black. Either a through-dyed black kraft liner or natural kraft flood-printed black [CONFIRM: availability with converter; I found no AU mill black liner]	§1.3
Inner liner	Natural kraft with a supplier food-contact declaration for the intended use	§2
Print	Water-based flexo post-print, 2 spot colours: opaque white, then ember red printed over a white underbase. Digital only for prototypes or if a white-capable digital press is found	§3
Red	PANTONE 485 C reference (approve against a 485 U drawdown on the real board over white)	§3.3
Liner sheet	Greaseproof, 40 to 50 gsm, KIT 6 or above (aim 7 to 8) , no added PFAS (total fluorine below 100 ppm), supplier declaration of compliance [CONFIRM by strike-through test]	§2.4
Vents	4 x Ø10 mm round vents, 2 per long side wall , cut through both plies of the doubled wall (about 314 mm², about 2.5 times the 1984 pizza-box ratio) [CONFIRM by hold test]	§1.5
Stacking	Order stacks of up to 5 boxes are an expected use. Safe count [CONFIRM by test]	§1.6
Box print line (compliance)	"Allergen information available on request." No recycling, compostable, FSC or ARL marks	§4, §5
Per-order seal label	Product names and counts, allergen declaration using FSANZ required names, packed date and time, storage instruction [CONFIRM], order reference	§4.3

1. STRUCTURE

1.1 FEFCO 0427 geometry

- **OBSERVED:** the FEFCO code (international fibreboard case code, adopted by ICCA) says the 04 series is "Folder-type boxes and trays usually consist of only one piece of board. The bottom of the box is hinged to form two or all side walls and the cover. Locking tabs, handles, display panels etc., can be incorporated." 0427 is drawn in the 04 series.
https://www.fefco.org/sites/default/files/documents/FEFCO_Codes_of_Designs.pdf

- OBSERVED (same document): "Unless otherwise specified all dimensions are expressed as internal dimensions in mm ... Length (L) x Breadth (B) x Height (H)". L is the longer side at the opening. Dimensions are "measured ... on the flat blank from the centre of crease bearing the thickness of the material in mind". Layouts are viewed from the inside of the case. So write the PDS size as **385 x 290 x 50 mm (internal)**.
- OBSERVED (search summary only): 0427 walls are connected to the floor by creases; the lid extends from the back panel and folds forward; the outer lid flaps tuck into two slots on the front as a reclosable lock; ear-lock tabs secure it. <https://eu.ilipackaging.com/blogs/packaging-knowledgebase/what-are-feeco-codes-plus-the-difference-between-cardboard-boxes-postal-boxes>, <https://packhelp.com/feeco-codes/>
- INFERRED panel anatomy to draw on the dieline (as on standard 0427 tooling): base; front wall rolled over to double thickness, with locking tabs that drop into slots in the base; side walls doubled, with dust flaps and ear locks that lock into the lid hinge; back wall; lid; lid side flaps; lid front tuck flap. Add a **thumb notch** (a half-round cut in the front wall top edge, about 25 to 30 mm wide [**CONFIRM with converter's standard**]) so the tuck can be pulled open. Tuck-front "cherry"/ear lock terms: <https://pakfactory.com/roll-end-front-tuck-with-dust-flaps.html> (search summary only).

1.2 Flute caliper

Flute	Nominal caliper	Source
E	1/16 in nominal, 1.5 to 1.6 mm measured, about 90 flutes/ft	OBSERVED https://packwire.com/blog/corrugated-flute-types
B	1/8 in nominal, 3.0 to 3.2 mm measured, about 47 flutes/ft	OBSERVED (same)
E (AU retail mailer boards)	"1.5 mm white or brown kraft E-flute" (Vistaprint AU); "E Flute (1.6mm)", "B Flute (3mm)" (EasySigns)	OBSERVED §6 URLs

- OBSERVED: E-flute gives a print surface that "approaches the smoothness of folding carton" but has "less cushioning than B or C". B-flute has "good puncture resistance" with a "decent print surface". (packwire, above)

1.3 Inside-to-outside and crease (score) allowances

- OBSERVED: "Corrugated will fold at its midpoint ... so the scoring allowance is directly related to the caliper of the board." <https://library.packagingschool.com/blog/dieline-design>
- OBSERVED, score allowances to subtract from centre-of-score panel measurements to get inside dimensions (RSC boxes): <https://www.atlanticpkg.com/wp-content/uploads/2025/12/How-to-Measure-a-Corrugated-Box.pdf>

Flute	Length panel	Width panel	Depth
E	1/16 in (about 1.6 mm)	1/16 in (about 1.6 mm)	1/8 in (about 3.2 mm)
B	1/8 in (about 3.2 mm)	1/8 in (about 3.2 mm)	1/4 in (about 6.4 mm)

- INFERRED for 0427 (rolled double walls): the converter's CAD (ArtiosCAD or similar) will set the allowances, but plan on these approximate outside sizes:
 - **E-flute: about 391 x 295 x 53 mm.** That is about +4t on L (two doubled side walls), +3t on B (doubled front, single back) and +2t on H (base and lid), with t = 1.6 mm.
 - **B-flute: about 397 x 299 x 56 mm.**
 - The inner ply of each doubled wall takes up its own thickness inside. Let the converter compensate so 385 x 290 stays clear inside. [**CONFIRM: converter sample at the final size**]
- OBSERVED (search summary only): corrugated dimensions, flap clearances, score allowances and joint construction "must be finalised by the box plant for its flute and equipment". <https://racklify.com/encyclopedia/die-cut-corrugated-box-technical-guide-to-design-and-manufacturing/>

1.4 Board grade and strength

- OBSERVED: "ECT 32 (32 lbs. per inch) is comparable to a 200-lb. burst strength"; 200 lb test is burst, 32 ECT is stacking strength. https://www.uline.com/CustomerService/ULINE_FAQ_Ans?FAQ_ID=45 (search summary only)
- OBSERVED (search summary only): a print mailer supplier lists "1/16" e-flute ... 32ECT standard for light and medium-duty usage" (https://sinalite.com/en_us/mailer-boxes.html). A foodservice distributor lists a "Kraft B-flute Corrugated Cardboard Mailer 32 ECT" (<https://www.imperialdade.com/catalog/product-detail/neww-packaging-and-display-10x7x3-in-kraft-b-flute-corrugated-cardboard-mailer-32?id=336538>).
- INFERRED metric equivalents to put in the RFQ: 32 ECT ~ **5.6 kN/m**; 200 lb/in² burst ~ **1,380 kPa**. Ask AU converters to quote their own board code with ECT (kN/m) and burst (kPa) values. Do not specify a US grade.

- OBSERVED: the AU mill Opal makes AP Kraft liner (120 to 165 g/m²), High Performance Kraft (127 to 256 g/m²), Recycled (120 to 135 g/m²) and Premium Recycled (160 to 205 g/m²). The page does not mention a black or coloured liner.
<https://opalan.com/products/paper/liner-paper/>
- **Recommendation (INFERRED):** E-flute, kraft liners both faces, at about 32 ECT / 5.6 kN/m or the converter's nearest food-mailer grade. Black outer face: either a dyed black liner (not found in the AU mill range, so likely imported **[CONFIRM]**) or natural kraft flood-printed black (this adds a third ink, see §3.2).

1.5 Vents for hot baked goods

- OBSERVED: US patent 4,441,626 "Pizza box" (10 Apr 1984) gives "approximately one square inch of ventilation ... for each cubic foot of volume", with holes in the central side panel or corner cut-outs. <https://patents.google.com/patent/US4441626A/en>
- OBSERVED (search summary only): vents in the lid, the sides or both let steam escape and slow base softening, but more venting cools the food faster. <https://image-ppubs.uspto.gov/dirsearch-public/print/downloadPdf/7210613>
- INFERRED sizing: internal volume 385 x 290 x 50 mm = 5.58 L ~ 0.197 ft³. The 1984 ratio then gives about 0.2 in² (about 127 mm²) total.
 - Bakes are oilier than pizza and orders sit stacked, so specify **4 x Ø10 mm (about 314 mm² total), 2 per long side wall, centred at mid-height, symmetric, at least 30 mm in from each corner crease**, punched through both plies of the doubled wall with the holes aligned.
 - Vents must not sit on a crease. Keep print about 6 mm (1/4 in) clear of every cut-out (GLBC rule, §3.6).
 - **[CONFIRM by test: 30-minute hold at serving temperature; check base crispness, condensation on the lid and board softening]**

1.6 Stacking

- OBSERVED: McKee formula $BCT = 5.87 \times ECT \times \sqrt{\text{caliper} \times \text{box perimeter}}$ estimates box compression strength (BCT). Strength falls as relative humidity rises. <https://www.ipack.com/blog/how-to-guide-measuring-boxes> and <https://racklify.com/encyclopedia/vertical-velocity-using-ect-edge-crush-test-to-maximize-your-warehouse-height> (search summaries only)
- INFERRED, an order-of-magnitude estimate only, NOT a test result: E-flute 32 ECT, outside about 391 x 295 mm gives BCT ~ 1.5 kN when dry, before any humidity, time or safety factor. A short 50 mm 0427 with doubled walls is outside McKee's normal range. Stacked catering boxes carry only the boxes above them (5 dozen = 5 boxes). Lid span sag and steam softening are therefore more likely to govern than crush.
- **Safe stack height: [CONFIRM by test].** Test filled, hot boxes stacked 5 high for 60 minutes at ambient. Check lid deflection, wall bulge and tuck release. Repeat for a car-boot ride. **[CONFIRM: filled weight of 12 bakes]**

2. MATERIALS AND FOOD CONTACT IN AUSTRALIA

2.1 What applies

- OBSERVED: **Standard 3.2.2, clause 9** (Australia only). When packaging food, a food business must "(a) only use packaging material that is fit for its intended use; (b) only use material that is not likely to cause food contamination; and (c) ensure that there is no likelihood that the food may become contaminated during the packaging process." FSANZ P1034 SD2: <https://www.foodstandards.gov.au/sites/default/files/food-standards-code/proposals/Documents/P1034%20Packaging%201CFS%20SD2%20Code%20requirements.pdf>
- OBSERVED (same document):
 - **Standard 1.1.1–11:** packaging and any article in contact with food must not, if taken into the mouth, be capable of being swallowed or obstructing a passage, or be likely to cause bodily harm. The note gives examples including "writing or other graphics".
 - **Standard 1.4.1 / Schedule 19** sets maximum levels for some migrants (vinyl chloride, tin, acrylonitrile).
 - State and territory Food Acts carry general packaging provisions.
- OBSERVED: FSANZ advice is to "check the packaging is suitable (ask the supplier or manufacturer for assurance or certification that the material is food-safe)". It names "use of recycled materials for packaging" as a factor in chemical leaching. <https://www.foodstandards.gov.au/business/food-safety/fact-sheets/foodpackaging>

- OBSERVED (search summary only): AS 2070-1999 covers **plastics** for food contact, not paper, and is reported as withdrawn. <https://www.compliancegate.com/food-contact-material-regulations-australia>, <https://store.standards.org.au/product/as-2070-1999>. Do not cite it for board.
- OBSERVED: from 1 July 2025 the federal IChEMS Schedule 7 bans the manufacture, import, export and use of PFOS, PFOA and PFHxS, including in articles such as packaging. https://afgc.org.au/newsletter_post/upcoming-bans-on-pfas-chemicals-in-packaging-effective-from-1-july-2025/
- OBSERVED: the APCO action plan (v3, Nov 2023) phased fibre-based direct food contact packaging out of PFAS by 31 Dec 2023, using a **total fluorine threshold of 100 ppm**. It names greaseproof paper as a historic PFAS use. <https://prpackaging.com/wp-content/uploads/2026/05/Action-Plan-to-Phase-Out-PFAS-in-Fibre-Based-Food-Contact-Packaging.pdf>
- **REGULATOR-CHECK**: NSW Food Act 2003 packaging provisions were not read here.

2.2 How converters usually evidence food-contact suitability

- OBSERVED: FSANZ reports that businesses "were currently utilising international regulations. The uptake of EU and US regulations is apparently similar". FSANZ P1034 SD6: <https://www.foodstandards.gov.au/sites/default/files/food-standards-code/proposals/Documents/P1034%20Packaging%20CFS%20SD6%20Summary%20of%20international%20approaches%20to%20CMPF.pdf>
- OBSERVED, example of a paper/board Declaration of Compliance (DoC) as issued in the trade (Duni):
 - EU Reg. (EC) 1935/2004 (framework), EU 2023/2006 (GMP), BfR Recommendation XXXVI (paper and board)
 - overall migration $\leq 10 \text{ mg/dm}^2$, with simulants, times and temperatures stated
 - area of use (food types, temperature)
 - https://mediabank.duni.com/doc/207319_DoC_en.pdf
- OBSERVED (search summary only): DoCs commonly cite 21 CFR 176.170 (paper in contact with aqueous and fatty foods) and 176.180 (dry food). https://www.agrana.com/fileadmin/inhalte/Lieferantendokumente/FML_Notice_of_Conformity_packaging_paper__cardboard_and_paperboard.pdf
- OBSERVED, what AU suppliers publish:
 - Opal liners carry food-contact suitability "on nominated grades": AP Kraft "direct food contact (dry/peeled/washed)"; High Performance Kraft "direct food contact (dry, non-fatty)"; Premium Recycled "direct contact with aqueous and fatty food types stored at room temperature". <https://opalan.com/products/paper/liner-paper/>
 - EasySigns says its mailers are "considered safe for use in contact with most foods that are dry, non-fatty products". <https://www.easysigns.com.au/products/details/custom-printed-mailer-boxes>
- **RFQ requirement (INFERRED)**: for the board (inner liner and adhesive), the liner sheet, the inks and the seal label adhesive, ask for:
 - a written DoC naming the regulation set (AU Std 3.2.2 cl 9 plus EU 1935/2004 / BfR XXXVI and/or FDA 21 CFR 176.170)
 - the intended food type (fatty, hot) and contact temperature
 - a PFAS statement (no intentionally added PFAS; total fluorine below 100 ppm)
 - the ink system's food-packaging statement (§3.4)
 - Do not accept "food-grade" as a bare claim.

2.3 Mineral oil migration and recycled board

- OBSERVED: the FSANZ survey (3 Aug 2018, 61 packaging and 56 food samples) found mineral oil hydrocarbons "in all food packaging samples". There is "a strong correlation between the level of MOH detected and the proportion of recycled material used in the packaging", with the highest levels in 100% recycled packaging. "In most cases, packaging which contained recycled materials also used an inner lining as a physical barrier". Levels in Australian food were "very low and unlikely to be a public health and safety concern". <https://www.foodstandards.gov.au/publications/Analytical-survey-of-mineral-oil-hydrocarbons-in-food-and-food-packaging> and PDF <https://www.foodstandards.gov.au/sites/default/files/publications/Documents/Mineral%20oil%20hydrocarbons.pdf>
- OBSERVED (search summary only): functional barriers cut MOSH/MOAH migration substantially; newspaper inks are the main source in recycled board. <https://foodpackagingforum.org/news/mineral-oils-in-food>, <https://ink-safety-portal.siegwerk.com/substances-of-concern/mineral-oils>
- **INFERRED: yes, use the greaseproof liner.** Bakes are fatty and go in hot, and fat and heat drive migration. The kraft liners that carry AU food claims are rated for dry, non-fatty food, or for fatty food only at room temperature (Opal). Grease strike-through would also show as dark stains through the kraft. Prefer a virgin-fibre (kraft) inner liner to recycled.

2.4 Greaseproof liner sheet spec

- OBSERVED: KIT level (TAPPI T 559) is "the highest degree of aggressiveness from progressively more aggressive oil-solvent mixtures that the sheet can resist for ... (typically 15 seconds)". The scale runs 1 to 12. "Heavy paper doesn't mean greaseproof"; gsm is weight and stiffness only.
<https://www.paperindex.com/academy/what-is-a-kit-level-the-simple-scale-for-measuring-grease-resistance/>
- OBSERVED, application bands (same publisher): dry pastries and bread KIT 3 to 6, 30 to 45 gsm; **hot baked goods (warm pastries, paninis) KIT 5 to 8, 40 to 60 gsm, "heat-stable barrier"**, confirm heat tolerance in the supplier technical data sheet (TDS); pizza KIT 5 to 8, 40 to 60 gsm. <https://www.paperindex.com/academy/the-menu-match-matrix-for-food-packaging-paper-how-to-match-your-menu-with-the-right-kit-level-and-specifications/>
- OBSERVED, AU market reference points:
 - Ball & Doggett greaseproof reels (28 gsm and 30 gsm; country of origin Malaysia) list "Degree of Penetrated Oil" by a GB/T method rather than KIT. https://products.ballanddoggett.com.au/content/uploads/2018/06/technical_specs_packaging_greaseproof_reels.pdf
 - Foopak Grease board: "Kit level six is suitable for low level grease resistance". https://products.ballanddoggett.com.au/content/uploads/2020/07/technical_specs_packaging_foopak_grease.pdf
 - Retail sheets of 32 to 35 gsm are listed.
<https://galipofoods.com.au/product/greaseproof-paper-32gsm-royalpac-330x400mm-800/>,
<https://spicers.com.au/collections/food-services-food-wrap-foopak-premium-greaseproof-paper-35gsm> (search summaries only)
- **Spec (INFERRED):**
 - Greaseproof (or glassine-type) paper, **40 to 50 gsm, KIT >= 6, target 7 to 8**, heat-stable to serving temperature [**CONFIRM on TDS**]
 - no intentionally added PFAS, with a total fluorine below 100 ppm test report
 - DoC for fatty food at hot fill
 - Size: either flat **380 x 285 mm** to cover the base, or **about 480 x 385 mm** to cup up the walls (better barrier, covers vent zones less). [**CONFIRM: fit sample**]
 - If the liner is printed, print on the non-food face only, with a food-packaging ink statement (§3.4). Unprinted is safest.
 - [**CONFIRM by test: 30-minute hot-hold strike-through on the oiliest bake (spiced mince or cheese)**]

3. PRINT

3.1 Flexo vs digital for short runs

- OBSERVED: flexo needs a plate per colour per design; digital has "no plate costs". The quoted article (UNI Packaging, 21 Apr 2017) frames digital as an "any quantity" solution. <https://packagingeurope.com/digital-v-flexo-part-ii>
- OBSERVED: some AU digital mailer services cannot print white. EasySigns (HP Latex, water-based): "We do not print white, so we won't be able to add white ink to your Kraft boxes."
<https://www.easysigns.com.au/products/details/custom-printed-mailer-boxes>
- OBSERVED: Tailor Made Packaging (Sydney) prints flexo "up to 4 Pantone colours" and also litho; Paperlust kraft mailers print 1 to 2 spot colours flexo. §6 URLs.
- **Decision (INFERRED):** the design is 2 spot solids including opaque white on a dark substrate. That is a flexo job. Digital is for prototypes and fit tests only, unless a converter shows a white-capable digital press on black board.

3.2 Opaque white on black kraft

- OBSERVED: Weilburger SENOFLEX WB Opaque White 395802 was developed "for flexographic printing, in particular for corrugated post-printing ... especially for grey and brown board", with "excellent opacity even with single application". It is "not intended for overprinting or use in a mixing circuit". <https://www.weilburger.com/en/news-media/news/detail-en/two-new-senoflexr-wb-opaque-whites-from-weilburger-graphics-gmbh>
- INFERRED:
 - On black, one hit of white usually reads grey-cream with fibre show-through. Ask for a **high-opacity white, double hit (two stations) or a heavy anilox** on solids, and approve on a drawdown. A slightly translucent single hit can serve the "ink sitting in the card" look, but large type must stay legible.

- **Ember red will not read on black without a white underbase.** Build the white plate to include every red area, choked about 0.25 to 0.5 mm inside the red edge so no white halo shows.
- Any black flood on natural kraft (if no dyed liner exists) is a third colour. Reverse-out shapes in it reveal kraft brown, not white.

3.3 Pantone for #e2231a

- OBSERVED, third-party sRGB simulations (Pantone's own site hides the values behind Pantone Connect: <https://www.pantone.com/connect/485-C>). Source <https://www.colorxs.com/color/pantone-485-c> , <https://www.colorxs.com/color/pantone-3556-c> , <https://www.colorxs.com/color/pantone-2347-c> , <https://www.colorxs.com/color/pantone-179-c>

Pantone	Published hex	Published Lab	dE76 vs #e2231a (INFERRED, sRGB D65)
485 C	#DA291C	L 47.72 a 65.46 b 51.39	4.4
3556 C	#E63422	not shown	4.0
2347 C	#E10600	L 47.15 a 72.39 b 61.21	8.3
179 C	#E03C31	L 51.04 a 62.15 b 44.46	11.8

- OBSERVED: a printplanet forum thread quotes PANTONE 485 C as Lab 48.92 / 67.16 / 52.6 ("Pantone published Oct '07"), with no illuminant stated. <https://printplanet.com/threads/l-a-b-values-of-pantone-485.2598/latest>
- **Decision (INFERRED): PANTONE 485 C.** It is within about 4 dE on screen, and the 2007 Lab value is within about 1 to 2 dE of #e2231a's computed Lab (48.8 / 69.0 / 53.8). It is a standard, widely stocked red. 3556 C is a hair closer on screen but less common.
 - Corrugated is uncoated, so approve against **485 U** expectations and a converter drawdown printed **over the white underbase on the actual black board**.
 - OBSERVED: GLBC provides a draw-down of the PMS colour on corrugated for approval before the final print proof. <https://www.glbc.com/print-and-graphics/print-types/flexographic-printing-guidelines>

3.4 Inks

- OBSERVED: EasySigns prints with water-based inks; Weilburger's corrugated opaque white is a WB (water-based) series. §3.1, §3.2 URLs.
- OBSERVED (search summary only): inks for the non-food-contact side of food packaging are commonly formulated to the **Swiss Ordinance SR 817.023.21 Annex 10** and the **EuPIA Exclusion Policy**. <https://www.sunchemical.com/wp-content/uploads/2022/05/Food-Packaging-Switzerland-Swiss-Ordinance-Legislation-Version-1.1.pdf>
- **Spec (INFERRED):** water-based flexo inks on the outside only. Ask for the ink maker's food-packaging statement (Swiss Annex 10 / EuPIA). No print on the food-contact inner liner.

3.5 Line weights, type sizes, screens

OBSERVED, a corrugated converter's published flexo rules (Great Little Box Company): <https://www.glbc.com/print-and-graphics/print-types/flexographic-printing-guidelines>

Rule	Value
Positive type	8 pt minimum, 10 pt preferred
Reverse type	10 pt minimum, 12 pt preferred
Positive line	2 pt minimum
Reverse line	4 pt minimum
Screen	"run at 45 lpi (i.e. a 3% dot may grow to 10%)"

PDS rule (INFERRED, stricter because white sits on black and red sits on white):

- white type $\geq$ 10 pt, 12 pt preferred
- red type on white $\geq$ 12 pt
- lines: $\geq$ 2 pt white, $\geq$ 4 pt for red or knockouts
- **solids only, no tints or halftones**
- Bebas Neue wordmark tracking 0.13 em is fine at display size. Barlow body copy $\geq$ 10 pt.

3.6 Registration, trapping, bleed, safe zone

- OBSERVED (GLBC, above):
 - registration tolerance "between +/- 1/16" and 1/4" depending on which printing press"
 - minimum trapping (overprint) of 3/16"
 - bleed: minimum 1/2"
 - for die-cut items, minimum 1/4" between print and the board edge, any score, hand holes or cut-outs
- PDS values (INFERRED, confirm with the chosen converter):
 - registration allowance **±1.5 mm** design target. Assume up to ±3 mm and never butt-register white to red.
 - red over white underbase with the white choked 0.25 to 0.5 mm. Overlap any other two-colour join by the converter's trap value.
 - **bleed 6 mm** beyond cut lines (GLBC asks 12.7 mm; use the converter's figure)
 - **safe zone 6 mm** inside cuts, creases and vents
 - No critical copy across lid or wall creases; fold cracking will show (intended texture, but not through text).

3.7 Dieline file supply

- OBSERVED, Printcraft (AU): create a swatch named "**Dieline**" (or Keyline), colour type **Spot**, 100% magenta recommended. Put it on a separate layer on top with no fill and **Overprint Stroke** on. Show perforation, fold and cut lines with different line types or separate named spots ("Cut Line, Fold Line & Perforation Line").
<https://printcraft.com.au/post/how-to-create-a-dieline>
- OBSERVED, 3M global dieline requirements: editable vector PDF at 100% scale; each line type a unique spot colour at **1 pt** stroke; a line-type legend in the file; separate labelled die outlines for inside and outside views.
<https://multimedia.3m.com/mws/media/26194120/global-packaging-dieline-requirements.pdf>
- PDS convention (INFERRED from the above):

Element	Layer	Spot name	Style
Cut	Dieline	Dieline-Cut (100M)	solid 1 pt, overprint
Crease / fold	Dieline	Dieline-Crease (100C)	dashed 1 pt, overprint
Vent holes, thumb notch	Dieline	Dieline-Cut	solid 1 pt
Bleed limit (6 mm)	Guides	Bleed	thin dotted, non-printing
Safe zone (6 mm)	Guides	Safe	thin dotted, non-printing
White plate	Art-White	Opaque White	spot, solid only
Red plate	Art-Red	PANTONE 485 C	spot, over the white underbase

- Supply one 1:1 vector PDF (outside view, viewed from print side) plus a legend.
- Outline fonts. Name the file to the converter's convention. Supply the liner and seal label as separate files.

4. LABELLING (NSW BAKERY, CATERING BOX)

4.1 What the Code says

- OBSERVED, Standard 1.2.1 (compilation F2026C00538, 09 June 2026, <https://www.legislation.gov.au/F2015L00386/latest/text> ; text https://www.legislation.gov.au/F2015L00386/2026-06-09/2026-06-09/text/original/epub/OEBPS/document_1/document_1.html):
 - **1.2.1–6(1)**: packaged food need not bear a label if it "(a) is made and packaged on the premises from which it is sold" or "(d) is delivered packaged, and ready for consumption, at the express order of the purchaser (other than when the food is sold from a vending machine)".
 - **1.2.1–9(6)–(7)**: for such food, the **name of food** and "any advisory statements and **declarations** (see sections 1.2.3–2 and 1.2.3–4)" must be "(a) displayed in connection with the display of the food; or (b) provided to the purchaser on request". 1.2.3–4 is the mandatory allergen declaration.
 - **1.2.1–9(3)(a)**: any warning statement required by 1.2.3–3 must accompany or be displayed with the food (INFERRED: none expected for these bakes, **REGULATOR-CHECK**).

- **1.2.1–9(4)(b)**: "information related to use required by paragraph 1.2.6–2(c)" must accompany the food (I did not read 1.2.6, **REGULATOR-CHECK**).
- OBSERVED, FSANZ: required names are wheat, fish, crustacean, mollusc, egg, milk, lupin, peanut, soy, sesame, almond, Brazil nut, cashew, hazelnut, macadamia, pecan, pistachio, pine nut, walnut, plus barley, oats and rye (gluten) and sulphites (≥ 10 mg/kg). For food not required to bear a label, "declarations must be displayed in connection with the food or provided to the purchaser upon request using the required names". New rules in force from 25 Feb 2024.
<https://www.foodstandards.gov.au/business/labelling/allergen-labelling>
- OBSERVED, Safe Food Queensland factsheet (Qld regulator; same Code):
 - for food made at the express order of the consumer, consider "how long it can be kept, storage conditions (e.g. keep refrigerated)"
 - name of food, ingredient information and advisory statements are to be provided on request and are "recommended to be on the label"
 - potentially hazardous food must be kept at 5 °C or below or 60 °C or above, and delivered under temperature control in packaging that is "clean, food-grade and fit for purpose"
 - https://www.safefood.qld.gov.au/wp-content/uploads/2020/03/Safe-Food-Factsheet_Home-Delivery-or-Takeaway-Services_Final.pdf
- **REGULATOR-CHECK**:
 - (a) NSW Food Authority guidance on catering and delivery (its site returned HTTP 503 to the fetch tool).
 - (b) Division 3 of Standard 1.2.1 (sales to a "caterer") applies if Dough Boss sells boxes to an event caterer or other business that resells them. A label may then be required.
 - (c) Cheese and spiced-mince bakes are likely potentially hazardous food, so time and temperature controls on delivery apply.

4.2 Safest print line on the box (permanent print)

- **"Allergen information available on request."** plus the verified contact catering@doughboss.com.au (from the brief).
INFERRED: this satisfies the "on request" route without fixing allergen content that varies by order.
- Do NOT print fixed allergen lists, "may contain", "allergen-free", "gluten free", "halal", ingredient claims or a phone number (brief hard rules).

4.3 Per-order seal or label instead (INFERRED, good practice beyond the minimum)

Field	Content
For	customer or order reference
Contents	product names and counts (for example "Cheese round x 4") using the menu names
Allergens	bold "Contains:" + required names, from the shop's allergen matrix [CONFIRM: matrix exists]. Prefer a pre-printed tick list of required names over free handwriting
Packed	date and time
Storage	[CONFIRM: wording from the shop's food safety program, e.g. a refrigeration instruction; do not invent a time]
From	Dough Boss + shop (Revesby / Bankstown / Roselands)

The round kraft seal can carry "For ____" and the date by hand, but the allergen field should be printed or ticked, not composed freehand.

5. SUSTAINABILITY AND RECYCLABILITY CLAIMS

- OBSERVED, ACCC "Making environmental claims: a guide for business" (12 Dec 2023, <https://www.accc.gov.au/about-us/publications/making-environmental-claims-a-guide-for-business> ; PDF <https://www.accc.gov.au/system/files/greenwashing-guidelines.pdf>):
 - "Consumers are likely to understand the term 'recyclable' to mean that the product can be recycled using ordinary local collection or drop off points."
 - "Ensure that your product can be recycled through a household/local council waste collection ... before using such claims."
 - "If it is not practicable for the majority of consumers to recycle the product, the claim should not be made."

- Compostable (FOGO) acceptance "may not be accepted in another" council.
- OBSERVED: Canterbury-Bankstown kerbside accepts "Pizza Boxes (clean)" in co-mingled recycling. <https://recyclingnearyou.com.au/kerbside/CanterburyBankstownNSW> . Food-soiled cardboard is not addressed. Customer councils vary.
- OBSERVED (search summary only): the Australasian Recycling Label is part of APCO's ARL Program, with recyclability assessed in the PREP tool. <https://apco.org.au/the-australasian-recycling-label> (redirects to <https://arl.org.au/about>)
- **Decision (INFERRED): print no recyclability, compostability or "eco" claim, and no ARL, FSC or recycling symbol.**
 - A box used for oily bakes may be greasy, and the liner may not be kerbside recyclable.
 - The black dye or flood ink and the liner have not been assessed in PREP.
 - FSC marks need the converter's chain-of-custody and a licence [CONFIRM].
 - If a disposal line is later wanted, the only candidate is a qualified instruction, after a PREP assessment or council check, such as "Remove liner and food. Clean box: check your council's recycling rules." Treat that as **REGULATOR-CHECK** (ACCC).

6. AUSTRALIAN CONVERTERS AND PRINTERS (REQUEST QUOTES FROM EACH)

All figures are quoted exactly from each company's page, read 2026-10-03. **No prices given. Quotes must be requested.** White-on-black capability is unconfirmed for all of them; ask about it first.

#	Company	Location (as published)	Relevant capability	Published MOQ / lead time	URL
1	Tailor Made Packaging	Sydney NSW; "in house design & manufacturing"	Flexo "up to 4 Pantone colours", litho; "All our cardboard is food-grade", "HACCP Certified", "food-safe inks" (supplier claims; ask for the DoC)	MOQ not published. Custom printed food packaging "generally takes 7 to 10 business days from artwork approval"	https://tailormadepackaging.com.au/industries/custom-cardboard-food-boxes/
2	EasySigns	Smeaton Grange NSW	Digital HP Latex, water-based; E-flute 1.6 mm, B-flute 3 mm, kraft or white; "We do not print white" ; food: "dry, non-fatty products"	Production "24 hours (1 working day) after artwork proof sign off" for smaller orders, scaling to 6 working days for larger orders (tiered by order value)	https://www.easysigns.com.au/products/details/custom-printed-mailer-boxes
3	Hero Packaging	"Made in Sydney"	Custom full-colour shipping boxes	"No Minimums"; lead time not published	https://www.heropackaging.com.au/
4	Paperlust Print Shop	Oakleigh South VIC; "Made in Australia"	Kraft B-flute, 1 to 2 spot colours flexo; full-colour B-flute white-lined (digital or offset); custom sizes on request	Kraft: "Minimum order is 500 boxes", "approx. 2 to 3 weeks after proof approval". Full-colour: "from just 10 boxes", "3 to 7 working days from proof approval"	https://printshop.paperlust.co/products/custom-kraft-mailer-boxes ; https://printshop.paperlust.co/products/custom-full-colour-mailer-boxes
5	Rogue Print & Mail	Loganholme QLD; "100% Australian Owned & Operated"	1.6 mm E-flute or 3 mm B-flute, kraft or white claycoat; 40+ die sizes; custom on request	Minimum 10 (quote form); "Just a few days (depending on qty + finish)"	https://www.rogueprintandmail.com.au/custom-mailer-boxes/
6	Vistaprint Australia	"Printed in Australia"	"1.5 mm white or brown kraft E-flute"; 9 sizes up to 43 x 30.5 x 14 cm; no food statement	Neither MOQ nor turnaround is published on the page; "Need more than 5000? Get a quote"	https://www.vistaprint.com.au/labels-stickers/packaging/shipping-packaging/mailer-boxes
7	Abbe	Dandenong VIC; national supply	Corrugated manufacturer, flexo-printed boxes, die-cut boxes; FSC 22000 certification stated	Not published	https://www.abbe.com.au/
8	Vivo Boxes (vivopak)	Warehouse Keysborough VIC; "our manufacturer" is a separate entity (INFERRED: likely offshore)	Custom bakery boxes incl. corrugated; "food grade, suitable for direct and indirect contact"	"Minimum order quantity is 1,000 units"; air "approximately 3-4 weeks", sea "approximately 8 weeks"	https://www.vivopak.com.au/custom-boxes/food/bakery/

INFERRED shortlist for this spec (flexo, opaque white on black, custom 0427 size): **1 (Sydney flexo, closest to the shops) and 7 (corrugated plant)** for production. **2 or 5** for fast unprinted or CMYK fit-test samples at the exact size. Send every one the same RFQ: the dieline, the board spec (§1.4), the 2-spot spec (§3), the food-contact documents required (§2.2), and quantities [CONFIRM: order volumes with owner].

7. OPEN ITEMS

- **[CONFIRM]** Bake size, filled weight and fit at 385 x 290 x 50 internal (sample test).
- **[CONFIRM]** Black liner availability (dyed) vs flood black (third ink); converter to advise.
- **[CONFIRM by test]** Vent hold test, liner strike-through, stack height (hot, 5 high), lid sag.
- **[CONFIRM]** Converter drawdowns: opaque white opacity on black; 485 over white.
- **[CONFIRM]** DoCs for board, liner, inks and label adhesive; PFAS (TF < 100 ppm) report for the liner.
- **[CONFIRM]** The shop's allergen matrix and the storage wording for the per-order label.
- **REGULATOR-CHECK:** NSW Food Authority on delivered catering (labelling, temperature control); Std 1.2.6–2(c) "information related to use"; Division 3 if selling to caterers; ACCC review before any disposal or recycling line.



05

PHOTOGRAPHY AND WEBSITE MASTERS

One set, one light, one grade: the home hero, the catering page and the item tiles.

PHOTOGRAPHY AND WEBSITE MASTERS

One art-directed set, one light and one grade. The same masters serve the website (home hero, catering page, item tiles), social and print. Every master is a **concept**: the box plates are generated blank and the exact vector artwork is composited as print, then graded with one LUT. The food is an AI stand-in for the real bakes (see the gates in Section 1).

THE SET

#	Master	Size (px)	Use	Notes
W11	Catering hero, 16:9 overhead	3840 x 2160	The only home hero (desktop)	Headline column x 6 to 32 % of the width; white-text contrast median 19:1 in the text block
W1	Closed box, 4:5	2560 x 3200	Catering page, "how it arrives" strip, OG	Seal across the fold
W3	Open box, 4:5	2560 x 3200	"The reveal" tile, catering alt	Liner, 12 bakes, inside lid
W2	Stack of three, 3:2	2048 x 1360	Order sizes strip	BOX 1/2/3 OF 3 seals
W4	Seal macro, 4:5	1792 x 2240	"Made for you" detail, social	Do not enlarge beyond 100 %
W5	Overhead stack, 3:2	2048 x 1360	Internal reference for the hero video band only	Never published full frame
W7 to W10	Single bake tiles, 1:1	1640 to 2048 square	Itemised catering tiles: cheese, za'atar, meat, spinach	Paper matched warm, the bake brightest

GRADE

One soft key from the upper left; deep shadows to the lower right; blacks aligned (5th percentile about 7); steel desaturated and neutral; warm highlights; food saturation capped; mono film grain applied last. The ember red is the single saturated accent.

WEB DELIVERY (UX SPECIFICATION)

- Formats: AVIF (10-bit, quality 55 or higher for W11), WebP, JPEG fallback; sRGB.
- Widths: 2560 / 1920 / 1280 / 828 / 640 px, chosen by srcset.
- Measured WebP q75 weights: W11 115 KB at 1920 wide, 30 KB at 828; W1 80 KB; W3 123 KB; W2 135 KB; W4 143 KB; tiles 28 to 41 KB at 640 (all under the per-tile cap of 45 KB).
- Hero layout: text above the image below an aspect of about 1.5; object-position 70 % 35 %; the headline and button never mention boxes or catering.
- Still to check at encode time: AVIF banding in the dark left third of W11 on a phone and a desktop panel; fibre and crumb detail in W3 and W4 after AVIF.

BEFORE THE REAL SHOOT

- Shoot the real box and the real bakes on the same set (brushed steel, dark timber, one key from the left) so the real photos drop into the same slots.
- Keep the W4 label clear of the box corner; keep a flat bake profile; stagger the rounds slightly in the open box.
- The spinach triangles are the darkest items; give them about 0.15 stop more exposure.

THE MASTERS




W11 · catering hero, 16:9 · 3840 x 2160 · the only home hero



W1 · closed box, 4:5



W3 · open box, 4:5



W2 · stack of three, 3:2



W4 · seal macro, 4:5



W5 · overhead stack, 3:2 · internal reference only

Item tiles



W7 · cheese




W8 · za'atar



W9 · meat



W10 · spinach triangle



06

COSTING

Published prices only, dated 3 October 2026, the cost model and the RFQs.

COSTING: CATERING BOX, LINER, SEAL, MERCHANDISE

Prices as published on 3 October 2026 (all pages accessed 2026-10-03). Re-quote before ordering. Every figure below was read from a supplier's own page or its live price calculator on that date. Nothing is estimated except the USD to AUD conversions, which are flagged. Where no price is published the item is marked [QUOTE] and the RFQ in section 9 lists what to ask for. Technical specs (board grade, food contact, dieline) sit in PDS-RESEARCH.md. This section covers cost only.

0. BASIS AND CONVENTIONS

Item	Rule used
GST	Prices are shown as the supplier states them (inc or ex GST). The cost model runs ex GST , on the assumption that Dough Boss is GST-registered and claims input tax credits [CONFIRM with the accountant]. Inc to ex = inc / 1.1.
GST not stated	ATpack, Top Shelf Concepts and Aussie Chef do not state GST treatment on the pages read. The model treats those figures as ex GST . That is the conservative (higher-cost) reading: if they turn out to include GST, real cost is 1/11 lower.
USD figures	noissue showed USD (the session's egress geolocated to the US). AUD = USD / 0.6933, the RBA AUD/USD rate for 2 Oct 2026, 4 pm AEST (rba.gov.au, accessed 2026-10-03). This is an estimate : it excludes international freight, import GST, any duty or customs fees, and card FX margin. noissue's Australian storefront price may also differ. Treat every noissue AUD figure as indicative only.
Tiers	Where a supplier has no tier at exactly the quantity needed, the model buys the next tier up (or adds two published tiers together, which is stated) and divides the cash outlay by the boxes actually needed. This overstates the unit cost and does not understate it.
Rounding	Unit costs are total / quantity, shown to 2 or 3 decimals. No figure is rounded to a "nice" number.
Evidence	Raw page captures and calculator responses are saved under scratchpad/pack/cost/ (for example cost/pw/es_batch.txt holds the Easy Signs calculator JSON).

Fit test against the working size

Working internal size from the brief: **385 x 290 x 50 mm** (4 x 3 bakes at about 9 cm) [CONFIRM by fit test]. A candidate fits if its internal length is 385 mm or more and its width is 290 mm or more. If it is deeper than 50 mm it still fits, but the box wastes board and the bakes can slide around.

Candidate size (supplier label)	L x W x D mm	Fits 385 x 290?	Note
Easy Signs XL Satchel	410 x 330 x 70	Yes	Listed on the site's "Mailer Box Internal Dimensions Chart" [CONFIRM internal]
Easy Signs A3	440 x 310 x 70	Yes	Same price as XL at every tier quoted
Easy Signs B-flute	405 x 350 x 95	Yes	Deeper and stiffer
noissue 12 x 15 x 3 in	381 x 305 x 76	Marginal	Length 381 is 4 mm under the 385 working length. Four 90 mm bakes (360 mm) still fit [CONFIRM by fit test]
Paperlust full-colour Large	425 x 295 x 110	Yes	110 deep: more than twice the depth needed
Paperlust kraft Large	400 x 270 x 90	No	270 width leaves no clearance for 3 x 90 mm rows. Paperlust says "custom sizes available on request" [QUOTE]
ATpack BetaCater Ex Large catering box	450 x 310 x 80	Yes	Kraft tray with a window lid (plain stock)
Packaging Place (Colpac) Large Platter	482 x 331 x 82	Yes	Base plus a windowed sleeve (plain stock)
eBPak A3 Premium Tuck Full Black	430 x 305 x 140	Yes	Black stock mailer, 140 deep

1. CUSTOM PRINTED CORRUGATED MAILER BOXES

1a. Easy Signs (AU, digital print) - live calculator readback

Source: <https://www.easysigns.com.au/products/details/custom-printed-mailer-boxes>, accessed 2026-10-03. The figures come from the calculator's own price response. Item price is **ex GST**, which was checked against the on-page total inc GST: \$1,389.77 x 1.1 = \$1,528.75 as displayed. Delivery is a fixed \$17.27 ex (\$19 inc) per order to one location. Minimum order value is \$99 inc GST. The calculator also prices a single sample at \$30.00 ex GST, credited back if the full order is over \$500 + GST. Printing is HP Latex digital, water-based inks. The page says: "We do not print using white ink so when ordering the Kraft finish, white elements will be left blank and will have the natural Kraft material look." Lead time (calculator lead_time field, working days after artwork approval): 1 to 5. A 30% deposit applies over \$3,300 inc GST.

Spec	50	250	500	1,000	2,500
E-flute kraft, 410x330x70, single-sided print: total ex GST (unit)	\$394.00 (\$7.88)	\$1,372.50 (\$5.49)	\$2,425.00 (\$4.85)	\$4,620.00 (\$4.62)	\$11,550.00 (\$4.62)
E-flute kraft, 440x310x70 (A3), single-sided	\$394.00 (\$7.88)	\$1,372.50 (\$5.49)	\$2,425.00 (\$4.85)	\$4,620.00 (\$4.62)	\$11,550.00 (\$4.62)
E-flute white clay coat, 410x330x70, single-sided	\$405.82 (\$8.12)	\$1,413.68 (\$5.65)	\$2,497.75 (\$5.00)	\$4,758.60 (\$4.76)	\$11,896.50 (\$4.76)
B-flute kraft, 405x350x95, single-sided	\$412.00 (\$8.24)	\$1,435.00 (\$5.74)	\$2,535.00 (\$5.07)	\$4,830.00 (\$4.83)	\$12,075.00 (\$4.83)
Lead time (working days)	1	2	3	4	5

Additional readings: the 100-unit price for E-flute kraft 410x330x70, single-sided, was \$664.00 ex (\$6.64). The calculator did not offer black board. Stocks were white clay coat or kraft only.

1b. Paperlust Print Shop (AU, Melbourne)

Prices are **inc GST**. Delivery is \$10 standard or \$15 express per order, or free pickup in Oakleigh South VIC.

Product	Spec	250	500	1,000	2,500	MOQ / lead	URL
Custom Kraft Mailer Boxes, Large	400x270x90 internal, B-flute natural brown kraft, 1 spot colour flexo, outside only, RETF	n/a	\$4,945 (\$9.89)	\$7,140 (\$7.14)	\$15,100 (\$6.04)	MOQ 500; "approx. 2 to 3 weeks after proof approval"	https://printshop.paperlust.co/products/custom-kraft-mailer-boxes
Same, 2 colours	"2 Colour (Upgrade)" option exists. The only 2-colour price in the page data was Medium 300x230x115 at 500 = \$5,495 (\$10.99). Large 2-colour: [QUOTE]						same
Custom Full-Colour Mailer Boxes, Large	425x295x110 internal, B-flute, white liner, CMYK (digital small batch, offset at volume)	\$7,972.50 (\$31.89)	\$9,345 (\$18.69)	\$13,190 (\$13.19)	not listed	MOQ 10; 3 to 7 working days (small batch), 2 to 3 weeks (volume). Inside print +50%	https://printshop.paperlust.co/products/custom-full-colour-mailer-boxes

The kraft Large size fails the width fit (see the fit table), so it is listed for reference only.

1c. noissue (USD shown; AUD conversion is an ESTIMATE)

Product: Box Custom, Mailer, E Flute 32 ECT, 305 x 381 x 76 mm (12 x 15 x 3 in). Source: <https://noissue.co/shop/boxes/custom-boxes/>, accessed 2026-10-03. Prices are from the page's variant data in **USD**, GST treatment not stated. The only lead time on the page is the FAQ's figure for a **US sample** ("approximately 11 business days"). The production-run lead time to Australia is **[CONFIRM]**.

Type / print	250	500	1,000	AUD estimate @0.6933 (250 / 500 / 1,000)
Kraft, outside only	US\$1,745.70 (US\$6.98)	US\$2,751.38 (US\$5.50)	US\$5,041.03 (US\$5.04)	A\$2,517.96 / A\$3,968.52 / A\$7,271.06 (A\$10.07 / A\$7.94 / A\$7.27 each)
White, outside only	US\$1,815.28	US\$2,852.58	US\$5,224.45	A\$2,618.31 / A\$4,114.49 / A\$7,535.63
Kraft, inside and outside	US\$2,523.68	US\$3,953.13	US\$7,121.95	A\$3,640.09 / A\$5,701.90 / A\$10,272.54

There is no 2,500 tier: the largest published tier is 1,000. A single sample costs US\$51.75 (about A\$74.64). The page offers no black board (stocks are Kraft, White and Premium White).

1d. Suppliers named in the brief with no usable published price

Supplier	Result on 2026-10-03
Packhelp (AU)	packhelp.com.au failed to connect (proxy CONNECT 502). packhelp.com.au/ returned 404. No AU storefront could be verified. [QUOTE]
EcoEnclose	Not checked (US supplier). [QUOTE] if wanted
Gift Box Co, Lux Packaging	Not checked. [QUOTE]
Local corrugated converter (Sydney) for the brief's actual spec	[QUOTE] . No published calculator offers black-liner board with 2 spot colours (opaque white + ember red) at 385 x 290 x 50. Use the RFQ in section 9a

Design implication (cost-relevant): the cheapest published route (Easy Signs digital on kraft) cannot print white. A black flood on kraft with the wordmark knocked out would show **kraft brown, not white**, in the letters. The brief's spec (black outer, opaque white + ember red) needs a converter quote: either black-liner board with 2 spot colours, or kraft board with 3 spot colours (black flood + white + red).

2. PLAIN STOCK BOXES (PILOT BEFORE CUSTOM PRINT)

Supplier	Product	Size mm	Pack / price as published	Unit	GST	Delivery	URL
ATpack	BetaCater Catering Box with Window Lid, Ex Large (corrugated kraft paperboard, brown)	450 x 310 x 80	10 base + 10 lids \$32.50; 50 + 50 \$96.50	\$3.25 (10); \$1.93 (50)	Not stated	Site banner: "FREE shipping to Sydney Metro (>\$300)"	https://www.atpack.com.au/betacater-catering-box-ex-large-450-x-310-x-80-mm
ATpack	Pack'n'Carry Catering Box, Large	400 x 250 x 85	100 pcs \$110.50	\$1.105	Not stated	as above	https://www.atpack.com.au/packncarry-catering-box-l-100pcs-400x250x85mm
Packaging Place (Colpac)	Large Platter Box, Base & Sleeve (FSC board, compostable window)	482 x 331 x 82	25 for \$70.73 ex GST ("Now", sale); 5 for \$16.97 ex GST	\$2.83 (25)	Ex GST	not read	https://www.packagingplace.com.au/boxes/platter-boxes/
eBPak	A3 Premium Tuck Full Black Mailing Box B360	430 x 305 x 140	25 for \$84.50	\$3.38	"Tax included"	not read	https://ebpakaging.com.au/products/premium-black-430-x-305-x-140mm-mailing-box
Easy Signs	E-flute kraft mailer, no printing	410 x 330 x 70	50 \$262.50; 250 \$915.00; 500 \$1,615.00; 1,000 \$3,080.00; 2,500 \$7,700.00 (all ex GST)	\$5.25 / \$3.66 / \$3.23 / \$3.08 / \$3.08	Ex GST	\$17.27 ex per order	calculator, section 1a
Easy Signs	B-flute kraft mailer, no printing	405 x 350 x 95	50 \$329.60; 250 \$1,148.00; 500 \$2,028.00; 1,000 \$3,864.00; 2,500 \$9,660.00 (ex GST)	\$6.59 / \$4.59 / \$4.06 / \$3.86 / \$3.86	Ex GST	\$17.27 ex	calculator

The Pack'n'Carry Large (250 wide) fails the width fit. The ATpack Ex Large and the Colpac Large Platter are windowed catering trays, not mailers: they suit a pilot (bake visibility, and a seal across the lid), not the final hinged-lid structure.

3. GREASEPROOF LINER SHEETS

3a. Printed (custom)

Supplier	Product / spec	Qty and price as published	Unit	GST	MOQ / lead	URL
Top Shelf Concepts (AUD)	Custom Print Food Paper, 38gsm, food-safe inks, 1 to 3 colours, 300 x 400 mm	1,000 \$705.00; 2,500 \$840.00; 5,000 \$1,060.00; 10,000 \$1,540.00	\$0.705 / \$0.336 / \$0.212 / \$0.154	Not stated	Min 1,000; "2-3 weeks plus shipping"	https://topshelfconcepts.com/products/custom-printing-grease-proof-paper
Top Shelf Concepts	same, 400 x 600 mm	1,000 \$795; 2,500 \$1,076; 5,000 \$1,535; 10,000 \$2,845	\$0.795 / \$0.430 / \$0.307 / \$0.285	Not stated	as above	same

Supplier	Product / spec	Qty and price as published	Unit	GST	MOQ / lead	URL
noissue (USD, AUD estimate)	Custom Foodsafe Paper 38gsm, white or kraft, 380 x 380 mm , 1 colour	250 US\$158.76; 500 US\$173.88; 1,000 US\$230.04; 2,000 US\$356.40; 5,000 US\$667.44	AUD est. 250 A\$228.99 (A\$0.916); 500 A\$250.80 (A\$0.502); 1,000 A\$331.80 (A\$0.332); 2,000 A\$514.06 (A\$0.257); 5,000 A\$962.70 (A\$0.193)	Not stated	The site's "Custom Food Paper" listing tag reads "Delivery: 2 - 3 weeks" [CONFIRM to AU]	https://noissue.co/ shop/food-papers/cu stom-foodsafe-paper/
noissue	same, 380 x 380, 2 colours	250 US\$250.56; 500 US\$261.36; 1,000 US\$322.92; 2,000 US\$459.00; 5,000 US\$830.52	AUD est. A\$361.40 / A\$376.98 / A\$465.77 / A\$662.05 / A\$1,197.92			same
noissue	same, 300 x 420 mm, 1 colour	250 US\$153.36; 500 US\$168.48; 1,000 US\$220.32; 2,000 US\$340.20; 5,000 US\$618.84	AUD est. A\$221.20 / A\$243.01 / A\$317.78 / A\$490.70 / A\$892.60			same
Bio Supply (AU)	Greaseproof 35gsm, full colour, cuts up to 400 x 600	"From \$330 /1,000 ex GST" (headline, smallest cut). Half cut 300 x 400 is live-calculator only and was not captured: [QUOTE]		Ex GST	Min 1,000 per version; 7 to 10 business days dispatch	https://www.biosupp ly.com.au/greaseproo f-paper.html
WF Plastic	Printed greaseproof	MOQ 10,000 sheets; no price published				https://wholesale.wf plastic.com.au/custo m-printing/printed-gr easeproof-paper/
Gorilla Print, Star Stuff Group	Printed greaseproof	No price table read. Gorilla states MOQ 250 for food paper				gorillaprint.com.au/cat ering/greaseproof-pap er/ ; starstuffgroup.co m.au/printed-greasepr oof-paper/

Liner sizing note: 300 x 400 lies flat in a 385 x 290 base, with 15 mm of excess on the length. 380 x 380 and 400 x 330 would turn up the sides. The PDS owns the final liner size.

3b. Plain

Supplier	Product	Pack / price	Per sheet	GST	URL
ATpack	Greaseproof Wrapping Paper 1/2 Cut, 400 x 330 mm	800 pcs \$18.50	\$0.0231	Not stated	https://www.atpack.com.au/accessories/gre aseproof-wrapping-paper/
ATpack	Greaseproof Wrapping Paper 1/3 Cut, 400 x 220 mm	1,200 pcs \$18.50	\$0.0154	Not stated	https://www.atpack.com.au/greaseproof-wra pping-paper-1-3-cut-400x220mm-1200p

4. SEAL LABELS (ROUND KRAFT, ABOUT 70 MM)

No supplier read on 2026-10-03 publishes a **70 mm kraft** round. The nearest published sizes are 60 mm (kraft) and 75 mm (white paper). A 70 mm kraft round is **[QUOTE]**.

Supplier	Spec	Prices as published	GST	Lead / notes	URL
Supr Pack (AU)	Kraft paper stickers, 60 x 60 mm (circle available), CMYK; "White printing is available only for bulk quantities (5000 & above)"; recycled uncoated paper	250 \$99; 500 \$129; 1,000 \$169; 2,000 \$249 (no 5,000 tier listed)	"Tax included"; free shipping	"Sydney/Melbourne: Within 2 weeks". Custom size: contact (70 mm = [QUOTE])	https://suprpack.com.au/ products/craft-paper-base- custom-stickers
Gift Packaging (AU)	Custom printed 60 mm kraft brown circle labels on A4 sheets (24/sheet), CMYK, no white ink, uncoated	Each: 60-119 \$0.46 inc (\$0.42 ex); 120-238 \$0.37 (\$0.34); 240-468 \$0.35 (\$0.32); 480-948 \$0.26 (\$0.24); 960-1,188 \$0.22 (\$0.20); 1,200+ \$0.20 (\$0.18). Order in lots of 12	Inc and ex both shown	2 to 5 business days from proof. Out of stock when read	https://www.giftpackagin g.com.au/p/custom-printe d-60mm-kraft-brown-circle- labels-self/DIG-LABEL-A4- 60RC-KRAFT

Supplier	Spec	Prices as published	GST	Lead / notes	URL
Paperlust (AU)	Circle stickers, white matte paper, no laminate, 60 mm (not kraft)	100 \$104; 300 \$176; 500 \$212; 2,000 \$613; 5,000 \$1,072 (1,000 not in the table: configurator only)	Inc GST	24 h production after proof; delivery \$10	https://printshop.paperlust.co/products/circle-stickers
noissue (USD)	Sticker sheets, circle 75 x 75 mm , acid-free uncoated paper (not kraft)	250 US\$115; 500 US\$120.75; 1,000 US\$166.75; 2,000 US\$218.50; 5,000 US\$391	Not stated	AUD est. A\$165.87 / A\$174.17 / A\$240.52 / A\$315.16 / A\$563.97	https://noissue.co/shop/stickers/sticker-sheets/custom-printed-stickers/

For 5,000 kraft 60 mm: Gift Packaging's 1,200+ rate gives 5,004 x \$0.20 = \$1,000.80 inc GST (lots of 12). Supr Pack publishes no 5,000 tier.

5. MERCHANDISE

5a. Blank garments and bags (AS Colour, published on [ascolour.com.au](https://www.ascolour.com.au), AUD)

AS Colour's own page shows quantity pricing. Black is assumed to be the same price as the base colour [**CONFIRM black is not a premium colour**].

Product	Spec (as listed)	1-9	10-49	50+	URL
Staple Tee 5001	Regular fit, 180 GSM	\$30.00 inc / \$27.27 ex	\$22.50 / \$20.45	\$18.00 / \$16.36	https://www.ascolour.com.au/staple-tee-5001/
Classic Tee 5026	Regular fit, 220 GSM	\$36.00 / \$32.73	\$27.01 / \$24.55	\$21.60 / \$19.64	https://www.ascolour.com.au/classic-tee-5026/
Stock High Profile Cap 1100	High profile, flat peak	\$30.00 / \$27.27	\$24.00 / \$21.82	\$18.00 / \$16.36	https://www.ascolour.com.au/stock-cap-1100/
Finn Five Panel Cap 1103	Low profile, flat peak	\$30.00 / \$27.27	\$24.00 / \$21.82	\$18.00 / \$16.36	https://www.ascolour.com.au/finn-five-panel-cap-1103/
Carrie Tote 1001	"Large Style"	\$20.00 / \$18.18	\$16.01 / \$14.55	\$14.00 / \$12.73	https://www.ascolour.com.au/carrie-tote-1001/

5b. Decoration (published price tables)

Decorator	Method	Table as published	GST	Notes	URL
Australians (AESS)	Screen print, per print, one location, badge/A4/A3, min 25	1 colour: 25+ \$6.59; 50+ \$5.09; 100+ \$4.59; 200+ \$4.09. 2 colour: 25+ \$7.08; 50+ \$5.58; 100+ \$5.08; 200+ \$4.58	Inc GST	Garment not included [CONFIRM]. Screen or setup fees not shown [CONFIRM]. The page's 3-colour row (25+ \$6.88) is lower than its 2-colour row, an anomaly to query	https://australianess.com.au/pricing-for-decorations/
Australians	Embroidery, per unit, min 5	6-11 \$14.25 ex / \$15.70 inc; 12-19 \$9.50 / \$10.45; 20-49 \$8.50 / \$9.35; 50-90 \$7.50 / \$8.25; 100-199 \$6.50 / \$7.15; 200+ \$6.00 / \$6.60	Both shown	Stitch count and digitising fee not stated [CONFIRM]	same
T-Shirts Only	Screen print, price includes a WHITE t-shirt , printing and metro shipping	Standard tee, 1 col: 25 \$14.60; 50 \$13.20; 100 \$10.10. 2 col: 25 \$16.30; 50 \$14.10; 100 \$10.90. Premium tee, 1 col: 25 \$16.10; 50 \$14.70; 100 \$11.60. 2 col: 25 \$17.80; 50 \$15.60; 100 \$12.40	Ex GST	Black garments and the garment brand are not stated: [QUOTE] for a black AS Colour tee	https://www.tshirtsonly.com.au/printing-pricelist/

5c. Aprons

Supplier	Product	Price as published	GST	Notes	URL
Aussie Chef	Bib Apron Black, 200gsm poly/cotton (65/35), 70 x 86 cm	\$17.60	Not stated	"Buy 10+ and Save 5%, Buy 20+ and Save 10%". Logo embroidery: "Initial one-off set up charge, cost per unit depends on logo size, colours & quantity", with no figure published: [QUOTE]	https://www.aussiechef.com.au/bib-apron-black
Aussie Chef	Bib Apron with Pocket, Black	\$18.70	Not stated	as above	https://www.aussiechef.com.au/bib-apron-w-pkt-black

Supplier	Product	Price as published	GST	Notes	URL
Aussie Chef	Heavy Weight bib apron, 240gsm black poly/cotton	\$26.20	Not stated	as above	https://www.aussiechef.com.au/heavy-weight-black

5d. Totes (decorated, all-in)

Supplier	Spec	25	50	100	URL
noissue (USD)	Custom tote, organic cotton 4 oz, black, 400 x 400 mm	US\$138.00 (A\$199.05 est.)	US\$212.75 (A\$306.87)	US\$362.25 (A\$522.50)	https://noissue.co/shop/bags/tote-bags/custom-basic-tote-bags/ (page redirected from /custom-tote-bags/)

6. PRINTED PAPER TAKEAWAY BAGS

Supplier	Spec	Price as published	GST	MOQ / notes	URL
QIS Packaging (AU)	Coloured paper carry bag (black available), 310 W x 420 H, 110 gusset, twist handle, 1 colour 1 side, print area 180 x 180	\$1.84 each	Inc GST ("Tax included")	Min 500. "One-off set up cost", amount not on the product page: [QUOTE]	https://www.qispackaging.com.au/products/custom-printed-paper-carry-bags-in-a-range-of-colours-1-colour-1-side-420x310mm
QIS Packaging	Brown paper carry bag 350 x 260, 1 colour 1 side	\$1.40 each	Inc GST	Min 500 + setup	https://www.qispackaging.com.au/collections/printed-paper-carry-bags-with-handle
noissue (USD)	Food-service paper bag, kraft 100gsm, flat handle, 430 x 330 x 180, 1 colour	10,000 US\$4,588.50 (US\$0.459 each; about A\$6,618 est.)	Not stated	Smallest volume tier is 10,000 (a single sample is US\$57.50)	https://noissue.co/shop/bags/takeout-bags/wholesale-custom-paper-bags-food-service/

Fit: neither QIS bag takes a 410 x 330 box lying flat (the bag widths are 310 and 350). A bag sized for flat catering boxes is **[QUOTE]**.

7. COST MODEL: LANDED PACKAGING COST PER CATERING BOX-SET

7a. Definitions and formulas

- **Box-set** = 1 box + 1 greaseproof liner + 1 seal label. One box holds one dozen (working assumption from the brief).
- **Order cost** = box-set cost x dozens. Site packages: Morning Tea = 2 dozen, Office Platter = 3, Function Spread = 5 (internal use only; never printed).
- For each component at quantity tier Q: $\text{component_cost_per_set} = (\text{published price for the smallest tier } \geq Q, \text{ or a stated sum of tiers, } + \text{ delivery}) / Q, \text{ ex GST.}$
- $\text{set_cost}(Q) = \text{box}(Q) + \text{liner}(Q) + \text{seal}(Q); \text{cash_outlay}(Q) = \text{sum of the component totals.}$
- Inc to ex: /1.1. USD to AUD: /0.6933 (estimate, landed costs excluded).
- Excluded (no published figure): artwork and design, freight on the ATpack and Top Shelf orders, the converter's tooling or plate charges, storage, wastage, and the labour of folding and packing.

7b. Component inputs (ex GST, AUD)

Component	250	500	1,000	2,500	Derivation
A Easy Signs printed kraft E-flute 410x330x70 (incl. \$17.27 delivery)	\$1,389.77 (\$5.559)	\$2,442.27 (\$4.885)	\$4,637.27 (\$4.637)	\$11,567.27 (\$4.627)	item + 17.27
A0 Easy Signs unprinted kraft, same size	\$932.27 (\$3.729)	\$1,632.27 (\$3.265)	\$3,097.27 (\$3.097)	\$7,717.27 (\$3.087)	item + 17.27
H ATpack BetaCater Ex Large tray + lid (GST not stated, treated as ex)	\$482.50 (\$1.930)	\$965.00 (\$1.930)	\$1,930.00 (\$1.930)	\$4,825.00 (\$1.930)	n x \$96.50 per 50
E Paperlust full-colour Large 425x295x110	\$7,256.82 (\$29.027)	\$8,504.55 (\$17.009)	\$12,000.00 (\$12.000)	not published	(inc + \$10 delivery) / 1.1
G noissue kraft 305x381x76 (AUD est., excl. freight/import)	\$2,517.96 (\$10.072)	\$3,968.52 (\$7.937)	\$7,271.06 (\$7.271)	not published	USD / 0.6933

Component	250	500	1,000	2,500	Derivation
L1 ATpack plain greaseproof 400x330 (800/pk)	\$18.50 (\$0.074)	\$18.50 (\$0.037)	\$37.00 (\$0.037)	\$74.00 (\$0.030)	packs of 800 needed x \$18.50
L2 Top Shelf printed 300x400, 1-3 col (min 1,000)	\$705.00 (\$2.820)	\$705.00 (\$1.410)	\$705.00 (\$0.705)	\$840.00 (\$0.336)	next tier up
L3 noissue printed 380x380, 1 col (AUD est.)	\$228.99 (\$0.916)	\$250.80 (\$0.502)	\$331.80 (\$0.332)	\$764.86 (\$0.306)	2,500 = 2,000 + 500 tiers
S1 Supr Pack kraft 60 mm	\$90.00 (\$0.360)	\$117.27 (\$0.235)	\$153.64 (\$0.154)	\$343.64 (\$0.137)	inc / 1.1; 2,500 = 2,000 + 500 tiers
S2 Gift Packaging kraft 60 mm (lots of 12)	\$80.18 (\$0.321)	\$119.13 (\$0.238)	\$201.60 (\$0.202)	\$456.00 (\$0.182)	252/504/1,008/2,508 x tier rate inc / 1.1

7c. Scenarios: cost per box-set and per order (ex GST, AUD)

Scenario	Tier	Per set	Cash outlay	2-dozen order	3-dozen	5-dozen
P0 Pilot, plain (H + L1 + S1): windowed kraft tray, plain liner, printed kraft seal	250	\$2.36	\$591.00	\$4.73	\$7.09	\$11.82
	500	\$2.20	\$1,100.77	\$4.40	\$6.60	\$11.01
	1,000	\$2.12	\$2,120.64	\$4.24	\$6.36	\$10.60
	2,500	\$2.10	\$5,242.64	\$4.19	\$6.29	\$10.49
P1 Plain mailer (A0 + L1 + S1): right structure, no print	250	\$4.16	\$1,040.77	\$8.33	\$12.49	\$20.82
	500	\$3.54	\$1,768.04	\$7.07	\$10.61	\$17.68
	1,000	\$3.29	\$3,287.91	\$6.58	\$9.86	\$16.44
	2,500	\$3.25	\$8,134.91	\$6.51	\$9.76	\$16.27
C1 Printed core (A + L1 + S1): printed kraft mailer, plain liner	250	\$5.99	\$1,498.27	\$11.99	\$17.98	\$29.97
	500	\$5.16	\$2,578.04	\$10.31	\$15.47	\$25.78
	1,000	\$4.83	\$4,827.91	\$9.66	\$14.48	\$24.14
	2,500	\$4.79	\$11,984.91	\$9.59	\$14.38	\$23.97
C2 Printed, all-AU (A + L2 + S1): printed liner from Top Shelf	250	\$8.74	\$2,184.77	\$17.48	\$26.22	\$43.70
	500	\$6.53	\$3,264.54	\$13.06	\$19.59	\$32.65
	1,000	\$5.50	\$5,495.91	\$10.99	\$16.49	\$27.48
	2,500	\$5.10	\$12,750.91	\$10.20	\$15.30	\$25.50
C3 Printed, noissue liner (A + L3 + S1); liner is an AUD estimate	250	\$6.84	\$1,708.76	\$13.67	\$20.51	\$34.18
	500	\$5.62	\$2,810.34	\$11.24	\$16.86	\$28.10
	1,000	\$5.12	\$5,122.71	\$10.25	\$15.37	\$25.61
	2,500	\$5.07	\$12,675.77	\$10.14	\$15.21	\$25.35
C4 Premium full colour (E + L2 + S1)	250	\$32.21	\$8,051.82	\$64.41	\$96.62	\$161.04
	500	\$18.65	\$9,326.82	\$37.31	\$55.96	\$93.27
	1,000	\$12.86	\$12,858.64	\$25.72	\$38.58	\$64.29

Worked example (C1 at 1,000): box \$4,620.00 + \$17.27 delivery = \$4,637.27; liner 2 x \$18.50 = \$37.00; seal \$169 / 1.1 = \$153.64. Total \$4,827.91 / 1,000 = **\$4.83 per set**. A 3-dozen Office Platter order = 3 x \$4.83 = \$14.48 (computed on the unrounded set cost).

7d. What the model does not yet price (the brief's real spec)

The brief's production spec (black-liner outer, 2 spot colours: opaque white + ember red, side vents, FEFCO 0427 with tuck front at 385 x 290 x 50) is **[QUOTE]** from a converter. Scenario C1 is the cheapest published stand-in, but it **cannot reproduce opaque white** (section 1a). Use C1 to set a cost ceiling for comparing converter quotes, not to fix the final spec.

8. MERCH COST MODEL (EX GST, AUD, GARMENT + DECORATION, BEFORE SETUP/SCREEN FEES AND FREIGHT)

Formula: unit = AS Colour tier price (ex) + decoration tier price (ex). The quantity tier applies to each line separately.

Item	25	50	100	Inputs
Staple Tee 5001 black + 1-col screen print	\$26.44	\$20.99	\$20.53	blank \$20.45 / \$16.36 / \$16.36 + print \$5.99 / \$4.63 / \$4.17
Staple Tee 5001 + 2-col screen print	\$26.89	\$21.43	\$20.98	+ print \$6.44 / \$5.07 / \$4.62
Classic Tee 5026 + 1-col	\$30.54	\$24.27	\$23.81	blank \$24.55 / \$19.64 / \$19.64
Classic Tee 5026 + 2-col	\$30.99	\$24.71	\$24.26	
Bib apron with pocket (Aussie Chef, GST basis unknown) + embroidery	\$25.33	\$24.33	\$23.33	apron \$18.70 less 10% (20+) = \$16.83 + embroidery \$8.50 / \$7.50 / \$6.50; embroidery setup [QUOTE]
Stock Cap 1100 + embroidery	\$30.32	\$23.86	\$22.86	cap \$21.82 / \$16.36 / \$16.36 + embroidery \$8.50 / \$7.50 / \$6.50
Carrie Tote 1001 + 1-col screen print	\$20.54	\$17.36	\$16.90	tote \$14.55 / \$12.73 / \$12.73 + print \$5.99 / \$4.63 / \$4.17 [CONFIRM the decorator prints totes at garment rates]
noissue printed black tote (all-in, AUD est.)	\$7.96	\$6.14	\$5.22	USD / 0.6933, excl. freight/import

Apron check at 25: \$18.70 x 0.90 = \$16.83, plus \$8.50, = \$25.33.

9. RFQ TEMPLATES

9a. Converter RFO: catering box (send to 2-3 Svdnev corrugated converters plus one online supplier)

Subject: RFQ - printed corrugated catering box, Dough Boss (Sydney) - [date]

- Structure: one-piece mailer, hinged lid with tuck front (FEFCO 0427 style), side vents (dieline attached). Internal 385 x 290 x 50 mm **[CONFIRM after fit test]**.
- Board: E-flute or B-flute (please advise). Outer liner: black kraft; inner: natural brown kraft. Quote both flutes. State the board grade/ECT and the board supplier.
- Food contact: the inside contacts a greaseproof liner, not food directly. Please state food-contact compliance of the board and inks, and supply the declaration.
- Print: outside only, 2 spot colours: opaque white + red (target PMS to match #e2231a; draw-down on board). Alternative quote: natural kraft board with 3 spot colours (black flood + white + red). Print method (flexo / digital) and the minimum line and type sizes.
- Quantities: 250 / 500 / 1,000 / 2,500 / 5,000. Price per unit AND total, ex GST.
- One-off costs, listed separately: cutting die/forme, print plates, proof, prototype/white sample, pre-production printed sample. State whether tooling is kept for reorders and for how long.
- Lead times: sample, first run, and repeat run, from artwork approval.
- Packing: flat-packed, units per bundle and per carton, pallet quantity, carton dimensions.
- Delivery: to [Revesby / Bankstown / Roselands] - per drop, ex GST. Split delivery to 3 shops?
- Payment terms, deposit, validity period of the quote, over/under-run tolerance (%).
- Minimum reorder quantity, and the price break on reorder (no tooling).
- Can you supply 10 unprinted structural samples before tooling?

9b. Liner and seal RFO

Liner: greaseproof sheet [300 x 400 / 380 x 380 mm, PDS to confirm], 35-40 gsm, food-contact grade, 1 colour (black or red) one side, repeat pattern, food-safe ink. Qty 1,000 / 2,500 / 5,000 / 10,000. Unit and total ex GST, setup/plate fees, lead time, delivery to Sydney, food-contact declaration.

Seal: round 70 mm kraft paper label, permanent adhesive, printed 1-2 colours (black + red; white if possible - state the MOQ for white), supplied on sheets or rolls (state which), writable surface for marker. Qty 1,000 / 5,000. Unit and total ex GST, lead time, delivery.

9c. Merch RFO

Subject: RFQ - staff and retail merch, Dough Boss (Sydney)

Items and quantities:

- AS Colour Staple Tee 5001 (and Classic 5026 alt), BLACK, sizes S-XXL split [list], qty 25 / 50 / 100.
- Bib apron, black, with pocket, qty 10 / 25 / 50.
- Cap: AS Colour 1100 or 1103, black, qty 25 / 50.
- Tote: AS Colour Carrie 1001, black/natural, qty 50 / 100.

Decoration:

- Tees/totes: screen print, front [size] 1-2 spot colours (white + red on black), optional back print. State colours, max print size, ink type (plastisol/water-based), underbase charge for white on black.

- Aprons/caps: embroidery, logo approx [W x H] mm, est. stitch count, thread colours [white + red]. Please quote per unit and total ex GST, separately listing: garment cost, decoration cost, screen/setup per colour, embroidery digitising, artwork fee, freight to Sydney, lead time from artwork approval, and whether we can supply our own garments (and the price difference).

10. OPEN **[CONFIRM]** / **[QUOTE]** ITEMS THAT CHANGE THE NUMBERS

1. **Fit test** a mini in a sample box (Easy Signs \$30 ex sample, or the noissue sample). The box size drives every box line.
2. Dimension basis (internal or external) for Easy Signs and noissue sizes.
3. GST treatment for ATpack, Top Shelf and Aussie Chef; Dough Boss's GST registration.
4. noissue: AU storefront pricing, freight, import GST/duty. Every noissue AUD figure here is an estimate at 0.6933.
5. Converter quote for the real spec (black outer, opaque white + red): section 9a.
6. 70 mm kraft seal: no published price (nearest published: 60 mm).
7. Screen/setup fees and embroidery digitising (none published by the decorators read).
8. Food-contact suitability of each printed box and ink (PDS-RESEARCH.md owns this; it may rule out a low-cost option).
9. A paper bag sized to carry flat catering boxes: **[QUOTE]**.



07

MERCHANDISE

Shirts, aprons, caps, totes, bags, stickers, signage and usage rules.

MERCHANDISE AND BRAND APPLICATION: PRODUCTION SPECIFICATIONS

Status: working spec for quoting and proofing. All blanks were checked on the supplier's own product page on 3 Oct 2026 (sources at the end). No prices are given here; costing is handled in the costing section. [CONFIRM: . . .] means an open fact that must be closed before anything goes to print.

0. RULES THAT APPLY TO EVERY ITEM

0.1 Copy that may be printed (verified on the live site only)

Use	Exact copy	Notes
Logo	DOUGH BOSS.	The wordmark, rebuilt from the site CSS. Never redrawn, retyped or AI-generated. [CONFIRM with the owner that this is the shop's logo.]
Line A	FRESH FROM THE OVEN.	Verified.
Line B	FEED THE WHOLE TABLE.	Verified.
Line C	OVEN-BAKED	Verified.
Line D	A CONTEMPORARY LEBANESE BAKERY.	Verified.
Line E	THREE SHOPS BAKING DAILY	Verified, but time-sensitive: it becomes false if a shop opens or closes. Keep it off long-life items (decals, embroidery).
Places	REVESBY · BANKSTOWN · ROSELANDS	Verified. "Roselands Centro" is the full site name.
Contact	doughboss.com.au · @doughboss · catering@doughboss.com.au · orders@doughboss.com.au	Verified. No phone number on any item.
Allergen line	Allergen information available on request.	The safe FSANZ-aligned line from the brief. Counter and catering items only.
Heritage	Since 2009 / "Oven-baked in Sydney since 2009"	On the site, but [CONFIRM before printing]: a permanent run makes it a fixed claim. Not used in the specs below.

Never print: "Minis"; "halal", "gluten free", "authentic", "best" or "allergen-free"; any price, quantity, capacity, certification, health claim or origin claim. This includes "Australian cotton": AS Colour says some 5001 colours use Australian combed cotton, but the merch must not make that claim. No hours, phone numbers or dates go on long-life items.

0.2 Colourway

Token	Hex	Role on merch	Pantone
char (base)	#0a0807	The garment or stock colour is black. Char is used as ink only on light grounds, such as a flood on white sticker vinyl.	Black blank: no ink. Flood: PMS per PDS
cream (ink)	#eee8de	Main ink, thread and vinyl: wordmark, box outline and headlines	PMS: per PDS
ember (accent)	#e2231a	Only the wordmark's full stop and the full stop that ends a headline. Never body text, outlines or large fills.	PMS: per PDS

Thread and vinyl are matched to the PDS Pantone references. The decorator nominates a thread or vinyl code, and an approved swatch goes on the job sheet.

0.3 Wordmark geometry (measured from the pack's vector build, art.py, which follows the site CSS at 22 px: padding 8/8/7/11, border 2, tracking .13em)

Property	Ratio	Consequence
Width : height of the outlined box	3.36 : 1	90 mm wide = 26.8 mm high
Box border stroke	1.45 % of the box width	90 mm wide = 1.31 mm border
Letter cap height (approx., Bebas Neue at 0.70 em)	11.2 % of the box width	90 mm wide = 10.1 mm cap height
Ember full stop	about 0.19 em wide	At 90 mm wide it is about 2.7 mm

The box border is the thinnest element, so it sets the minimum size for every process.

Process	Thinnest line the process holds (source)	Smallest wordmark width allowed (border at that weight)
Embroidery	0.05 in = 1.27 mm minimum line; 0.25 in = 6.35 mm minimum letter height (Printful)	90 mm (border 1.31 mm, cap height 10.1 mm)
Screen print and DTF on fabric	0.012 in = 0.3 mm printed line; 0.04 in = 1.0 mm open gap (Transfer Express). House rule: 0.5 mm, because cream sits on a white underbase on black.	45 mm (border 0.65 mm). Check the counters of B, O and S on the proof.
Digital or offset print on paper or vinyl stickers	House rule 0.25 mm	25 mm (border 0.36 mm)
Cut vinyl (plotter)	1.5 mm minimum detail; 1 mm minimum gap (Spreadshop vector guide)	110 mm (border 1.6 mm)

Do not thicken the border to sneak under these minimums. Below the minimum for a process, use a larger size or a different process.

Clear space (proposal for owner approval): keep a margin of at least one wordmark cap height on all sides, measured from the outside of the box.

1. STAFF T-SHIRT

Field	Specification
Blank (primary)	AS Colour Staple Tee 5001 , Black. Mid weight 180 GSM, 28-singles, 100% combed cotton; neck ribbing, side seamed, shoulder-to-shoulder tape, double needle hems, preshrunk. Sizes XSM-5XL. AS Colour lists it as suited to screen print, DTG and embroidery. https://www.ascolour.com.au/staple-tee-5001/
Blank (alternative, retail or heavier)	AS Colour Classic Tee 5026 , Black. Heavy weight 220 GSM, 22-singles, 100% combed cotton. Sizes SML-5XL. https://www.ascolour.com.au/classic-tee-5026/ We recommend 5001 for staff because shops run hot ovens; offer 5026 as the retail tee. [CONFIRM the owner's choice]
Front	Wordmark in cream, ember full stop, on the left chest. Two spot colours.
Back (choose one)	Option 1, one line: FEED THE WHOLE TABLE. in Bebas Neue caps, tracking .13em, cream with an ember full stop. Option 2, stacked (the owner's "stacked" direction): FEED THE / WHOLE TABLE., left-aligned. Option 3: FRESH FROM THE OVEN. on one line. One back line per run: do not mix lines within a uniform set.
Print method	Screen print (plastisol or water-based, as the printer advises for opaque cream on black). This needs a white underbase under the cream on a dark garment (PIA/printing.org on underbases). Why: a two-spot job repeated across a uniform set is screen printing's strength, and the colour is consistent across reorders. DTF is the fallback for small top-ups (new starters, one or two sizes). It needs no screens; the trade-off is a different hand-feel and sheen next to screen-printed shirts, so do not mix the two methods within one shift's uniforms.
Front artwork size	Wordmark 90 x 26.8 mm , the same on all sizes. That is inside the left-chest norm of 3–4 in (76–102 mm) wide. Border 1.31 mm.
Front placement	Top of the box 80 mm below the front neck seam (the norm is 3–4 in, 76–102 mm, below the collar). Centre the art horizontally between centre front and the wearer's left side seam (Vistaprint guide). Measure on size MED. On XSM and 5XL, check the art does not run past the armhole.
Back artwork size	Option 1: 250 mm wide , cap height about 17.8 mm (Bebas Neue at 25.4 mm). Option 2: 250 mm wide on the longer line WHOLE TABLE., both lines at 43.6 mm type (cap height about 30.5 mm), leading 1.1 em, block about 78 mm high. Option 3: 250 mm wide, cap height about 18.5 mm. The upper-back norm is 8–10 in (203–254 mm) wide. For 5XL, the printer may supply a 280 mm version [CONFIRM] .
Back placement	Top of the art 90 mm below the back neck seam (the norm is 3–4 in, 76–102 mm). Centred on centre back.
Minimum line / gap	0.5 mm printed line; 1.0 mm open gap.
Pantone	Cream: PMS per PDS. Ember: PMS per PDS. Ink drawdowns go on the job sheet.
Files to supply	Vector PDF (PDF/X-4) or AI at 1:1, with fonts converted to outlines. Two named spot swatches, DB-CREAM and DB-EMBER; no CMYK builds and no gradients. The printer makes the underbase separation. For DTF: a 1:1 PNG at 300 dpi with transparency, as well as the vector.
Care (from the AS Colour page)	Machine wash cold with like colours. Do not bleach. Do not tumble dry. Do not dry clean. Do not iron if printed. Line dry in shade. Add: wash inside out. A care card goes in each staff pack.

Field	Specification
Durability acceptance	DTF sellers say their transfers last 50+ washes (Ninja Transfers, Transfer Kingdom); treat that as a vendor claim. Our own test: 10 cycles following the AS Colour care above on one sample per method. Reject on any cracking, lifting at the full stop or border, or underbase showing through the cream.

2. BIB APRON

Field	Specification
Blank	AS Colour Carrie Apron 1082 . Black. Heavy weight 320 GSM 100% cotton canvas; herringbone cross-over shoulder strap, metal eyelets, front patch pocket, top-stitch detailing, preshrunk. One size: length 90 cm, waist 76 cm, pocket 24 x 46 cm. https://www.ascolour.com.au/carrie-apron-1082/
Decoration	Wordmark on the bib, centred. Optional: Line A or B embroidered on the pocket, within the pocket's 46 cm width.
Method	Embroidery . Why: it stays crisp on heavy canvas, has no print to crack where the apron flexes, and suits an apron that is wiped and rubbed. AS Colour also lists the apron for screen print and DTG. At least one decorator (Mercha) offers embroidery only on this apron, and the eyelets and straps make the bib awkward to print.
Artwork size	Wordmark 100 x 29.8 mm (border 1.45 mm, cap height 11.2 mm). Pocket line (optional): 120 mm wide , cap height about 8.5–8.9 mm, which is above the 6.35 mm minimum.
Placement	Top of the box 60 mm below the bib's top hem , centred on the bib's centre line. Keep at least 15 mm from the eyelets and the strap stitching (proposal; confirm on the sew-out). Pocket line: centred, 30 mm below the pocket's top hem.
Stitch notes	Box border: satin column at 1.45 mm. Letters: satin or tatami fill, as the digitiser judges for 11 mm caps. Ember full stop: a small satin or fill element of about 2.9 mm. Ask for a stabilising underlay on canvas. Cream thread and ember thread are matched to the PDS Pantone references. Two thread colours. The digitiser chooses the backing for 320 GSM canvas.
Files	Master vector (PDF or AI, outlined). The digitiser returns a machine file (for example DST) and a stitch-out proof. Dough Boss keeps the digitised file for reorders.
Care (AS Colour page)	Hand wash cold separately. Do not bleach. Do not tumble dry. Iron medium heat. Line dry in shade. [CONFIRM the shop's laundering routine: if aprons go through a commercial wash, trial one apron through that cycle before ordering in bulk.]

3. CAP

Field	Specification
Blank	AS Colour Access Cap 1130 . Black. Light weight 100% cotton, six-panel, low profile, curved peak, adjustable fastener with metal clasp, tonal under-peak lining, one size. https://www.ascolour.com.au/access-cap-1130/ AS Colour lists it as suited to embroidery and heat press.
Method	Embroidery on the front panels. Why: it suits the blank and lasts. Heat press is not recommended, because the cap is spot-clean only and flour must be brushed off it.
Artwork size	Wordmark 90 x 26.8 mm , which is the embroidery minimum. Printful's front-logo guidance is 4–5 in (102–127 mm) wide and up to 2.25 in (57 mm) high, and low-profile caps take a lower height, so 26.8 mm leaves room.
Placement	Centred across the centre front seam. The bottom of the box sits 15 mm above the peak seam : Printful advises a 0.5–1 in margin, and we take the low end because the design is short. Confirm on the sew-out that it sits evenly over the seam.
Stitch notes	Box border: satin at 1.31 mm. Letters at 10.1 mm cap height (minimum 6.35 mm). Ask the digitiser to sew from the centre outward to limit puckering on the seam. Keep it under the decorator's cap stitch limit (Printful quotes about 15,000). Two thread colours.
Files	Master vector. The digitiser produces the cap file (a cap file is separate from the apron file, even at the same size).
Care (AS Colour page)	Spot clean only. Do not bleach. Do not tumble dry. Issue two caps per staff member if they must be worn daily. [CONFIRM whether caps form part of the shop's food-safety hair-restraint practice.]

4. TOTE BAG

Field	Specification
Blank	AS Colour Carrie Tote 1001 , Black. Heavy weight 320 GSM 100% cotton canvas, reinforced shoulder straps, one large main compartment. 42 x 42 cm, gusset 9.5 cm, strap length 72 cm. AS Colour lists it as suited to screen print, DTG and embroidery. https://www.ascolour.com.au/carrie-tote-1001/
Front	Wordmark, cream with an ember full stop.
Back (optional)	FRESH FROM THE OVEN. on one line, with doughboss.com.au beneath it in Barlow.
Method	Screen print with a cream underbase as needed. Why: canvas takes screen ink well, it is two spot colours, and it suits a retail or giveaway run. DTF or a heat transfer is the small-run alternative (Mercha offers a Supacolour heat transfer on this tote).
Artwork size	Front wordmark 250 x 74.4 mm (border 3.6 mm). Back line 250 mm wide , cap height about 18.5 mm. URL at a 6 mm cap height.
Placement	Top of the art 110 mm below the top edge , centred, so it clears the strap stitch boxes and sits mid-chest when carried on the shoulder. Confirm the strap-patch depth on the blank.
Minimum line / gap	0.5 mm / 1.0 mm.
Files	As for the tee: vector PDF/X-4, outlined, DB - CREAM and DB - EMBER spot swatches.
Care (AS Colour page)	Hand wash cold separately. Do not bleach. Tumble dry low. Iron low heat. Line dry in shade. Do not iron over the print.

5. TAKEAWAY PAPER BAG (COUNTER ORDERS)

Field	Specification
Blank	Detpak Small Paper Twist Handle Bag, C400S0029 , Black range, matte. Detpak lists it at 280 x 280 x 150 mm [CONFIRM with Detpak which figure is the gusset; the listing's labelling is inconsistent] . Paper twisted handle, reinforced handles. Listed as recyclable and compostable with no added PFAS, and suitable for hot contents and mild grease. https://www.detpak.com/bags/small-paper-twist-handle-bag/c400s0029 Larger option: Detpak Large Twist Handle Bag C734S0001A , 305 x 305 x 175 mm, kraft (white or brown variants). https://www.detpak.com/bags/large-twist-handle-bag/c734s0001a/
Fit warning	The catering dozen box (working internal size 385 x 290 x 50 mm) does not fit either bag . These bags are for counter takeaway only. Catering orders need their own carry solution. [CONFIRM]
Method	Detpak custom print, up to 4 colours, minimum order quantities apply. [CONFIRM with Detpak] that opaque cream or white ink on the black bag is possible and how opaque it is. If not: brown kraft bag, black wordmark, ember full stop.]
Artwork size	Wordmark 140 x 41.7 mm (border 2.0 mm) on the front face. Optional back face: FRESH FROM THE OVEN. at 180 mm wide, with doughboss.com.au and @doughboss beneath it.
Placement	Centred on the face, with the top of the box 60 mm below the top-fold line. Final position follows Detpak's print template for that bag (handle patches and folds).
Minimum line	Per Detpak's process. The design's thinnest line is 2.0 mm, so it is safe.
Pantone	Cream and ember: PMS per PDS, on Detpak's colour proof.
Files	Vector PDF placed on Detpak's own template, outlined, spot swatches.
Food-safety note	Printing is on the outside only. Food goes in its own wrap or liner, not directly against printed surfaces. [CONFIRM with Detpak whether the ink is suitable for food packaging.]

6. COFFEE OR DRINK CUP SLEEVE: NOT RECOMMENDED (PARKED)

The live site shows no coffee, hot drinks or beverages (read 3 Oct 2026). A branded cup sleeve would suggest a drinks offer the shop is not shown to have. Park it. If the owner confirms the shops serve hot drinks **[CONFIRM]**, specify it then from the cup supplier's sleeve dieline: wordmark 60 mm wide in cream on a black sleeve, printed on the supplier's stock, the same files and proof steps as item 5, and no copy beyond the wordmark and doughboss.com.au.

7. STICKER SHEET

Field	Specification
Format	A5 sheet (148 x 210 mm), kiss-cut stickers on one backing.
Stock	White permanent vinyl, printed full colour digitally with a char #0a0807 flood , with a matt laminate. Why: the stickers last on laptops and bottles, the laminate stops scuffing, and the char flood gives the black-base look without needing white ink. Seal stickers for paper bags: the same art on uncoated paper label stock, which tears on opening (this tamper evidence is a property of the stock, not a claim to print).
Contents (only verified copy)	1 x wordmark, 80 mm wide · 2 x wordmark, 45 mm wide · 1 x "FRESH FROM THE OVEN." strip, 120 x 20 mm · 1 x "FEED THE WHOLE TABLE." strip, 120 x 20 mm · 6 x ember dot circles, 25 mm diameter (no text) · 1 x round sticker, 50 mm diameter, with the wordmark and "@doughboss".
Minimum line	0.25 mm (house rule). The smallest border here is 0.65 mm (on the 45 mm wordmark), so it is safe.
Bleed / safe	2 mm bleed past each cut line; keep copy 2 mm inside the cut.
Pantone	Ember and cream: PMS per PDS, reproduced in CMYK with a press proof. Ember is the hardest to hold in CMYK, so ask for a Pantone-matched digital press or check the closest match on the proof.
Files	Vector PDF. A separate cut layer holds the kiss-cut paths as one named spot swatch (the printer names it; commonly "CutContour"). Kiss-cut paths only: no die-cut through the backing except the sheet border.
Use rule	Stickers never touch food or the inside of the liner.

8. COUNTER TENT CARD

Field	Specification
Format	A-frame tent with two A6 faces (105 x 148 mm each). Flat size 105 x 296 mm , scored at 148 mm. Optional 20 mm glue-in base tab for stability [proposal].
Stock (recommended)	350 gsm coated board with a char #0a0807 flood and matt laminate on both sides. Why: a bakery counter gets flour and grease on it, and a laminated card can be wiped clean.
Stock (premium alternative)	G.F Smith Colorplan Ebony 350 gsm (uncoated black, sold in Australia exclusively by Ball & Doggett) with white toner or foil. [CONFIRM the printer has a white-toner or foil capability.] It cannot be wiped clean, so keep it for catering presentations, not the counter. https://www.ballanddoggett.com.au/brands/colorplan/
Face 1 (customer side)	Wordmark 60 mm wide at the top · headline FEED THE WHOLE TABLE. (Bebas Neue, about 85 mm wide, ember full stop) · "Catering" in Barlow · catering@doughboss.com.au · doughboss.com.au.
Face 2	Wordmark 60 mm wide · FRESH FROM THE OVEN. · "Allergen information available on request." (Barlow, at least 2.5 mm x-height, an accessibility choice) · @doughboss.
Do not print	Package prices, dozen counts or package contents. The site's prices are indicative, and counts may change. Send customers to the website.
Pantone	Ember and cream: PMS per PDS (CMYK press proof, or Pantone-matched digital).
Files	Vector PDF/X-4, 3 mm bleed, 4 mm safe area, outlined fonts. The score line goes on a separate non-printing layer.
Placement	One per till, front face to the queue. Replace when the laminate scuffs.

9. WINDOW DECAL (SHOPFRONT)

Field	Specification
Material	Cut vinyl, cast film (ORACAL 751C class) . Cast is rated longer outdoors than calendered 651 (751C: 8 years for black and white, 7 for colours; 651: 6 years) and does not shrink in sun the way 651 can (Sign Warehouse). Cream: the nearest stock vinyl to #eee8de, checked against the drawdown. If no stock colour passes, print onto white cast vinyl with a laminate and cut it. Ember full stop: the stock red closest to the ember PMS. All colours: PMS per PDS.
Application	Second-surface (on the inside of the glass), reverse-cut , so it reads correctly from the street and is protected from weather and scraping. Add a char-black backing layer behind the cream so the inside view is clean black, not the back of the vinyl. If there is tint film or an inside-access problem, apply first-surface (outside) instead. [CONFIRM per shop]
Artwork	Wordmark 600 x 178.6 mm (border 8.7 mm, cap height 67 mm). Below it, FRESH FROM THE OVEN. at 300 mm wide (cap height about 22 mm), then doughboss.com.au in Barlow at a 15 mm cap height. Optional location line, for example REVESBY, at a 15 mm cap height. No hours, phone numbers or prices [hours CONFIRM, and keep them on a separate replaceable panel if wanted].
Minimum detail	1.5 mm line and 1 mm gap for plotter-cut vinyl. Every element here is far above that.

Field	Specification
Placement	Measure each glazing panel first [CONFIRM: panel sizes for Revesby, Bankstown and Roselands] . Working proposal: centred on the main panel beside the door, with the centre of the wordmark at about eye level (about 1500 mm above finished floor; adjust on site to sightlines). At least 100 mm from frames and mullions. Do not cover or remove any existing glass-safety markings [CONFIRM: what is on site] .
Approvals	Roselands Centro: centre management's design criteria and approval are required before installation [CONFIRM] . Strip shops: [CONFIRM landlord consent and whether the local council has signage controls] .
Files	Vector PDF or AI: closed paths only, no strokes (convert the border to a filled shape), fonts outlined, one layer per vinyl colour, supplied mirrored for second-surface work and unmirrored for the proof. Installer's sign-off proof at 1:10 on a photo of the actual shopfront.
Care	Clean the glass gently. Keep scrapers and blades away from the vinyl edges. Inspect edges every 6 months (house rule).

10. APPROVAL AND PROOF STEPS (EVERY ITEM)

Step	What happens	Who signs	Pass rule
1. Master art	Artwork is built from the master wordmark vector (rebuilt from the site CSS) and the verified copy list in 0.1	Brand lead	Wordmark identical to the master. Every word is on the verified list. No banned words. No phone, price or quantity.
2. Digital proof	The decorator or printer returns a proof on their template of the actual blank, with dimensions in mm and placement from the seams	Owner	Sizes and placements match this spec to ±2 mm. Above the process minimum in 0.3.
3. Colour	Ink drawdown, thread swatch, vinyl swatch or press proof, checked against PMS per PDS in daylight	Owner + brand lead	Ember reads as ember (not orange, not maroon). Cream reads warm, not pure white.
4. Physical sample	Screen strike-off, embroidery sew-out, printed sticker or tent card, or a vinyl test cut on the actual blank or stock	Owner	Box border unbroken. Letter counters open. Full stop round and in ember. On-garment placement checked on XSM, MED and 5XL.
5. Wear / wash test	Garments: 10 cycles following the AS Colour care for that blank. Cap: spot clean. Card: wipe test. Decal: 1-week trial panel if timing allows.	Brand lead	No cracking, lifting, fading against the swatch, or underbase showing.
6. Pre-production approval	Signed approval of the sample, quantity and size breakdown	Owner	Signed in writing. Nothing runs without it.
7. Delivery check	Check the first-off and a sample from each carton (one per size) against the approved sample	Shop manager	Matches the sample. Reject and return otherwise.

11. BRAND IN THE WILD: USAGE RULES

Staff uniforms

Do	Don't
Wear the black tee with the cream wordmark on the left chest, tucked or untucked neatly. One back line per uniform set.	Mix screen-printed and DTF shirts within one shift, or mix back lines within a team.
Use the cap and apron with an embroidered wordmark at 90 mm (cap) and 100 mm (apron).	Shrink the embroidered wordmark below 90 mm wide, or thicken its border to fit a smaller space.
Keep the ember full stop as the only red on the uniform.	Add red trims, red text, red outlines or other colours to the mark.
Replace any garment whose print cracks, fades or shows the underbase. A worn uniform is part of the brand.	Draw, hand-letter or AI-generate the wordmark; stretch it, outline it, add a shadow, or recolour the box.
Brush flour off caps and spot-clean them, following the cap's care label.	Machine-wash caps or tumble-dry printed tees (both against AS Colour's care instructions).
Use only the verified lines (0.1) on any staff garment.	Put "Minis", "halal", "gluten free", "authentic", "best", "allergen-free", a price, a phone number or "Since 2009" (until confirmed) on a garment.

Signage, counter and shopfront

Do	Don't
Use cream on black. On light grounds, use the char (#0a0807) wordmark with the ember full stop.	Place the wordmark on photos or busy patterns without a solid char or cream panel behind it.

Do	Don't
Keep the wordmark's clear space (one cap height on all sides) clear of other copy, stickers and frames.	Crowd the window with promotional stickers next to the decal.
Put changeable facts (hours, specials) on separate replaceable panels.	Cut hours, prices, phone numbers or package counts into long-life vinyl.
Put "Allergen information available on request." on the counter card at every till.	Make any allergen-free or dietary claim on any sign.
Get centre management approval for Roselands Centro, and landlord or council approval for strip shops, before any install.	Install before the signed proof (step 6) and the site approvals are in hand.
Inspect the window decals and counter cards each season; replace anything scuffed or lifting.	Leave peeling vinyl or a stained card in service.

SOURCES (READ 3 OCT 2026)

- AS Colour Staple Tee 5001: <https://www.ascolour.com.au/staple-tee-5001/>
- AS Colour Classic Tee 5026: <https://www.ascolour.com.au/classic-tee-5026/>
- AS Colour Carrie Apron 1082: <https://www.ascolour.com.au/carrie-apron-1082/>
- AS Colour Access Cap 1130: <https://www.ascolour.com.au/access-cap-1130/>
- AS Colour Carrie Tote 1001: <https://www.ascolour.com.au/carrie-tote-1001/>
- Mercha, Carrie Apron decoration (embroidery only at this decorator): <https://www.mercha.com.au/products/as-colour-carrie-apron-1082>
- Mercha, Carrie Tote decoration (Supacolor heat transfer): <https://mercha.com.au/products/as-colour-carrie-tote-bag-1001>
- Detpak Small Paper Twist Handle Bag C400S0029: <https://www.detpak.com/bags/small-paper-twist-handle-bag/c400s0029>
- Detpak Large Twist Handle Bag C734S0001A: <https://www.detpak.com/bags/large-twist-handle-bag/c734s0001a/>
- Ball & Doggett, Colorplan (exclusive in Australia, 135–350 gsm): <https://www.ballanddoggett.com.au/brands/colorplan/>
- Printful, embroidered hat guide (front size, minimum line and text, stitch count): <https://www.printful.com/uk/blog/custom-embroidered-hats-guide-to-creating-a-design-and-embroidery-file>
- Transfer Express, screen-print detail guidelines (0.012 in line, 0.04 in show-through): <https://blog.transferexpress.com/tips-for-screen-printing-custom-artwork-tip-4-detail-guidelines/>
- Spreadshop, vector and plotter guidelines (1.5 mm detail, 1 mm gap): <https://www.spreadshop.com/helpcenter/create-designs/optimize-vector/>
- Printing United Alliance (PIA), underbases on dark garments: <https://www.printing.org/docs/default-source/default-document-library/journal/07-1-underbases-why-when-how.pdf>
- Vistaprint, t-shirt placement guide: <https://www.vistaprint.com/hub/t-shirt-design-placement-guide>
- Shopify, logo placement on shirts: <https://www.shopify.com/blog/logo-placement-on-shirt>
- Sign Warehouse, ORACAL 651 vs 751C: <https://signwarehouse.com/blogs/content/oracal-651-vs-751c>
- DTF wash-life vendor claims: <https://ninjatransfers.com/blogs/DTF/how-long-do-dtf-transfers-last> and <https://transferkingdom.com/blogs/articles/washing-instructions-durability-guide-for-dtf-transfer-printed-t-shirts-and-apparel>
- Live site copy and the absence of drinks: <https://doughboss.com.au/> (read 3 Oct 2026)



08

MARKETING

Launching catering as the hero product: plan, point of sale, content, measurement, compliance.

MARKETING: LAUNCHING THE CATERING BOX

INTERNAL. This is the marketing section of the Dough Boss brand and catering pack. It is not customer copy. Prepared 2026-10-03 for Elie. Nothing in it has been posted, printed, sent or bought.

HOW TO READ THIS SECTION

- **VERIFIED (live site)** means the words appear on doughboss.com.au. I read the home and /catering/ pages again on 2026-10-03.
- **INFERRED** means my own reasoning. It is never presented as a fact about Dough Boss.
- **[CONFIRM: ...]** marks a fact or decision only Elie or the team can supply. **[DRAFT COPY: owner to approve]** marks wording I wrote. It cannot be printed or posted until Elie approves it and it is entered in the claims ledger.
- **LAWYER / REGULATOR** marks an item to clear with a professional. The source for these is web/docs/marketing/research/compliance-au.md (cited below as "compliance §n"). It is practical guidance, not legal advice.
- **Numbers rule.** This section contains no price, date, count, capacity, budget or target. Each KPI is a definition. The target is set after a baseline period, and only by Elie.
- **Unannounced product rule.** Under web/docs/site/teaser-direction.md, no public surface names, hints at or makes any claim about the unannounced product line. No public copy in this plan uses the unannounced product's working name. For the bakes in the box, public copy uses "bakes", "rounds", "pies" or the bake names.

A conflict to settle first

The live site already uses "mini manoush" and "minis" in its catering copy and its catering page title (VERIFIED, 2026-10-03). This is also open question 5 in 00-marketing-audit.md. The pack treats the brief's rule as binding, so the box, POS, posts and emails say "bakes" instead. **[CONFIRM: Elie decides whether the live site keeps "mini manoush". If it does, the box and the site will use different words for the same product.]**

1. POSITIONING: CATERING AS THE HERO PRODUCT

Who buys

These are the occasions the live site names (VERIFIED). The buyer profiles come from 04-corporate-outreach.md §2 (INFERRED there):

Occasion (live site wording)	Who actually buys	What they are judged on (INFERRED)
"Office runs" / "meetings, teams"	Office manager, executive assistant, people and culture	Getting it right the first time, with no fuss and nobody left out
"Family gatherings" / "celebrations"	The host: a family member feeding relatives	Generous food that looks good on the table and needs no plating
"Functions"	Event coordinator, community or school organiser	A supplier that fits the run sheet, with clear dietary information
"Footy nights"	The host of a game-night gathering at home or at a club	Easy food for a crowd that can sit out and be shared

Sources: home page "Office runs, footy nights and functions."; catering page "Office runs, family gatherings, celebrations and functions" and "Fresh food for meetings, teams and celebrations." (both VERIFIED 2026-10-03).

The job to be done (INFERRED)

When I am the person feeding a group, I want food that turns up looking generous and is easy to put out, so the table looks full, everyone is fed, and I look good, without plating anything or chasing anyone.

The live site's own line states this job in four words: **"Feed the whole table."** (VERIFIED). This plan uses it as the campaign line because it is the owner's published wording and it makes no stakes claim.

Positioning statement (internal, not copy)

For people in the south-west who feed a group, Dough Boss catering is a contemporary Lebanese bakery's bakes, sent out in a black box that stacks to the size of the group and opens on the table with the bakes revealed last. The nearest Lebanese competitors present as "restaurant plus catering" (Al Aseel, Sammy's) or as pizza-first chains (OOSHMAN). Dough Boss is the bakery itself (competitors.md §1 and keyword-themes.md, INFERRED there). **[CONFIRM: the ledger entry for "Lebanese bakery" / "A contemporary Lebanese bakery." before any paid or printed use.]**

What makes this true, and so safe to lean on:

- It is a bakery with three named shops: Revesby, Bankstown and Roselands Centro (VERIFIED).
- The box exists and anyone can see it. A visible, physical difference needs no superlative.
- Catering is sold by the dozen in named packages: Morning Tea, Office Platter and Function Spread (site data, per the pack brief). Package prices on the site are INDICATIVE and never appear in this plan's materials.

What it must not lean on: "best", "authentic", "halal", "gluten free", "allergen-free", delivery areas, lead times, minimum orders, capacity, ratings or review counts. Each is unconfirmed or banned (compliance §1, §7; claims.json open claims).

How the box carries the brand

1. **The box is the ad in the room.** A catering order is eaten in front of people who did not buy it. The box is the one brand touchpoint those people see. It carries the "DOUGH BOSS." wordmark, the website and @doughboss, and nothing that needs substantiating.
2. **Stacked means scale.** One dozen box per dozen ordered means the stack height shows the order size: Morning Tea is 2 boxes, Office Platter 3 and Function Spread 5. This works only if one box holds exactly one dozen. **[CONFIRM: fit test with a real sample. Until then no public piece says "12 per box" or "2 boxes".]**
3. **"Open it up with the bites at the end."** (Elie's direction.) Black outside, golden bakes on a paper liner inside. The reveal is the content moment for photos and reels (section 4).
4. **Personal.** The kraft seal is filled in by hand with FOR, DATE, a tick list (cheese, za'atar, meat, spinach) and BOX ___ OF ___. This is the "personal, real, not perfect" brief made physical. It also helps operations: a host can match boxes to bakes.
5. **The reorder loop.** The seal or liner carries a UTM'd catering link (section 5). The person who opens the box can enquire next time without searching.

2. LAUNCH PLAN

Every channel below is one the compliance guide allows, under the conditions shown. Paid search and paid social stay governed by 03a-google-ads.md and 03b-meta-ads.md, with all their gates (ownership, consent, tracking proven, real creative, Elie's yes). They are not part of this launch unless Elie switches them on.

Phases run on gates, not dates. The launch date is **[CONFIRM: Elie sets it after Gate 3]**. "Day 1" below means that date.

Owners (roles; names are [CONFIRM])

Role	Who	Owns
Owner and approver	Elie	Every claim, every public piece, budget, launch yes
Catering lead	[CONFIRM: name]	Pilot, enquiries, quotes, seal writing standard, contact consent records
Store managers (x3)	[CONFIRM: names]	POS installation, counter conversations, stock of boxes and seals
Marketing lead	[CONFIRM: name]	Content calendar, GBP posts, Instagram, UGC permissions, reporting
Photographer	[CONFIRM: name or studio]	The real-sample shoot (section 4)
Web/dev	[CONFIRM: name]	Short link, QR, plugin flags, test lead end to end
Outreach sender	[CONFIRM: name, inbox, legal footer]	B2B messages per 04-corporate-outreach.md

Pre-launch

Gate 0: facts the launch leans on. Owner: Elie.

- Ownership and entity: who trades as Dough Boss, and the ABN for every sender block (audit §4 item 1).

- The open claims in doughboss-growth/content/claims.json: lead time, service area, delivery or drop-off, phone line, dietary status, pieces per guest, "how the food is made". **Until each one is confirmed, no launch piece states it.** Note: the live catering page says "Catering is prepared through our Revesby bakery for now" and talks about "pickup time" and "collection details" (VERIFIED). So the default assumption is collection. No piece promises delivery.
- An allergen matrix per bake, using the FSANZ required names **[CONFIRM: matrix exists]**.
- Which shops take catering enquiries at the counter **[CONFIRM]**. This decides the POS copy at Bankstown and Roselands Centro.

Gate 1: internal launch. Owner: catering lead.

- Brief every shop. Cover what the box is, the package names, and that prices are confirmed in a written quote and never quoted as fixed at the counter. Staff point to catering@doughboss.com.au or the catering page.
- Seal-writing standard: legible marker, FOR (the customer's or organisation's name, as given), DATE, ticks that match the contents, BOX n OF n. The allergen field is completed from the matrix, never from memory.
- Counter script for staff **[DRAFT COPY: owner to approve]**: "That's our catering box. Tell us the date, the headcount and any dietary needs and the catering team will come back to you." The script follows the live site's own steps and makes no promise.

Gate 2: pilot with the first boxes. Owner: catering lead. Elie approves the scope.

- Make a small pilot run of real boxes from the printer **[QUOTE: pilot quantity and cost; see the costing section]**. Pack real orders for willing existing customers or for an internal occasion.
- Do not give free pilot boxes in return for a review or a post (compliance §3). If boxes go to prospects as a tasting, that is the tasting decision in marketing/outreach/tasting-offer.md **[CONFIRM: Elie approves or declines]**. Council, university and hospital staff may have gift rules (outreach §11, LAWYER).
- What the pilot measures (definitions; Elie sets pass marks):
 - Fit: the bakes per box without crushing or overlap **[CONFIRM: the count this sets]**.
 - Condition at opening after a set hold time: soggy, condensation and whether the liner holds grease **[CONFIRM: hold time with the food-safety supervisor]**.
 - Stack stability for the largest package stack, carried by one person.
 - Packing time per box and seal-writing time per box, measured at the shop.
 - Open feedback from pilot recipients, asked the same way for every recipient.
- Fix the structure or artwork from the findings before the main print order.

Gate 3: photograph the real sample. Owners: marketing lead and photographer.

- Shoot the produced box with real bakes, using the shot list in section 4. **Concept renders from this pack are internal references only.** They must never be posted, used in ads or uploaded to Google Business Profile as if they were the product. An ad or listing image must show what the customer receives (compliance §1; audit checklist item 10; GBP photos must be real, 02-seo-external §A3).
- Test the short link and QR end to end (section 5) before anything is printed with them.

Launch (Day 1 and the first week)

Channel	What happens	Conditions (from the compliance guide)	Owner
In store, all three shops	Counter stack display, tent card and window decal go up (section 3)	Copy only from verified lines or approved drafts. Roselands Centro: centre management approval for any window or shopfront graphic [CONFIRM]	Store managers
Google Business Profile (one per shop)	Upload real photos of the box. Publish one factual post per shop: what the catering box is and how to enquire. Add catering as a service only if it fits Google's category and service rules	One profile per real shop. No "Dough Boss Catering" profile. Description factual, no promotions, no links in the description. No price. No delivery attribute unless confirmed (compliance §9; 02-seo-external §A3)	Marketing lead
Instagram @doughboss	Launch post set: the closed stack, the seal, the lid open with the bakes last. Then the "Open it up" reel (section 4). Bio link is the UTM'd catering URL	No price, no unconfirmed claim, no religion or ethnicity language (compliance §10). No hint at the unannounced product	Marketing lead

Channel	What happens	Conditions (from the compliance guide)	Owner
Email to existing catering contacts	Send a short launch note only to contacts with a recorded express marketing opt-in	An enquiry alone is not consent to marketing (03b §12). Sender named, working contact details, functional unsubscribe (compliance §4). Contacts without consent are not emailed. They see the box on their next order. Replies to a live enquiry about that order are not affected. ACMA / LAWYER on inferred consent	Catering lead (consent list); marketing lead (send)
Local B2B outreach	Add the real box photo to the outreach overview (touch 2 in <code>sequence-email1.md</code>) and to the printed offer one-pager	Exactly as <code>04-corporate-outreach.md</code> : hand-built, role-addressed list, an evidence record per recipient, sent individually, at most four touches, no purchased or scraped lists, stop on request	Outreach sender

Launch email outline **[DRAFT COPY: owner to approve; this is an outline, not final copy]**:

- Subject: "Feed the whole table: our new catering box"
- Body: one line on the box, one real photo, the three package names with no prices, "Tell us the occasion, the date and the headcount and the catering team will confirm the menu and price", the UTM'd catering link, catering@doughboss.com.au.
- Footer: legal entity name and ABN **[CONFIRM]**, contact address **[CONFIRM]**, unsubscribe.

First 90 days

Window	Focus	Actions	Owner
Days 1-30	Baseline	Weekly: count enquiries by source (section 5), redirect-log scans per placement, GBP and Instagram results for the box posts, and the time to first reply. Fix anything the first real orders reveal (seal legibility, stack handling, POS wording that confused people)	Marketing lead, catering lead
Days 31-60	Repeat and proof	Begin the UGC programme (section 4) with written permission per repost. Ask every catering customer for a Google review the same way (one link or QR per shop, no incentive, no gating; <code>marketing/reviews/</code>). Make a second reel from real orders, with no people shown	Marketing lead, store managers
Days 61-90	Decide	Review against the baseline. Elie sets targets for the next quarter. Decide whether to switch on any paid campaign (03a or 03b gates) and whether the end-of-year functions period gets its own push (<code>keyword-themes.md</code> cluster A suggests a peak from October to December; INFERRED there, not a Dough Boss result)	Elie

KPIs (definitions only; Elie sets targets after the Days 1-30 baseline)

KPI	Definition	Source
Catering enquiries	Count of <code>generate_lead</code> with form <code>catering_enquiry</code> , plus email and phone enquiries logged by hand	Plugin lead records; CRM sheet
Box-attributed enquiries	Enquiries whose stored attribution has <code>utm_source=catering-box</code> , plus "how did you hear about us = the box" answers	Plugin attribution; CRM source field
Box QR scans	Clicks logged per short link (seal, liner, tent card per shop, window decal)	Redirect log
Enquiry to quote	Leads moved to QUOTED divided by leads moved past NEW	CRM (<code>crm-pipeline.md</code>)
Quote to won	WON divided by QUOTED, by package	CRM
Repeat-order rate	Customers who place a second catering order within the 90 days, divided by all catering customers in the period	Square / CRM
Time to first reply	Hours from enquiry to first human reply	CRM, against the [CONFIRM] response standard
GBP actions	Website clicks, calls and direction requests per shop, before and after launch	GBP performance report
Instagram engagement on box posts	Saves, shares, reach and link taps per post	Instagram insights
Accuracy complaints	Any complaint that a piece misdescribed the product, price or service	Inbox, reviews. This is a stop condition, not a target: pause the piece and review it.

3. IN-STORE POINT OF SALE

All copy below is either VERIFIED (live site, 2026-10-03) or marked **[DRAFT COPY: owner to approve]**. Two tiers of live-site lines:

- **Tier A, safe to reuse.** These are the owner's published words and make no stakes claim. "Feed the whole table." · "Office runs, footy nights and functions." · "Tell us what you need and we'll help plan the spread." · "Made for sharing" · "Tell us the occasion" · "Build the right mix" · "Confirm before we bake" · "Plan catering" · "DOUGH BOSS." · "doughboss.com.au" · "catering@doughboss.com.au" · "@doughboss" · the shop names "Revesby", "Bankstown", "Roselands Centro".
- **Tier B, live on the site but each one a claim.** "Fresh from the oven." · "Oven-baked" · "Fresh to order" / "Baked to order" · "Three shops baking daily" · "Since 2009" · "A contemporary Lebanese bakery." A printed or permanent use needs Elie to confirm the line is true for **every catering bake** (compliance §1 and checklist item 3: "fresh" and "daily" are absolute, testable claims). The SEO and ads packs currently ban "fresh" until the ledger confirms it. **[CONFIRM before print: each Tier B line.]** Tier B lines are marked * below.

No POS piece carries a price, a phone number (the catering line is an open claim), a lead time, a delivery promise, a dietary claim or a count.

3.1 Counter stack display

- **Build:** real production boxes, empty, with a weighted base. Three stacks show the three packages at true stack height **[CONFIRM: box counts per package after the fit test; until then use one stack and no package labels]**. The top box of the tallest stack is shown open. Inside is a printed card of the real sample photo (Gate 3), not real food. Food stays in the cabinet under the shop's food-safety rules **[CONFIRM with the food-safety supervisor]**.
- **Stack labels** (small cards in front of each stack):
 - "Morning Tea" · "Office Platter" · "Function Spread". These are the package names from site data. No prices and no counts until confirmed.
- **Header card on the stack:**
 - "Feed the whole table." (Tier A)
 - "Plan catering" + QR (section 5) + "catering@doughboss.com.au" (Tier A)
- **Never:** a real food display at room temperature, a price sticker, a "from \$" figure, or "best seller".

3.2 Tent card (counter and tables)

Front:

- "Feed the whole table." (Tier A)
- "Office runs, footy nights and functions." (Tier A)
- "Tell us what you need and we'll help plan the spread." (Tier A)
- QR + "Plan catering" (Tier A) + "catering@doughboss.com.au"

Back:

- "Tell us the occasion" · "Build the right mix" · "Confirm before we bake" (Tier A; these are the live site's three steps)
- "Allergen information available on request." (the brief's safe line under the FSANZ rule; compliance §7)
- "Our kitchen handles common allergens and cannot promise an allergen-free environment." (VERIFIED on the live catering FAQ. Shorten only with Elie's approval.)
- Store-specific line where catering is not prepared in that shop **[DRAFT COPY: owner to approve]**: "Catering is prepared through our Revesby bakery. Ask us how to order." This adapts the live FAQ line "Catering is prepared through our Revesby bakery for now."; confirm it is current before printing.

3.3 Window decal

- "DOUGH BOSS." wordmark (rebuilt from the site CSS, per the brief) + "Feed the whole table." (Tier A) + "Catering" + "doughboss.com.au"
- No QR on glass unless it is tested from the footpath in daylight and at night. Glare often defeats scanning (INFERRED; test, do not assume).
- **[CONFIRM: glass measurements per shop; landlord or Roselands Centro management signage approval; whether any council rule applies to shopfront graphics.]**

3.4 Optional extras [DRAFT COPY: owner to approve]

- A slim card handed over with every catering pickup: the shop's review QR (per marketing/reviews/short-links-and-qr.md, same link for every customer, no incentive) and "Show us the table. Tag @doughboss."
- A seal-sticker roll at the counter so every catering order leaves sealed and written up the same way.

4. CONTENT AND PHOTOGRAPHY

4.1 Shoot rules (from the owner's direction and the brief)

- **Dark, real, high contrast, personal, expressive.** "Professional but real and not perfect."
- **No people and no hands** in any shot. **No smoke, steam or haze. No lemons.** No props or garnishes that are not in the box the customer receives. Show the real bakes in the real count **[CONFIRM count]** (compliance §1: images must show what is supplied).
- **Real only.** Photograph the produced box with food baked that day. No AI renders, no stock, no retouching that changes the food's colour, size or count. Clean-up of dust on the backdrop is fine. Keep the box's own imperfections: fibre, ink sitting in the card, fold cracking, flour dust, the grease spot on the liner.
- **Light (INFERRED craft guidance):** one hard key light from the side, black flags for deep shadow, and a small warm fill only inside the box so the bakes glow against the black. Shoot RAW with a colour reference card in frame for the first frame of each setup, so the ember red (#e2231a) and the cream read true.
- **Surfaces:** dark timber, black steel, worn concrete or the shop's own counter.
- **Formats:** shoot each hero for 4:5 (Instagram feed), 9:16 (Reels and Stories), 1:1 (GBP) and 16:9 (website hero; the pack brief makes the approved box the reference for the home-page hero). Leave space around the subject for crops.
- **Releases:** no people, so no model releases. Get a location release if the shoot is outside a Dough Boss shop. Do not show club logos, league marks or team colours as a feature (footy content): that implies an affiliation (ACL s 29(1)(h), compliance §1).

4.2 Shot list for the real sample

#	Shot	Purpose	Notes
1	Hero: three closed boxes stacked, three-quarter angle, hard side light	Launch post, website hero reference, GBP	Wordmark legible, seal on the front box
2	Seal close-up: handwritten FOR / DATE / ticks / BOX 1 OF 3	"Personal"	Writing done before the shot (no hand in frame). Use a fictional first name or the organisation placeholder [CONFIRM: no real customer's name without permission]
3	Lid half open, interior in shadow, bakes just visible	The reveal, frame 1	Lid propped by a hidden support
4	Lid fully open, overhead, the bakes on the liner	The reveal, frame 2: "the bites at the end"	Square to camera, every bake visible, a real grease spot allowed
5	Macro: one za'atar round, one cheese round, one meat round, the spinach pie ("a triangular turnover")	Texture	One frame per bake, so GBP and Instagram can name each one accurately
6	Side panel: vents and fold line	Craft, "real"	Shows ink in the fibre
7	Stack heights by package (only after the fit test)	Explains "stacked"	One frame each for the Morning Tea, Office Platter and Function Spread stacks. No prices
8	Box on the counter at each shop, with no staff in frame	GBP per shop	Shop interior identifiable. Shoot during closed hours
9	Context, no people: box open on a meeting-room table; on a family dining table; on a bench beside a TV for a game night (no league or club IP)	The four occasions	Plates and napkins only if the order includes them [CONFIRM]
10	"After": the empty liner with crumbs and the grease spot	Real, imperfect; UGC cue	
11	Flat dieline next to the folded box	Production story, B2B	Only after the dieline is final

4.3 Reels ideas (hands-free: locked-off camera, stop-motion or a hidden rig)

1. **"Open it up."** Locked-off overhead. In stop-motion the seal lifts, the lid opens, the liner folds back, and the bakes are revealed last. Text on screen: "Feed the whole table." (Tier A). End card: wordmark + "Plan catering" + link in bio.

2. **"Stacked."** One box, then two, then three, in stop-motion, each landing on a beat. Package names appear as each stack completes. This needs the fit test (no counts on screen until confirmed).
3. **"For ____."** A focus pull across a row of written-up seals for different occasions (an office, a family, a footy night, a function). This shows the personal touch without a hand.
4. **"Three shops."** The box on each shop's counter, cut on the beat: Revesby, Bankstown, Roselands Centro. The caption points to the catering page and does not imply that every shop prepares catering **[CONFIRM which shops take orders]**.
5. **"Flat to full."** In stop-motion the dieline folds into a box, then the bakes go in. Use this for the B2B and production story.
6. **"After the table."** A slow push-in on the empty liner. Caption **[DRAFT COPY: owner to approve]**: "That's how you know." Use it only if it is honest for that order.

Audio: use original sound or tracks cleared for business use. Business accounts may be limited to Meta's own licensed library **[VERIFY in the app at the time of posting]**.

4.4 User-generated prompts

- **Prompt on the handover card or liner** **[DRAFT COPY: owner to approve]**: "Show us the table. Tag @doughboss."
- **Hashtag:** **[CONFIRM: pick one; check on Instagram that it is not already used by someone else]**. Do not use a hashtag that names the unannounced product.
- **Rules:**
 - Ask for written permission by DM before reposting. Keep a screenshot record of the permission (copyright, and the ACL testimonial rule in compliance §3).
 - Credit the creator.
 - Repost only content that shows what was really supplied.
 - Do not repost children's faces (audit checklist item 10).
 - Do not repost content featuring club or league marks as an endorsement.
 - No prize, discount or free box in exchange for a post that is in effect a review. Incentives tied to reviews are banned (compliance §3). A neutral "tag us" with no incentive is the default.
- **Prompts for the community (organic posts):** "What's your footy-night spread?", "Morning tea for the office: what goes first?" and "Table or bench: where did yours land?" Each is **[DRAFT COPY: owner to approve]**.

5. MEASUREMENT: THE TRACKING ALREADY BUILT, AND HOW THE BOX TIES IN

What the doughboss-growth companion plugin already does (read from its code and readme, 2026-10-03)

Every feature ships switched off. Each needs its prerequisite, such as the consent banner before Tag Manager (readme.txt).

- **Consent banner and Tag Manager loader.** Tags fire only after consent.
- **First-party attribution** (includes/attribution/). On landing, dbgr-attribution.js reads the UTM parameters, click ids (gclid, gbraid, wbraid, fbclid, msclkid), the referrer host and the landing path. It keeps them in the first-party cookie dbgr_attr (90 days, 1.5 KB at most). UTMs, referrer and landing path are kept **only with measurement consent**. Click ids need **advertising consent**. Without consent nothing is written. On doughboss_catering_enquiry_created it writes one lead_meta row per enquiry: segment, company, landing key, attribution, marketing consent and the consent wording version. The admin screen lists each lead's utm source, medium and campaign.
- **Lead form segments** (includes/leads/): corporate, office_breakfast and events, matching the landing pages catering-corporate, catering-office-breakfast and catering-events (content/landing/*.json). Those pages show **[CONFIRM]** claim blocks for service area, delivery and lead time. Nothing renders until each claim is confirmed.
- **Server-side conversions** (includes/conversions/). Each catering enquiry queues one generate_lead (form catering_enquiry, no value, event_id lead: {enquiry_number}) to GA4 (needs measurement consent) and to Meta as Lead (needs advertising consent). It also produces a weekly Google Ads offline-conversion CSV. No name, email, phone or notes go into any payload.
- **Browser event taxonomy** (content/events.json):
 - generate_lead (params: form, category, guest_band, store)
 - quote_step
 - cta_click (cta, destination)

- `click_to_call` and `get_directions` (surface includes `catering_page`)
- The neutral `coming_soon_view` and `wait_list_submit` events stay separate from catering.
- **Known gap in the code:** if Tag Manager also sends `generate_lead` from the browser, GA4 counts the lead twice. Keep one source (the code carries this as a `[CONFIRM]` gap).

How the box connects

The printed code never points at a page that could move. Each QR code encodes a short link on Dough Boss's own domain. The short link is a plain 302 redirect to the UTM'd catering URL. This follows the review-QR pattern in `marketing/reviews/short-links-and-qr.md` §3–4. It is a static code, not a paid dynamic one. The redirect target can change from the interim `/catering/` to `/catering/corporate` later without reprinting.

Placement	Short link (printed)	Redirect target
Seal label (outside the box, not food contact): short URL as text, QR only if it scans at the seal's size	<code>doughboss.com.au/box [CONFIRM URL]</code>	<code>https://[]doughboss.com.au/[]catering/[]?utm_source=catering-box&utm_medium=qr&utm_campaign=catering-box&utm_content=seal</code>
Liner sheet	<code>doughboss.com.au/box-l [CONFIRM URL]</code>	<code>...?utm_source=catering-box&utm_medium=qr&utm_campaign=catering-box&utm_content=liner</code>
Tent card, per shop	<code>doughboss.com.au/box-t-<shop> [CONFIRM URL]</code>	<code>...?utm_source=in-store&utm_medium=qr&utm_campaign=catering-box&utm_content=tent-card-<shop></code>
Counter stack header	<code>doughboss.com.au/box-c-<shop> [CONFIRM URL]</code>	<code>...utm_content=counter-stack-<shop></code>
Instagram bio / posts	(link in bio, no QR)	<code>...?utm_source=instagram&utm_medium=organic-social&utm_campaign=catering-box&utm_content=<post-id></code>
GBP post button	(button link)	<code>...?utm_source=google&utm_medium=gbp&utm_campaign=catering-box&utm_content=<shop>-post</code>
Launch email	(link)	<code>...?utm_source=email&utm_medium=email&utm_campaign=catering-box&utm_content=launch-note</code>

- **Conventions.** These follow the house rules: lower-case and hyphenated, with `utm_medium` one of `qr`, `organic-social`, `gbp`, `email` (audit §1; outreach §9). `utm_campaign=catering-box` is kept evergreen because the print is permanent. Each print run is told apart by `utm_content` if needed.
- **Liner print caution.** If the QR goes on the liner, the printer must confirm the ink and side are suitable for food contact, or keep the code in a margin that does not touch food **[CONFIRM with the printer; REGULATOR if unclear]**.
- **Before printing:** check the short link returns the live catering page with a 200 on an iPhone and on an Android phone. Scan the printed proof at its real size in shop light. The printer advises the minimum module size **[CONFIRM]**. Leave a quiet margin and keep the centre clear, with no logo in the middle (review-QR print rules).
- **What the numbers mean.** A visitor who declines measurement consent arrives with no stored UTM. Box-driven enquiries will therefore be undercounted in the plugin. Count them three ways and do not add the counts together:
 1. redirect-log clicks per short link (counts only; log no IP address **[CONFIRM the redirect tool's logging]**);
 2. plugin attribution where consent was given;
 3. the "how did you hear about us" answer recorded in the CRM source field (outreach §9).
- **Proving it works.** Before Day 1, submit a test lead from the box QR on a phone. It should appear in the plugin lead list with `utm_source=catering-box`, in GA4 as one `generate_lead`, and, if Meta is on, in Meta Test Events once (audit §4 item 9).

6. RISKS AND COMPLIANCE CHECKLIST

Run this on the box artwork, every POS piece, every post and every email before it goes out. Each line needs a tick and the checker's initials. A second person checks (compliance checklist item 27).

Claims (ACL ss 18, 29; compliance §1)

- [] Every printed or posted line is Tier A, or a Tier B line Elie has confirmed in writing for every catering bake, or an approved **[DRAFT COPY]** line entered in the claims ledger.
- [] **Tier B lines on the current artwork:** the pack's artwork (art.py) prints "FRESH FROM THE OVEN." on the seal and the inside of the lid, "OVEN-BAKED · BAKED TO ORDER" and "THREE SHOPS BAKING DAILY". "Since 2009" is also proposed. Each needs Elie's confirmation before the print run, because a permanent print makes it a fixed claim. Otherwise swap it for a Tier A line.
- [] None of these words appear: "best", "authentic", "halal", "gluten free", "allergen-free", "official", "certified", "never frozen", no superlatives, no urgency (compliance §1, §7; audit F01).
- [] No count ("12 per box", "serves 20"), no capacity, lead time, delivery area or minimum order until the claim is confirmed (claims.json: catering-lead-time, catering-service-area, catering-delivery-or-drop-off, catering-pieces-per-guest).
- [] No phone number on print (claims.json: catering-phone-line). Use catering@doughboss.com.au and the website.
- [] Images are real photos of the produced box with real food in the real count. **Concept renders never appear publicly as the product.**
- [] No league or club marks. Footy content implies no affiliation or sponsorship.
- [] No hint, name or claim about the unannounced product, and no use of its working name (teaser-direction.md).

Prices (ACL s 48 single price, s 35 bait; compliance §2)

- [] No price on the box, the liner, the seal, POS, GBP, Instagram or email. Package prices on the site are INDICATIVE and stay on the site, labelled as such and confirmed in a written quote.
- [] If Elie later decides to show a price, it must be a single figure, show GST, and state any delivery or surcharge in the same place. LAWYER on corporate quotes.

Allergens and food (FSANZ; compliance §7)

- [] The box and tent card carry "Allergen information available on request."
- [] Each order's seal allergen field is completed from the allergen matrix using the required names **[CONFIRM matrix exists]**.
- [] No "allergen-free", "suitable for coeliacs" or dietary claim. The live FAQ line "our kitchen handles common allergens and cannot promise an allergen-free environment" stays true and visible.
- [] **REGULATOR (FSANZ / NSW Food Authority):** does a sealed, branded box sold as catering count as "packaged" food that needs full labelling (ingredients, a bold allergen summary)? Or is it exempt as food made and packaged on the premises, or delivered at the purchaser's express order? This section's author did not read Standard 1.2.1, so this is INFERRED as a question, not answered. Settle it before the print run, because it may change what the box or label must carry.
- [] Liner and any print on it are suitable for food contact **[CONFIRM with the printer]**.
- [] The display stack holds no real food at room temperature.

Email, SMS and outreach (Spam Act 2003; compliance §4)

- [] The launch email goes only to contacts with recorded express consent. An enquiry alone is not consent.
- [] Every commercial message names the sender (legal entity and ABN **[CONFIRM]**), gives working contact details and has a working unsubscribe for at least 30 days. Unsubscribes are actioned promptly (EXTRACT: within 5 business days; ACMA to confirm).
- [] B2B outreach: role-addressed, relevant to the role, an evidence record per recipient (URL, date, role), sent individually, at most four touches. No purchased, scraped or harvested lists (04-corporate-outreach.md).
- [] Any sign-up on the catering page: a separate, unticked consent box, the sender named, a privacy-policy link at the point of collection.

Reviews, UGC and testimonials (ACL s 29(1)(e)(f); compliance §3)

- [] No incentive of any kind for a review. No review gating. The same review link for every customer.
- [] Reposts only with written permission, credited, showing what was really supplied, with no children's faces.
- [] No invented or anonymous testimonials. Any star rating is shown with the real review count.

Privacy and tracking (APPs, OAIC pixel guidance; compliance §6)

- [] The privacy policy is live and describes the dbgr_attr cookie (90 days), the attribution kept with each enquiry and the platforms that receive data (code [CONFIRM: privacy_policy_url] gap).
- [] Tags and server events respect consent. No form content or dietary data goes into GA4, Meta or Google Ads payloads.
- [] GA4 keeps one generate_lead source (server or tag), not both.

Platforms (compliance §9, §10)

- [] GBP: one profile per real shop. Name as on the sign. A factual description. Real photos only. No unconfirmed attributes (delivery, dietary).
- [] Instagram and any paid social: no personal-attribute language (religion, ethnicity), no health claims, the landing page matches the post.
- [] Shopfront graphics have the landlord's or Roselands Centro management's approval [CONFIRM].

Sign-off

- [] Elie's explicit yes for: the final artwork (before the print order), each POS piece, the launch email, the first GBP post per shop, and the first Instagram post. Record each yes with the date.

OPEN ITEMS FOR ELIE (THIS SECTION ONLY)

1. "Mini manoush" on the live site versus the rule against public use of the working name (see the conflict above).
2. Tier B lines on the box ("Fresh from the oven.", "Oven-baked", "Baked to order", "Three shops baking daily", "Since 2009"): keep each line (confirming it is true for every catering bake) or swap it.
3. The fit-test result: how many bakes per box, and so how many boxes per package.
4. Which shops take catering orders at the counter, and whether catering is collection only today.
5. Allergen matrix: does it exist, and who completes the seal field?
6. The short-link paths for the seal, liner and POS; the redirect tool; the hashtag.
7. Pilot scope and whether pilot boxes may go to prospects (the tasting decision).
8. Names for the role owners in section 2; the legal entity and ABN for email footers.
9. The launch date, set after Gate 3.
10. REGULATOR: the packaged-food labelling question for a sealed catering box.



09

PRODUCTION AND EXPANSION

File standards, proofs, QA, packing, governance, rollout and the decisions register.

PRODUCTION DOCUMENTATION, BRAND GOVERNANCE AND EXPANSION

Internal section of the Dough Boss brand and catering pack. Status: DRAFT, 3 Oct 2026.

How to read this section:

- [CONFIRM: . . .] is an open fact. Nothing marked this way may be printed, quoted to a supplier as fixed, or shown to a customer until it is closed in the register (Part D).
- [QUOTE] is a cost that needs a written supplier quote with source and date. No price appears in this section.
- [X], [N] and similar are placeholders for figures that must come from a supplier spec, a measured test or the shop's own data.
- The catering box referred to throughout is the working "dozen box" from the pack brief: one-piece corrugated mailer, hinged lid, tuck front, 4 x 3 layout, side vents, black kraft outer, natural kraft inner, 2 spot colours (opaque white and ember red), greaseproof liner, round kraft seal label. All sizes are working sizes [CONFIRM: fit test with a measured bake].

[CONFIRM trade mark ownership and registration before any franchise or merch scale-up] This pack gives no view on who owns the "DOUGH BOSS." name or wordmark, or whether it is registered. Ordering a large print run, branded merchandise for sale, signage for a new site, or making any franchise offer all depend on this answer. See C2 and register item G-01.

PART A. PRODUCTION DOCUMENTATION

A1. Artwork file standards

Every file sent to a printer or supplier must pass this checklist. Prepress at the printer will check again; this list exists so the file arrives right the first time.

Colour

- [] Packaging printed on black kraft (box): spot colours only. Two print spots, named exactly DB Opaque White and DB Ember Red. No CMYK, RGB or hex values in the box file.
- [] Spot references for the two inks are set by the printer from an ink drawdown on the actual board [CONFIRM: spot ink reference for ember #e2231a on black kraft, and white opacity (single or double hit)].
- [] Items printed in process (seal labels, menus, flyers, some merch): CMYK, with the profile the printer specifies [CONFIRM: printer's CMYK profile].
- [] Hex values (char #0a0807, coal #151210, cream #eee8de, ember #e2231a, ember-dark #b71912, gold #f1a132, paper #f7f5f0, mist #b8b1a4) are screen values only. They are the target for matching, never a print instruction.
- [] No unused swatches, no registration colour used for artwork, no rich black on a spot job.
- [] Overprint and knockout set deliberately: white knocks out of nothing (it is the base); red over white is set as the printer advises for trap [CONFIRM: trap amount from printer].

Vectors and type

- [] Logo, type and line art are vector. The wordmark is the rebuilt master from 02_Logo/ (see B2), never redrawn, traced or AI-generated.
- [] All fonts converted to outlines in the print file (Bebas Neue, Barlow, and the marker face used for handwriting mock-ups). Keep a live-type working file alongside it.
- [] Minimum line weight and minimum type size for the board and process [CONFIRM: printer minimums for flexo or digital on corrugated].
- [] Reversed (white on black) type checked at the printer's minimum; thin Barlow weights avoided for small reversed copy.

Images

- [] Raster images at 300 ppi at final printed size (effective resolution, not file resolution).
- [] Images embedded or packaged with the file; no missing links.
- [] No photographs on the corrugated box unless the printer confirms the process can hold them.

Geometry

- [] Document at 1:1 scale, units in millimetres.
- [] Bleed 3 mm beyond every cut edge.
- [] Safe zone 5 mm inside every cut and fold line. No copy, logo or required mark inside the safe zone margin.
- [] Fold and crease lines clear of fine type and of the full stop in the wordmark.
- [] Dieline on its own layer named exactly `DieLine`, drawn in a separate spot swatch also named `DieLine`, set to overprint, so it never prints and never knocks out.
- [] Line styles on the Dieline layer: cut solid, crease dashed, perforation dotted (or the printer's own convention) [CONFIRM: printer's dieline line-style convention].
- [] Glue areas and vent cut-outs marked on the Dieline layer and kept free of ink if the printer requires.
- [] Artwork layer(s) above the Dieline layer: `Art_White`, `Art_Red` (one layer per ink), plus `Notes` (non-printing).

File output

- [] Print file: PDF/X-4 (or the printer's stated standard) [CONFIRM: printer's PDF standard].
- [] A separate flattened low-resolution PDF for internal review, clearly marked "NOT FOR PRINT".
- [] The packaging data sheet (PDS) version number written in the file's `Notes` layer and in the file name.

Copy check before any file leaves

- [] Only copy verified on the live site is printed (see the pack brief's verified copy list).
- [] No price, phone number, quantity claim, certification, origin claim or health claim.
- [] None of these words: "Minis", "halal", "gluten free", "authentic", "best", "allergen-free".
- [] "Since 2009" does not appear on any permanent item until G-04 is closed.
- [] Allergen line, if used, reads exactly: "Allergen information available on request."

A2. Naming convention

Pattern:

```
DB_[ITEM]_[COMPONENT]_[SIZE]_v[NN]_[STATUS]_[YYYY-MM-DD].[ext]
```

Field	Values
ITEM	CATBOX-DZ (dozen box), LINER, SEAL, TEE, CAP, APRON, BAG, SIGN, MENU, FLYER (extend as needed, uppercase, no spaces)
COMPONENT	OUTER, INNER, DIELINE, ART, PDS, PROOF, MOCKUP
SIZE	Internal size in mm as LxWxH, or garment size range, or NA
vNN	Two-digit version, starting V01. Never reuse a number
STATUS	WIP, REVIEW, PROOF, APPROVED, SUPERSEDED
Date	Date the version was saved

Example (working size, not final): `DB_CATBOX-DZ_ART_385x290x50_v03_PROOF_2026-10-03.pdf`

Rules:

- [] One name per file; no "final", "final2", "new" or initials in file names.
- [] The APPROVED status is applied only after the sign-off form (A3) is complete, and only by the brand custodian.
- [] When a new version is approved, the previous APPROVED file is renamed SUPERSEDED and moved to `_archive/` in the same folder. It is never deleted.

A3. Version control

- [] The master library (B2) is the only source. Files emailed to suppliers are copies.
- [] Each folder holds a `CHANGELOG.txt`: date, version, what changed, who changed it, why, who approved it.
- [] Any change to an approved file, however small (one word, a colour shift, a 1 mm move), creates a new version and a new proof cycle.
- [] The PDS, the dieline and the artwork for one item move together: if one changes, all three get the new version number.
- [] A supplier's purchase order quotes the exact file name and version being ordered.

A4. Proof and approval workflow

Three proof stages. No stage may be skipped for a new item, a new supplier, a new board or a new ink. A reprint of an unchanged approved file with the same supplier can go straight to a press check at the custodian's discretion.

Stage	What it is	What is checked	Who checks
1. Digital proof	Printer's PDF proof returned after prepress	Copy, spelling, layout, ink separations (one plate per spot plus Dieline), bleed, safe zone, Dieline layer not printing, file name and version	Brand custodian; second reader for copy
2. Physical sample	Unprinted or plain-printed structural sample on the specified board, then a printed prototype if available	Fit test with real bakes (12 in a 4 x 3 layout), lid closure, tuck holds, vents clear, liner fits, seal label spans the front, stack test, odour, fold cracking on black kraft	Brand custodian with shop lead; food-safety lead for the liner and food-contact surfaces
3. Press proof (or press check)	First sheets off the press on the production board and ink	Colour against the retained standard (A6), white opacity, registration, rub, crease quality	Brand custodian on site or by received sheets

Sign-off form (one per item, per version, per stage)

Field	Entry
Item and component	
File name and version	
PDS version	
Supplier and contact	
Proof stage (1 digital / 2 sample / 3 press)	
Date received	
Board / substrate as specified (grade, flute, liner)	[CONFIRM per PDS]
Inks as specified	
Dimensions checked (internal L x W x H, measured)	
Copy checked against verified copy list (Y / N)	
Banned-word check passed (Y / N)	
Colour checked against retained standard (Pass / Fail / Not applicable at this stage)	
Fit test result (sample stage)	
Food-contact declaration on file for food-contact components (Y / N / Not applicable)	
Defects or changes required	
Decision: Approved / Approved with changes / Rejected	
Signed: brand custodian (name, date)	
Signed: food-safety lead, food-contact items only (name, date)	
Signed: owner, final release to production (name, date)	

Who signs:

- **Brand custodian** signs every stage. [CONFIRM: named person]
- **Food-safety lead** signs any stage involving a food-contact component (liner, inside of the box, any label that touches food). [CONFIRM: named person]
- **Owner** (Elie) gives the final release to production at stage 3, and signs any first order with a new supplier.
- A supplier's own approval or "looks fine" never replaces a Dough Boss signature.

A5. Incoming-goods QA checklist

Run on every delivery of boxes, liners, seal labels and merch, before stock is put away. Hold the delivery in the quarantine zone (A7) until it passes.

Delivery record

- [] Delivery matches the purchase order: item, file version, quantity, supplier.
- [] Supplier batch or lot number recorded, with delivery date.

- [] Cartons and pallets undamaged, dry, no crushing, no water marks.
- [] Sample size drawn per the agreed sampling plan [CONFIRM: sampling plan agreed with each supplier, for example an ISO 2859-1 inspection level].

Boxes (corrugated dozen box)

- [] Internal dimensions within tolerance: L, W, H each within plus or minus [X] mm of the PDS [CONFIRM: tolerance from supplier spec].
- [] Board grade, flute and liner as on the PDS [CONFIRM].
- [] Colour of both inks against the retained standard under the same lighting (A6). Record Pass / Fail.
- [] White opacity consistent; no board showing through where the standard shows solid.
- [] Ink rub: rub a printed area with a clean dry finger and with the back of another box; no visible transfer or smearing [CONFIRM: formal rub test method and pass level with printer, for example a Sutherland rub tester].
- [] Fold cracking: erect [N] boxes; check every crease on the black outer for cracking, white fibre showing or liner splitting. Light fibre at folds may be within the agreed standard; splitting is a reject [CONFIRM: acceptable crease standard agreed at press proof].
- [] Lid closes square; tuck holds; locking tabs engage without tearing.
- [] Vents cut cleanly and fully; no hanging chads.
- [] Odour: open a carton and smell the inside surface; no solvent, ink, damp, musty or chemical odour.
- [] No contamination: no dust, insects, oil, foreign matter.
- [] Food-contact declaration for the board and any inner coating on file for this supplier and this specification.

Greaseproof liners

- [] Sheet size as specified, within plus or minus [X] mm.
- [] Grease resistance as specified [CONFIRM: grade and test from supplier spec].
- [] Print (if any) does not transfer to a damp finger.
- [] Odour check passed.
- [] Food-contact declaration on file for the liner, including any print ink on it.
- [] Packs sealed on arrival; stored sealed until use.

Seal labels

- [] Diameter and printed content match the approved version; no copy variations.
- [] Adhesive holds on the box's black kraft at shop temperature, and peels without tearing the box only if that is the specified behaviour [CONFIRM: permanent or removable adhesive].
- [] Writable: a test field filled in with the shop's marker does not smear or bead after [X] seconds [CONFIRM: marker type to be standardised].
- [] Colour against the retained standard.
- [] Rolls or sheets wound and sized as ordered.

Merch (shirts, aprons, caps, bags and other items)

- [] Garment blank, colour and size breakdown match the PO.
- [] Print or embroidery placement within plus or minus [X] mm of the approved mock-up.
- [] Colour of the ember red against the retained standard (fabric standard, not the box standard).
- [] Print adhesion: stretch test on screen print or transfer; no cracking.
- [] Wash test on one sample per batch per the care label before issue or sale [CONFIRM: wash test method].
- [] Care and fibre labels present as supplied by the manufacturer [CONFIRM: labelling obligations for merch offered for sale].
- [] No merch is offered for sale until G-01 (trade mark) is closed.

Outcome

- [] Pass: release from quarantine, label with received date and batch, put away under FIFO.
- [] Fail: keep in quarantine, photograph defects, notify supplier in writing within [N] days [CONFIRM: claim window in supplier terms], record in the supplier log.

A6. Colour standards (retained samples)

- ☐ At press proof approval, keep ☐ signed sheets or boxes as the master colour standard, dated and with the version written on the back.
- ☐ Keep one standard at the supplier and one at Dough Boss.
- ☐ Store standards flat, in the dark, away from heat. Replace them on a set cycle because they fade [CONFIRM: replacement interval].
- ☐ Compare under the same light each time, ideally a standard viewing light (D50, as ISO 3664 describes) or, if none is available, the same bench and lamp every time.
- ☐ One standard per substrate: the box (black kraft), the seal label (kraft label stock), and each fabric for merch. A colour that matches on one substrate does not prove a match on another.

A7. Storage and FIFO

- ☐ Packaging stored in a dry, clean, ventilated area away from chemicals, cleaning products, fuel, strong food odours, ovens and direct sun [CONFIRM: storage conditions on each supplier's PDS].
- ☐ Off the floor on shelving or pallets, and clear of walls.
- ☐ Food-contact items (liners, and boxes once unwrapped) kept covered.
- ☐ A marked quarantine zone for goods not yet checked or failed.
- ☐ Every carton labelled on arrival: item, version, batch, received date.
- ☐ First in, first out: new stock goes behind or under existing stock. Pick from the oldest received date.
- ☐ Superseded versions are segregated and labelled "DO NOT USE" or returned or recycled, so an old design or old copy is never packed.
- ☐ Monthly stock count against the reorder table (A8).

A8. Reorder points

No usage, lead time or order figures are set here. Each shop fills the table from its own records.

Formulas

Reorder point (ROP) = (average daily usage x lead time in days) + safety stock

Safety stock = (maximum daily usage x maximum lead time in days)
- (average daily usage x average lead time in days)

Order quantity = the larger of (planned usage for the cover period - stock on hand + ROP)
and the supplier's minimum order quantity (MOQ)

Usage for the box is driven by catering orders: boxes per order = dozens ordered (2 dozen = 2 boxes, 3 dozen = 3 boxes, 5 dozen = 5 boxes), plus a spoilage allowance.

Average daily box usage = (dozens sold over the period / days in the period) x (1 + spoilage rate)

Liner usage = box usage x liners per box

Seal label usage = box usage x labels per box

Per-item table (fill per shop)

Item	Unit	Avg daily usage	Max daily usage	Avg lead time (days)	Max lead time (days)	Safety stock	ROP	MOQ	Cover period	Storage limit
Dozen box	each	☐	☐	☐	☐	☐	☐	[QUOTE ☐	☐	☐
Greaseproof liner	each	☐	☐	☐	☐	☐	☐	[QUOTE ☐	☐	☐
Seal label	each	☐	☐	☐	☐	☐	☐	[QUOTE ☐	☐	☐
Staff shirt	each by size	☐	☐	☐	☐	☐	☐	[QUOTE ☐	☐	☐

Notes:

- ☐ Review the inputs before known peaks (for example end-of-year functions) using the catering production calendar.
- ☐ The storage limit caps the order quantity; a large MOQ that will not fit is a supplier-selection problem, not a storage one.
- ☐ Recalculate when a lead time changes or when a second shop draws from the same stock.

A9. Packing SOP: catering order

Purpose: every catering order leaves the shop in the approved box, correctly filled, correctly labelled and matched to the order.

Before you start you need: the order (production calendar entry or ticket), erected boxes that passed QA, liners, seal labels, the shop's standard marker, the shop's allergen matrix [CONFIRM: matrix exists and is current, G-07].

1. Read the order. Note the customer name, order number, pickup or hand-over time, the dozens and bakes ordered, and any special notes.
 2. Count the boxes needed: one box per dozen. Write the number down (for example "3 boxes").
 3. Wash and dry hands. Clean and sanitise the packing bench per the shop's food-safety procedure.
 4. Take boxes from the oldest received stock (FIFO). Erect each one. Reject any box with cracked folds, odour, marks or damage.
 5. Lay one greaseproof liner in each box so it covers the base and comes up the sides as set in the fit test. Handle liners by the edges.
 6. Check the bakes are ready to pack per the shop's food-safety plan [CONFIRM: hold and venting rule for hot bakes in a closed box, from the food-safety plan].
 7. Place 12 bakes in each box in the 4 x 3 layout, one variety per row or as the order requires [CONFIRM: layout after the fit test]. Use tongs or gloves per the food-safety procedure. Do not stack bakes on top of each other.
 8. Check each box against the order: right count (12), right varieties, nothing broken or under-baked.
 9. Keep the side vents clear. Do not fold the liner over the vents.
 10. Close the lid and push the tuck fully in. Do not force it; if it bulges, the layout is wrong. Repack.
 11. Fill in the seal label by hand, in the standard marker, before applying it:
 - For: the customer or event name as on the order.
 - Date: the pack date [CONFIRM: whether the date field means pack date; no use-by or best-before wording unless the food-safety plan supports it, G-12].
 - Order number, and box number as "1 of 3", "2 of 3", "3 of 3".
 - Tick list: tick each variety in this box.
 - Allergens: copy from the allergen matrix, for every variety ticked, using the required allergen names exactly as the matrix shows them. Never write "none", "free from" or any allergen-free wording. If the matrix does not cover an item, stop and ask the shop lead.
 12. Apply the seal label centred across the front so it spans the lid and the tuck. Press it down firmly.
 13. Stack the boxes for the order squarely, lids up, labels facing out, vents unobstructed. Do not exceed [N] boxes high [CONFIRM: maximum stack height from the compression test].
 14. Place the stack in the catering hand-over area, away from the oven and out of direct sun, with the order docket on top.
 15. At hand-over, confirm the customer or driver name and order number, count the boxes with them against the order, and point out the allergen field on each label. Tell them allergen information is available on request.
 16. Record the hand-over: time, who collected, number of boxes, staff initials. Close the order in the production calendar.
- If anything does not match the order at step 8, 11 or 15, do not release it. Fix it or call the shop lead.

PART B. BRAND GOVERNANCE

B1. Ownership of master files

Role	Responsibility	Holder
Owner	Owns the brand and all master files; final release to production; approves new suppliers and any new use of the logo	Elie [CONFIRM: legal owner of the brand assets is the trading entity, G-01]
Brand custodian	Maintains the master library, applies the naming and version rules, runs proof sign-off, answers usage requests	[CONFIRM: named person]
Food-safety lead	Signs off food-contact items; owns the allergen matrix	[CONFIRM: named person]
Shop leads	Use approved assets only; run incoming QA and the packing SOP; report defects	One per shop [CONFIRM: names]

Role	Responsibility	Holder
External designers, printers, agencies	Work on copies; return all working files to the custodian; never hold the only copy	Per contract [CONFIRM: work-for-hire or assignment terms so Dough Boss owns commissioned files, G-17]

Rules:

- [] The master library is held in one Dough Boss-controlled location with backup [CONFIRM: location, for example a shared drive owned by the business account, G-16].
- [] At least two people can access the masters; no single freelancer, staff member or supplier holds the only copy.
- [] Source files (editable vector and layered files) are kept, not only PDFs.
- [] Font licences for Bebas Neue, Barlow and any marker face are recorded with their licence type [CONFIRM: licence terms permit commercial print and merch].

B2. Asset library structure

DOUGH-BOSS-BRAND/	
00_README/	how to use the library, contacts, this governance section
01_Brand-Standards/	brand and catering pack (PDF), colour and type specs, do/don't
02_Logo/	master wordmark (vector, rebuilt from site CSS), reversed, one-colour, clear-space guide
03_Colour/	token list, spot references, scanned colour standards
04_Type/	font files and licence records
05_Packaging/	
CATBOX-DZ/	dieline, artwork, PDS, proofs, sign-off forms, CHANGELOG.txt, _archive/
LINER/	
SEAL/	
06_Merch/	shirts, aprons, caps, bags (mock-ups, tech packs, approvals)
07_Signage/	per-shop signage drawings and approvals
08_Photography/	
approved/	cleared for use, with captions and usage notes
raw/	unedited originals
rejected/	kept for reference, never used
09_Digital/	web, social, listing images, link-preview cards
10_Templates/	menus, flyers, catering quote layout, social templates
11_Suppliers/	approved supplier list, PDS per supplier, food-contact declarations, quotes ([QUOTE] log)
12_Approvals/	completed sign-off forms and usage approvals, by year
_archive/	superseded files, never deleted

B3. Usage approvals

Use	Needs approval from	Notes
Approved template, unchanged content (for example a reprint of an approved flyer)	None; log the use	Must use the current APPROVED version
New artwork using the logo or brand colours	Brand custodian	Sign-off form A4
Anything printed in volume, packaging, signage	Brand custodian then owner	Full proof workflow
Any customer-facing claim (dates, history, origin, process, dietary)	Owner, plus advice where required	"Since 2009" is open, G-04
Food-contact items	Brand custodian, food-safety lead, owner	Declaration on file first
Merch for sale	Owner	Blocked until G-01 is closed
Third-party use of the logo (stockists, venues, media, partners)	Owner, in writing	Supply the logo file from 02_Logo/; never let a third party redraw it
New photography	Brand custodian	Must meet the photo rules below

B4. Do and don't

Do:

- [] Use the wordmark "DOUGH BOSS." exactly as rebuilt from the site CSS: Bebas Neue caps, tracking .13em, outlined box, ember-red full stop (#e2231a) [CONFIRM: owner confirms this is the shop's logo; a supplied shop-sign logo replaces it, G-02].
- [] Keep clear space around the wordmark [CONFIRM: clear-space rule, for example the height of the full stop] and respect a minimum size [CONFIRM: minimum print and screen sizes].
- [] Keep the palette dark and high-contrast: char and coal grounds, cream and paper type, ember red as the accent, gold sparingly.

- ☐ Use Bebas Neue for display and Barlow for body.
- ☐ Use only copy that is verified on the live site.
- ☐ Print "Allergen information available on request." where an allergen line is needed, and complete the per-order allergen field from the matrix.
- ☐ Photograph real product and real packaging, with natural imperfection (fibre, flour dust, slight misregistration).

Don't:

- ☐ Don't redraw, trace, stretch, recolour, outline differently, add effects to, or AI-generate the logo.
- ☐ Don't move or recolour the ember full stop.
- ☐ Don't print prices, phone numbers, quantities as claims, certifications, origin or health claims.
- ☐ Don't use "Minis" anywhere public, or "halal", "gluten free", "authentic", "best", "allergen-free".
- ☐ Don't print "Since 2009" on permanent items until G-04 is closed.
- ☐ Don't show people or hands in photos; no smoke, steam or haze; no lemons.
- ☐ Don't use stretched or low-resolution photos (the live Franchising hero is a 300 px image stretched about 4.3 times; that is the example to avoid).
- ☐ Don't send a supplier a file that is not the current APPROVED version.
- ☐ Don't let a supplier hold the only copy of a file or a cutting die without a written statement of who owns it.

PART C. EXPANSION

Context from the repository (read 3 Oct 2026): the live site has a published /franchising/ page, but the Google Ads negative keyword list states "Franchise enquiries are not our offer" and the keyword research marks franchise intent as [CONFIRM]. The brand's position on franchising is therefore unresolved (G-03). No Darlinghurst material was found under web/docs; any new-site references below are generic [CONFIRM: name and status of the next site before it appears in any listing, G-14]. No lease details are included in this pack.

C1. New-shop rollout kit

Work through in dependency order. An item cannot start until everything in its "Depends on" column is closed. Lead times are placeholders to be filled from supplier quotes.

Gate 0: before anything is ordered

- ☐ G-01 trade mark ownership and registration confirmed.
- ☐ G-02 logo confirmed by the owner.
- ☐ Site confirmed and authorised to trade under the brand (no lease details in this pack).
- ☐ Council, landlord or centre approvals for external signage identified [CONFIRM: approvals required at the site].
- ☐ Opening date set by the owner (no date is assumed here).

Kit checklist

#	Item	Depends on	Lead time	Owner	Done
1	Site survey: measure fascia, windows, counter, menu-board wall, storage area for packaging	Gate 0	☐ days	Brand custodian	☐
2	Signage drawings (fascia, window, menu boards, internal) from 02_Logo/ masters	1, Gate 0	☐	Brand custodian	☐
3	Signage approvals (landlord, centre, council as applicable)	2	☐	Owner	☐
4	Signage fabrication and install	3, signage supplier [QUOTE]	☐	Owner	☐
5	Uniform spec (garment, colour, print placement, sizes)	G-01, G-02	☐	Brand custodian	☐
6	Uniform order and incoming QA (A5 merch)	5, staff size list, [QUOTE]	☐	Shop lead	☐
7	Packaging stock: dozen boxes, liners, seal labels at opening stock level	Approved PDS and artwork, A8 reorder table filled for the new shop, storage area from 1	☐	Shop lead	☐
8	Incoming QA of opening packaging stock	7	☐	Shop lead	☐

#	Item	Depends on	Lead time	Owner	Done
9	Allergen matrix issued for the new shop's menu	Menu confirmed for the site, G-07	[]	Food-safety lead	[]
10	Packing SOP training (A9) with a practice order	8, 9	[]	Shop lead	[]
11	POS: new Square location, item library, price per location, KDS and printers, allergen modifiers, staff roles	Site address, menu, pricing decision by owner	[]	Owner	[]
12	POS test: test orders through every channel (counter, website, catering) reach the right station	11	[]	Shop lead	[]
13	Website: add the shop to Locations, opening hours, per-shop structured data, ordering availability	11, opening date	[]	Owner / web	[]
14	Google Business Profile, Apple Maps and other listings, with the business name exactly as used on the shopfront and website	Signage installed or install date set, G-01, G-14	[]	Owner	[]
15	Delivery and ordering platforms, if used	11, owner decision [CONFIRM: platforms used, G-15]	[]	Owner	[]
16	Photography: shopfront (at least 2,880 px wide, no people), interior, product, packed catering box	4 installed, 7 in stock, shot list rules	[]	Brand custodian	[]
17	Load approved photos to 08_Photography/approved/ and to listings and site	16	[]	Brand custodian	[]
18	Opening readiness check: every item above ticked, no open [CONFIRM] on public-facing material	1 to 17	n/a	Owner	[]

C2. Franchise readiness (brand items)

[CONFIRM trade mark ownership and registration before any franchise or merch scale-up] This is the first and blocking item. The pack draws no legal conclusion about ownership, registration, classes, conflicts or the ability to licence the brand. Obtain advice from a qualified trade mark attorney or lawyer, and record the outcome in G-01, before any franchise discussion, licence, merch sale or large print run.

Franchising in Australia carries specific regulatory obligations. Obtain advice from a franchise lawyer on what applies before any franchise offer, discussion with a prospective franchisee, or change to the /franchising/ page. Nothing below is legal advice; it is the brand-side readiness list.

Brand and identity

- [] Trade mark ownership and registration status confirmed and documented (G-01).
- [] Business name, domain (doughboss.com.au) and social handles (@doughboss) held by the same entity that owns the brand [CONFIRM, G-01].
- [] Logo confirmed (G-02) and master files held by the brand owner (B1).
- [] Commissioned artwork, photography and fonts licensed or assigned so they can be used by franchisees [CONFIRM, G-17].
- [] Brand position on franchising decided and made consistent across the site, ads and listings (G-03).

Standards a franchisee would receive

- [] This brand and catering pack, finalised with no open [CONFIRM] on brand items.
- [] Shop fit and signage standards (from C1 items 1 to 4, documented once).
- [] Packaging specification (PDS, dieline, artwork) and the approved supplier list.
- [] Packing SOP (A9), incoming QA (A5), storage and FIFO (A7), reorder method (A8).
- [] Allergen matrix process: who maintains it, how changes reach every shop.
- [] Photography and digital listing standards.
- [] Usage approvals process (B3) adapted for multiple operators.

Control and audit

- [] A brand compliance check per shop (signage, uniform, packaging version, labels, listings) at a set interval [CONFIRM: interval].

- [] A single supplier ordering route, so superseded packaging cannot be reordered locally.
- [] Claims register: every public claim with its evidence ("Since 2009" stays open until G-04 is closed).

C3. Supplier scaling

Second source

- [] Identify a second supplier for each critical item (dozen box, liner, seal label) before demand outgrows the first.
- [] Give both suppliers the same PDS, the same dieline and the same colour standard. The second supplier goes through the full proof workflow (A4) as if it were a new item.
- [] Confirm who owns the cutting die and print plates, and whether the die can move between suppliers [CONFIRM in each quote, G-18].
- [] Hold food-contact declarations from both suppliers for the exact specification.
- [] Split volume, or keep the second source warm with periodic small orders, as the owner decides.

Colour standards across suppliers

- [] One master standard per substrate (A6), physically sent to each supplier.
- [] Each supplier's press proof is approved against the master, not against the other supplier's output.
- [] Record each supplier's ink references for the same target; they may differ by supplier and board.

Lead times and capacity (placeholders only)

Item	Supplier	Artwork-to-proof (days)	Proof-to-delivery (days)	Reorder lead time (days)	MOQ	Max monthly capacity	Price
Dozen box	Primary []	[]	[]	[]	[QUOTE]	[]	[QUOTE]
Dozen box	Second []	[]	[]	[]	[QUOTE]	[]	[QUOTE]
Liner	Primary []	[]	[]	[]	[QUOTE]	[]	[QUOTE]
Seal label	Primary []	[]	[]	[]	[QUOTE]	[]	[QUOTE]
Staff shirts	Primary []	[]	[]	[]	[QUOTE]	[]	[QUOTE]

Other scaling checks

- [] Storage space at each shop versus MOQ; consider a central store if MOQs exceed shop storage.
- [] Price breaks are recorded only from written quotes with source and date.
- [] Change control: any supplier change of board, ink, adhesive or coating must be notified in writing and triggers a new sample and press proof.
- [] Supplier performance log: on-time delivery, QA pass rate, claims raised.

PART D. DECISIONS AND GAPS REGISTER

Scope: compiled from the pack brief and this section (3 Oct 2026). When the full pack is assembled, merge every [CONFIRM] and [QUOTE] from the other sections into this table so it remains the single list.

Status for every row at the time of writing: OPEN.

ID	Item	Owner	Why it matters	Blocks
G-01	Trade mark ownership and registration of "DOUGH BOSS." name and wordmark; that the business name, domain and social handles sit with the same entity	Owner, with a trade mark attorney or lawyer	Investing in print, signage and merch, licensing the brand, or making any franchise offer all depend on who owns the brand and whether it is protected. No legal conclusion is given here.	Merch for sale, large print runs, new-shop signage, any franchise activity
G-02	Logo: the site wordmark is confirmed as the shop's logo, or a supplied shop-sign logo replaces it	Owner	Every printed and digital asset uses it; changing it after print wastes the run	All artwork release
G-03	Brand position on franchising: live /franchising/ page versus ads negative "Franchise enquiries are not our offer"	Owner	Mixed public signals; franchising also carries regulatory obligations that need advice first	C2, the franchising page, ads keywords
G-04	"Since 2009" as a printed claim	Owner	A permanent print run fixes the claim; it must be accurate and supportable	Any permanent item using it

ID	Item	Owner	Why it matters	Blocks
G-05	Catering phone line	Owner	No phone number may be printed until a dedicated line is confirmed	Box, labels, flyers
G-06	Bake size: measure a real bake (working 8 to 10 cm, 9 cm used) and run a fit test	Shop lead, brand custodian	Drives the box internal size, the layout and the dieline	Dieline, PDS, sample stage
G-07	Allergen matrix exists, is current and covers every catering item	Food-safety lead	The per-order allergen field is completed from it; a wrong entry is a safety risk	Seal label use, packing SOP step 11
G-08	Box internal size (working 385 x 290 x 50 mm), board grade, flute and liner	Brand custodian with supplier	Fit, strength, stacking and cost all depend on it	PDS, quotes
G-09	Spot ink references for ember red on black kraft, and white opacity (single or double hit)	Printer, brand custodian	Without a drawdown on the real board the red and white will not match the brand	Press proof, colour standard
G-10	Food-contact declarations for board, liner, any coating and any ink on food-contact surfaces, and which standard the food-safety adviser requires	Food-safety lead, suppliers	Packaging must be fit for food contact; the declaration is the evidence	Incoming QA pass, first order
G-11	Hold and venting rule for hot bakes in a closed box	Food-safety lead	Condensation and food safety; sets packing SOP step 6	Packing SOP
G-12	Meaning of the date field on the seal label (pack date) and whether any use-by or best-before wording is supportable	Food-safety lead, owner	A date on food packaging can be read as a safety or quality claim	Seal label artwork
G-13	Maximum stack height from a compression test	Brand custodian with supplier	Crushed boxes and damaged bakes at hand-over	Packing SOP step 13
G-14	Next site name and status (no Darlinghurst material found in web/docs)	Owner	Listings and signage must not announce a site that is not confirmed	C1 rollout
G-15	Delivery and ordering platforms used per shop	Owner	Listings, menu images and packaging hand-over differ by platform	C1 item 15
G-16	Location and backup of the master asset library	Owner, brand custodian	Prevents loss and prevents a supplier or freelancer holding the only copy	B1, B2
G-17	Ownership or licence of commissioned artwork, photography and font use for print and merch	Owner	Without it the brand may not be able to reuse or licence its own assets	Merch, franchise readiness
G-18	Ownership and portability of cutting dies and plates	Owner, suppliers	Decides whether a second source can be added without new tooling	C3 second source
G-19	Named brand custodian, food-safety lead and shop leads	Owner	Sign-off forms need named signatories	A4 workflow
G-20	Printer standards: CMYK profile, PDF standard, minimum line and type, trap, dieline line styles, rub test method	Printer	Files fail prepress or print badly without them	A1 file release
G-21	Tolerances, sampling plan and claim window per supplier	Brand custodian, suppliers	Incoming QA needs agreed pass and fail limits	A5
G-22	Seal label adhesive (permanent or removable) and the standard marker	Brand custodian	Labels must stay on and stay legible	Seal label order
G-23	Retained colour standard quantity and replacement interval	Brand custodian	Standards fade; a faded standard approves the wrong colour	A6
G-24	Usage, lead time, safety stock and MOQ figures per item per shop	Shop leads, suppliers	Reorder points cannot be set without them	A8
G-25	All costs: boxes, liners, labels, merch, signage, photography	Owner	No price is used without a written quote with source and date	Budgets, RFQs
G-26	Pizza diameter ("generally medium-sized"; AU medium commonly about 28 to 30 cm)	Shop lead	Needed if pizza packaging is added to the range	Pizza packaging

ID	Item	Owner	Why it matters	Blocks
G-27	Font licences permit commercial print and merch	Brand custodian	Avoids a licence breach on printed and sold items	Merch, signage
G-28	Merch labelling obligations and wash-test method for items offered for sale	Owner, merch supplier	Items sold to the public carry their own obligations	Merch for sale
G-29	Clear-space rule and minimum logo sizes	Brand custodian	Keeps the wordmark legible and consistent at every size	Brand standards
G-30	Site approvals for external signage (landlord, centre, council)	Owner	Signage cannot be installed without them	C1 items 3 and 4



10

BEFORE THE FACTORY

The decisions and supplies needed before the tech packs go to a manufacturer.

FACTORY DOCUMENTS IN THIS RELEASE

Three documents are written to be sent to a manufacturer under NDA. They carry no internal costing, marketing or concept imagery:

- **DoughBoss-CateringBox-TechPack-revA.pdf**: the box technical pack DB-TP-CAT-001, with the RFQ form, the English / Chinese glossary and the separated 1:1 dieline appended.
- **DoughBoss-DozenBox-Dieline-v2.pdf** and **DoughBoss-DozenBox-Die-v2.dxf**: the print and die files.
- **DoughBoss-Merch-TechPacks-revA.pdf**: ten merchandise and consumable spec sheets with placement diagrams.

TECH PACK GAPS: WHAT ELIE MUST DECIDE OR SUPPLY BEFORE SENDING

Internal. Not for the factory. Companion to sections/techpack.md (DB-TP-CAT-001 rev A), 3 October 2026.

1. DECIDE OR SUPPLY BEFORE SENDING THE RFQ

#	Item	Who	Recommended default	Blocks
1	Dieline v2: issued (separated spot plates, page boxes, vent alignment fixed, DXF). Remaining: the factory draws its production CAD from v2 and Dough Boss signs it at S1; decide the INSIDE DARK colour or drop the inside print	Elie	Send v2 with the RFQ; approve the factory CAD at S1	Nothing for the RFQ
2	Legal entity name, ABN, GST status, importer of record, customs broker and freight forwarder	Elie	Name one broker before any DDP or CIF quote is compared	Incoterm quotes, customs
3	Delivery address and port (shops are Revesby, Bankstown, Roselands)	Elie	One receiving point; Port Botany, Sydney	Quotes, samples
4	Quantities: tiers 1,000 / 5,000 / 10,000 are in the RFQ. First real order size and yearly forecast	Elie	Quote the three tiers; order nothing until quotes are in (status gate 6)	Price comparison
5	Incoterm and who books freight	Elie	FOB with Dough Boss's own forwarder; CIF and DDP asked for comparison	Annex A3
6	Payment terms Dough Boss will accept (deposit, method, protection) and quote currency	Elie, accountant	Quote in USD or RMB; compare in AUD at the RBA rate	Annex A5
7	Signatories: brand custodian, food-safety lead (G-19), who gives final release (owner, Elie), who receives samples	Elie	Name them in section 17.2	Sign-off, approvals
8	NDA / non-use agreement and the trade mark position G-01 (and logo G-02)	Elie, lawyer	NDA before artwork is sent; no volume order until G-01 closes. Not legal advice	Sending artwork, volume order
9	Ownership of dies and plates (G-18)	Elie	Dough Boss owns, factory stores free, releasable	Tooling quote
10	Fit test: measure a real bake and test 12 in a white sample (G-06). Order 10 unprinted structural samples first	Shop lead	Do not lock 385 x 290 x 50 until this passes	Dieline, tooling
11	Filled mass of 12 bakes, serving temperature, hot-hold and venting rule (G-11), max stack height (G-13)	Food-safety lead, shop lead	Weigh and record. Sets the BCT target and tests	BCT target, tests
12	Board option: accept quotes for Option A (dyed black) and B (flood black), B-flute as information only	Elie	Quote both	Board choice
13	Inside-lid print: yes or no, and which dark colour	Elie, brand	Quote it as a separate line; drop if the quote is high	Plates, quote
14	Liner: plain or printed, size 380 x 285 or 480 x 385; liner and seal from this factory or another	Elie	Plain, size by fit sample; source separately if cheaper	Liner and seal RFQ lines

#	Item	Who	Recommended default	Blocks
15	Seal label adhesive permanent or removable, marker type (G-22)	Brand custodian	Permanent; one standard marker	Seal quote
16	Print copy freeze: "Since 2009" (G-04), "Three shops baking daily" and "Fresh from the oven" as printed claims, no phone (G-05), allergen line wording	Elie	Print only the verified lines; leave out "Since 2009"	Artwork release
17	Spot colour names (WHITE OPAQUE / EMBER vs "DB Opaque White" / "DB Ember Red" in the production notes)	Brand custodian	WHITE OPAQUE and EMBER	Dieline v2
18	Quality: appoint a third-party inspector or do it yourself; budget for lab tests (food-contact, PFAS, MOSH/MOAH) and pre-shipment inspection	Elie	Appoint one before first shipment; costs are [QUOTE]	Section 10, 14
19	Compliance scope: which regimes the food-safety adviser requires (G-10); tighten total fluorine from below 100 ppm to 50 ppm	Food-safety lead	Keep the pinned limit below 100 ppm, require the measured value, ask if it is 50 ppm or less	Section 14
20	Origin marking: "MADE IN CHINA" on cartons only, or also inside the box. Pack brief bans origin claims on print	Elie, broker	Cartons only unless the broker says otherwise	Section 15
21	Language and channel (email for approvals; chat is not approval) and who replies	Elie	Email only	Section 17
22	Reply-by date and the sender mailbox on the RFQ	Elie	Use catering@doughboss.com.au (verified on the site)	Annex A

2. AUDIT: WHAT THE PDS AND THE DIELINE V1 DID NOT GIVE

Checked against the factory tech-pack checklist. "Now" is where the item is covered in techpack.md.

Checklist item	PDS rev A / dieline v1	Now
1:1 vector dieline	Present: PDF page 649.8 x 877.0 mm = 1:1; vector	Target in s4
Separate cut, crease, perf, bleed, safe layers	Missing. One spot "Dieline" for cut and crease; no layers; no overprint flag in the file; PDF 1.4, not PDF/X; TrimBox and BleedBox equal MediaBox; text is subset-embedded but a Helvetica font is not embedded	s4.2, s4.3
Line legend	Missing from the PDF (title block only)	s4.3
Perforation, glue areas, flute arrow	Missing	s3.3, s3.4 (none: perf and glue marked as not used)
Dimensions with tolerances	Nominals only, no tolerances	s3.2 (RECOMMENDED)
Internal / external / blank	External "about"; blank pinned	s3.2
Count of punched vent holes	PDS says 4; the die has 8 punches (outer and inner ply)	s3.3
Board per ply in factory terms	Caliper, ECT, burst only; no liner / flute / medium gsm	s5.1 (RECOMMENDED ranges)
ECT and BCT target	ECT given; BCT absent	s5.2 (formula; mass is a gap)
Spot colour list, Pantone, ink order, trapping, coverage	Names and 485 C only	s6.2 to 6.4
White underlay choke	0.3 mm given	s6.3
Finish or varnish	Absent	s6.6
Artwork file list and versioning	Naming rule in the production notes only	s7
Sample and approval stages	Three proof stages in the production notes only	s9 (S0 to S6)
QC and AQL	Missing	s10 (table verified from ISO 2859-1)
Defect classification	Missing	s10.3
Packing: bundle, carton, pallet, moisture	Only "supplied flat, bundled"	s12
Shipping: Incoterms, port, HS	Missing	s13
Compliance documents (AU, GB, FDA, EU, AS 2070, PFAS, heavy metals, MOSH/MOAH)	Partly: AU, PFAS 100 ppm, mineral oil	s14
Country-of-origin marking	Missing	s15

Checklist item	PDS rev A / dieline v1	Now
IP and confidentiality	Missing	s16.2
Contacts, sign-off, revision control	Revision table only	s17, s18
RFQ form and bilingual glossary	Costing RFQ text (no price grid for 1,000 / 5,000 / 10,000)	Annex A, B

3. CONFLICTS FOUND BETWEEN PACK DOCUMENTS

Conflict	Default used in the tech pack
Bleed and safe zone: 3 mm / 5 mm (PDS, dieline v1) vs 6 mm / 6 mm (PDS research)	3 mm / 5 mm, with 6 mm clear of cut-outs. Factory may ask for more
Reversed type minimum: 8 pt (PDS) vs white type 10 pt, 12 pt preferred (research)	10 pt, the stricter value [CONFIRM]
Line weights: PDS 1.0 mm vs research 2 pt white, 4 pt for EMBER	White 1.0 mm; EMBER and knockouts 4 pt
Spot and layer names: three versions (PDS, research, production notes)	WHITE OPAQUE, EMBER; layers Art_White, Art_EMBER
Liner: PDS 40 to 50 gsm, 380 x 285 or 480 x 385 mm vs costing RFQ 35 to 40 gsm, 300 x 400 or 380 x 380 mm	PDS values (pinned)
Quote tiers: costing RFQ 250 / 500 / 1,000 / 2,500 / 5,000 vs brief 1,000 / 5,000 / 10,000	1,000 / 5,000 / 10,000
Vent placement: research says "2 per long side wall"; PDS and die put them on the 290 mm side walls	Side walls (290 mm), as pinned
Thumb notch: research proposes one; PDS says none	None
AS 2070: listed in the brief, but it is a plastics standard withdrawn 22 March 2021	Not used for board; the other regimes stand in
Vent centres: outer 25.0 mm from base crease vs inner 24.2 mm from roll fold, about 0.8 mm offset when rolled (computed from dieline.py)	Tolerance 2.0 mm; factory CAD compensates
Dieline is drawn from the outside; FEFCO draws from the inside	Stated in s3.1

4. NOT VERIFIED (DO NOT RELY ON YET)

- Numeric limits in GB 4806.8-2022 (only the raw-material clauses were readable). Ask the lab to state them.
- EU PPWR PFAS limits, 21 CFR 176.170 and the EU DoC citations: seen in search summaries or supplier examples, not the primary text.
- HS sub-codes for liner and label, ChAFTA treatment, and whether origin marking applies: broker to confirm.
- Board gsm ranges, tolerances and the safety factor are RECOMMENDED values from general industry practice, not Dough Boss tests. No ECT, BCT, price, MOQ or lead time has been invented anywhere in the pack.

DOUGH BOSS CATERING BOX: MARKETING PACK BRIEF (INTERNAL)

OUTCOME

A production-ready Dough Boss catering box that could go to a printer and be photographed in the shop: structure, dieline (print-ready vector PDF at 1:1), artwork for every panel, liner and seal label, a packaging data sheet (PDS), and photoreal photography of that exact box. The approved pack then becomes the reference for the home-page hero. Catering is the hero product: no shortfall. Gate: every specialist on the panel ranks the pack 8.5/10 or higher.

OWNER DIRECTION (VERBATIM WORDS)

"Reality, personal, dark. Expressive. Contrast. Photo realistic. Professional but real and not perfect." "Branding, logo, front etc." Earlier: "Black, modern ... real. Using the logo. Professional. Stacked." "Open it up with the bites at the end."

HARD RULES

- Never fabricate: no prices, dates, quantities, capacities, certifications, origin or health claims. Unknowns are [CONFIRM: ...] gaps. Only copy that is verified on the live site may be printed.
- Never name "Minis" anywhere public. No "halal", "gluten free", "authentic", "best", "allergen-free".
- No people or hands in photos. No smoke, steam or haze. No lemons.
- Logo = the live site's wordmark "DOUGH BOSS." (Bebas Neue caps, tracking .13em, outlined box, ember-red full stop #e2231a). Rebuilt exactly from the site CSS, never AI-drawn. [CONFIRM with the owner that this is the shop's logo; a different shop-sign logo replaces it if supplied.]
- Brand tokens (site CSS): char #0a0807, coal #151210, cream #eee8de, ember #e2231a, ember-dark #b71912, gold #f1a132, paper #f7f5f0, mist #b8b1a4. Fonts: Bebas Neue (display), Barlow (body).

VERIFIED COPY AVAILABLE (FROM THE LIVE SITE, READ 2026-10-02/03)

- "Fresh from the oven." "Feed the whole table." "Three shops baking daily" "Oven-baked"
- "A contemporary Lebanese bakery." "Baked to order" / "Fresh to order"
- Locations: Revesby, Bankstown, Roselands (Roselands Centro). Web: doughboss.com.au
- Email: catering@doughboss.com.au, orders@doughboss.com.au. Social: @doughboss
- "Since 2009" appears on the site [CONFIRM before printing: a permanent print run makes it a fixed claim].
- Shop phone numbers are on the site, but the catering phone line is an open claim; do not print a phone number.
- Allergens (FSANZ): food not required to bear a label must have allergen information displayed or available on request, using the required names. Safe print line: "Allergen information available on request." The per-order label carries an allergen field completed from the shop's matrix [CONFIRM matrix exists].

PRODUCT FACTS (SITE DATA)

- Catering packages sell minis by the dozen: Morning Tea 2 dozen, Office Platter 3 dozen, Function Spread 5 dozen (prices on site are INDICATIVE; never print them).
- Bakes: cheese rounds, za'atar rounds, spiced-mince (meat) rounds, spinach pie = "a triangular turnover".

WORKING STRUCTURE (PROPOSAL, ALL SIZES [CONFIRM])

- A "dozen box": one-piece corrugated mailer with a hinged lid and tuck front (FEFCO 0427 style), 12 bakes in a 4 x 3 layout, with side vents for heat. Orders then stack: 2 dozen = 2 boxes, 3 dozen = 3 boxes ("stacked"). Working internal size 385 x 290 x 50 mm, assuming about 9 cm bakes [CONFIRM: measure a mini and do a fit test with a sample].
- Outer: black kraft liner, natural brown kraft inside. Print: 2 spot colours (opaque white + ember red). Greaseproof liner sheet inside. Round kraft seal label across the front, handwritten fields.

LOOK

Dark, high contrast, expressive type, warmth inside (golden bakes on a paper liner), personal touches (handwritten marker on the seal: "For ____", the date, a tick list), real-world imperfection (fibre, ink sitting in the card, slight misregistration, fold-line cracking, flour dust, a grease spot on the liner), professional structure and print.

OWNER ANSWERS (3 OCT 2026)

- No real catering box exists yet. This pack is the concept-to-reality brand and catering pack Dough Boss will actually develop: make it as lifelike, professional and production-ready as possible.
- Logo: use the website's current wordmark (latest version) as the logo.
- Sizes: pizzas are "generally medium-sized" [CONFIRM diameter; AU medium is commonly about 28-30 cm]. The bites are "less than hand-sized ... three, four bites ... not tiny, but small": working diameter 8-10 cm (9 cm used) [CONFIRM by measuring].
- Final deliverable: one in-depth PDF pack covering sizing, status, colours, fonts, production, costing, marketing, merchandise (shirts and items), branding for real use and commercial expansion, and production documentation. Costing must use published or quoted figures with source and date only; otherwise it is a [QUOTE] gap with an RFQ template. Never invent a price.

OWNER ADDITION (3 OCT 2026): THE PACK PHOTOS DOUBLE AS WEBSITE IMAGERY

"We can also use these as hero images on the home page and for itemized parts of the website ... do it properly from the start." Implications (all photos are produced as one art-directed set):

- One light and one grade across the set: a single soft key from the left, deep lower-right shadows, steel bench and dark timber counter as the two surfaces, cream ink on black kraft, warm food inside. Same LUT on every master.
- Shoot wide with crop room: every master must survive a 16:9 desktop crop, a 9:16 phone crop, 4:5 and 1:1 tiles, with the subject's key lettering inside the safe centre of each crop. Headline space is planned per shot.
- Masters at 4K (direct 4K or a 4K upscale of a proven 2K take); web derivatives AVIF/WebP/JPEG at 2560/1920/1280/ 828/640 px wide, sRGB, under the UX weight caps.
- Website uses: home hero (16:9 + 9:16), catering page hero, the four catering item tiles (cheese, za'atar, meat, spinach triangle, each as a clean 1:1 on the liner), "how it arrives" strip (closed, seal, open), the stack, and OG/social 1.91:1.
- HONESTY GATE (ACL overall impression): until the real box exists and matches, concept photos are not published as the product. When the produced box matches the artwork, these masters are representative; bakes shown must be real menu items. Prefer replacing the food with real photographs of the real bakes when available.

OPEN ITEMS INDEX

Every [CONFIRM], [QUOTE], [DRAFT COPY] and REGULATOR-CHECK marker found in this pack, by section, generated from the source files. The decisions register in Section 9 (Part D) carries owners and due dates; this index is the completeness check.

01 Status · 2 lines

- 4. Claims. Only the verified lines in Section 2 may print. "Since 2009", "Fresh from the oven" and "Three shops baking daily" carry a [CONFIRM] before permanent...
- - [CONFIRM: ...] marks a fact still to be confirmed by the owner, a supplier or a test. [QUOTE] marks a price that has to be requested. REGULATOR-CHECK marks a ...

02 Brand · 4 lines

- - What we are: "A contemporary Lebanese bakery." "Oven-baked in Sydney since 2009" [CONFIRM before any permanent print].
- FRESH FROM THE OVEN. Inside lid, seal, counter card Live site hero line [CONFIRM as a printed claim]
- THREE SHOPS BAKING DAILY Back wall Live site [CONFIRM as a printed claim]
- Both typefaces are free Google Fonts released under the SIL Open Font License 1.1 [CONFIRM the licence file at download and keep it with the master files]. Supp...

03 Packaging · 12 lines

- Internal size (L x B x H) 385 x 290 x 50 mm [CONFIRM: fit test with 12 real bakes, 4 x 3, about 9 cm each]
- Board E-flute single wall, caliper 1.6 mm, about 32 ECT (about 5.6 kN/m). B-flute is the fallback if the lid sags or the stack test fails [CONFIRM with converte...]
- Outer face Black kraft (dyed black liner, or natural kraft flood-printed black as a third ink) [CONFIRM availability]
- Inner face Natural brown kraft, food-contact declaration for the intended use [CONFIRM: DoC]
- Lid front One tuck flap 45 mm deep, 3 mm side relief, 6 mm corner radii [CONFIRM with structural engineer]
- Vents 4 x Ø10 mm round, 2 per side wall (the 290 mm ends) at 20 % and 80 % of the wall length, mid-height; 8 punches on the flat (outer and inner ply), aligned ...
- Liner sheet Greaseproof 40 to 50 gsm, KIT 6 or above, no added PFAS (total fluorine below 100 ppm) [CONFIRM by strike-through test]
- Stacking Up to 5 boxes, hot [CONFIRM by test]
- Inside print Lid inside: mono wordmark and "FRESH FROM THE OVEN." in one colour on the natural kraft [CONFIRM: inside print adds a pass; drop it if the quote is...]
- Back wall "A CONTEMPORARY LEBANESE BAKERY.", "THREE SHOPS BAKING DAILY" [CONFIRM], doughboss.com.au · catering@doughboss.com.au · @doughboss, "Allergen informat...
- Inside lid Mono wordmark, "FRESH FROM THE OVEN." [CONFIRM as a printed claim]
- Liner "DOUGH BOSS." in a repeating ember pattern [CONFIRM: printed liner costs more; plain is the fallback]

04 Technical · 31 lines

- - [CONFIRM: ...] = an open gap for the converter, the owner or a physical test. REGULATOR-CHECK = confirm with NSW Food Authority or FSANZ.
- Working internal size 385 x 290 x 50 mm (L x B x H, FEFCO internal convention) [CONFIRM: fit test with 12 real bakes, 4 x 3] Brief
- Outer liner Black. Either a through-dyed black kraft liner or natural kraft flood-printed black [CONFIRM: availability with converter; I found no AU mill black ...]
- Liner sheet Greaseproof, 40 to 50 gsm, KIT 6 or above (aim 7 to 8), no added PFAS (total fluorine below 100 ppm), supplier declaration of compliance [CONFIRM b...]
- Vents 4 x Ø10 mm round vents, 2 per long side wall, cut through both plies of the doubled wall (about 314 mm², about 2.5 times the 1984 pizza-box ratio) [CONFI...]
- Stacking Order stacks of up to 5 boxes are an expected use. Safe count [CONFIRM by test] §1.6

- Per-order seal label Product names and counts, allergen declaration using FSANZ required names, packed date and time, storage instruction [CONFIRM], order refer...
- - INFERRED panel anatomy to draw on the dieline (as on standard 0427 tooling): base; front wall rolled over to double thickness, with locking tabs that drop int...
- - The inner ply of each doubled wall takes up its own thickness inside. Let the converter compensate so 385 x 290 stays clear inside. [CONFIRM: converter sample...]
- - Recommendation (INFERRED): E-flute, kraft liners both faces, at about 32 ECT / 5.6 kN/m or the converter's nearest food-mailer grade. Black outer face: either...
- - [CONFIRM by test: 30-minute hold at serving temperature; check base crispness, condensation on the lid and board softening]
- - Safe stack height: [CONFIRM by test]. Test filled, hot boxes stacked 5 high for 60 minutes at ambient. Check lid deflection, wall bulge and tuck release. Repe...
- - REGULATOR-CHECK: NSW Food Act 2003 packaging provisions were not read here.
- - Greaseproof (or glassine-type) paper, 40 to 50 gsm, K1T >= 6, target 7 to 8, heat-stable to serving temperature [CONFIRM on TDS]
- - Size: either flat 380 x 285 mm to cover the base, or about 480 x 385 mm to cup up the walls (better barrier, covers vent zones less). [CONFIRM: fit sample]
- - [CONFIRM by test: 30-minute hot-hold strike-through on the oiliest bake (spiced mince or cheese)]
- - 1.2.1–9(3)(a): any warning statement required by 1.2.3–3 must accompany or be displayed with the food (INFERRED: none expected for these bakes, REGULATOR-CHE...)
- - 1.2.1–9(4)(b): "information related to use required by paragraph 1.2.6–2(c)" must accompany the food (I did not read 1.2.6, REGULATOR-CHECK).
- - REGULATOR-CHECK:
- Allergens bold "Contains:" + required names, from the shop's allergen matrix [CONFIRM: matrix exists]. Prefer a pre-printed tick list of required names over fre...
- Storage [CONFIRM: wording from the shop's food safety program, e.g. a refrigeration instruction; do not invent a time]
- - FSC marks need the converter's chain-of-custody and a licence [CONFIRM].
- - If a disposal line is later wanted, the only candidate is a qualified instruction, after a PREP assessment or council check, such as "Remove liner and food. C...
- INFERRED shortlist for this spec (flexo, opaque white on black, custom 0427 size): 1 (Sydney flexo, closest to the shops) and 7 (corrugated plant) for productio...
- - [CONFIRM] Bake size, filled weight and fit at 385 x 290 x 50 internal (sample test).
- - [CONFIRM] Black liner availability (dyed) vs flood black (third ink); converter to advise.
- - [CONFIRM by test] Vent hold test, liner strike-through, stack height (hot, 5 high), lid sag.
- - [CONFIRM] Converter drawdowns: opaque white opacity on black; 485 over white.
- - [CONFIRM] DoCs for board, liner, inks and label adhesive; PFAS (TF < 100 ppm) report for the liner.
- - [CONFIRM] The shop's allergen matrix and the storage wording for the per-order label.
- - REGULATOR-CHECK: NSW Food Authority on delivered catering (labelling, temperature control); Std 1.2.6–2(c) "information related to use"; Division 3 if selling...

05 Photography · 0 lines

06 Costing · 29 lines

- [QUOTE] and the RFQ in section 9 lists what to ask for. Technical specs (board grade, food contact, dieline)
- GST Prices are shown as the supplier states them (inc or ex GST). The cost model runs ex GST, on the assumption that Dough Boss is GST-registered and claims in...
- Working internal size from the brief: 385 x 290 x 50 mm (4 x 3 bakes at about 9 cm) [CONFIRM by fit test].
- Easy Signs XL Satchel 410 x 330 x 70 Yes Listed on the site's "Mailer Box Internal Dimensions Chart" [CONFIRM internal]
- noissue 12 x 15 x 3 in 381 x 305 x 76 Marginal Length 381 is 4 mm under the 385 working length. Four 90 mm bakes (360 mm) still fit [CONFIRM by fit test]

- Paperlust kraft Large 400 x 270 x 90 No 270 width leaves no clearance for 3 x 90 mm rows. Paperlust says "custom sizes available on request" [QUOTE]
- Same, 2 colours "2 Colour (Upgrade)" option exists. The only 2-colour price in the page data was Medium 300x230x115 at 500 = \$5,495 (\$10.99). Large 2-colour: [Q...]
- US sample ("approximately 11 business days"). The production-run lead time to Australia is [CONFIRM].
- Packhelp (AU) packhelp.com.au failed to connect (proxy CONNECT 502). packhelp.com/au/ returned 404. No AU storefront could be verified. [QUOTE]
- EcoEnclose Not checked (US supplier). [QUOTE] if wanted
- Gift Box Co, Lux Packaging Not checked. [QUOTE]
- Local corrugated converter (Sydney) for the brief's actual spec [QUOTE]. No published calculator offers black-liner board with 2 spot colours (opaque white + e...
- noissue (USD, AUD estimate) Custom Foodsafe Paper 38gsm, white or kraft, 380 x 380 mm , 1 colour 250 US\$158.76; 500 US\$173.88; 1,000 US\$230.04; 2,000 US\$356.40;...
- Bio Supply (AU) Greaseproof 35gsm, full colour, cuts up to 400 x 600 "From \$330 /1,000 ex GST" (headline, smallest cut). Half cut 300 x 400 is live-calculator o...
- A 70 mm kraft round is [QUOTE].
- Supr Pack (AU) Kraft paper stickers, 60 x 60 mm (circle available), CMYK; "White printing is available only for bulk quantities (5000 & above)"; recycled uncoat...
- AS Colour's own page shows quantity pricing. Black is assumed to be the same price as the base colour [CONFIRM black is not a premium colour].
- Australianess (AESS) Screen print, per print, one location, badge/A4/A3, min 25 1 colour: 25+ \$6.59; 50+ \$5.09; 100+ \$4.59; 200+ \$4.09. 2 colour: 25+ \$7.08; 50+...
- Australianess Embroidery, per unit, min 5 6-11 \$14.25 ex / \$15.70 inc; 12-19 \$9.50 / \$10.45; 20-49 \$8.50 / \$9.35; 50-90 \$7.50 / \$8.25; 100-199 \$6.50 / \$7.15; 20...
- T-Shirts Only Screen print, price includes a WHITE t-shirt , printing and metro shipping Standard tee, 1 col: 25 \$14.60; 50 \$13.20; 100 \$10.10. 2 col: 25 \$16.30...
- Aussie Chef Bib Apron Black, 200gsm poly/cotton (65/35), 70 x 86 cm \$17.60 Not stated "Buy 10+ and Save 5%, Buy 20+ and Save 10%". Logo embroidery: "Initial one..."
- QIS Packaging (AU) Coloured paper carry bag (black available), 310 W x 420 H, 110 gusset, twist handle, 1 colour 1 side, print area 180 x 180 \$1.84 each Inc GST...
- Fit: neither QIS bag takes a 410 x 330 box lying flat (the bag widths are 310 and 350). A bag sized for flat catering boxes is [QUOTE].
- [QUOTE] from a converter. Scenario C1 is the cheapest published stand-in, but it cannot reproduce opaque white (section 1a). Use C1 to set a cost
- Bib apron with pocket (Aussie Chef, GST basis unknown) + embroidery \$25.33 \$24.33 \$23.33 apron \$18.70 less 10% (20+) = \$16.83 + embroidery \$8.50 / \$7.50 / \$6.50...
- Carrie Tote 1001 + 1-col screen print \$20.54 \$17.36 \$16.90 tote \$14.55 / \$12.73 / \$12.73 + print \$5.99 / \$4.63 / \$4.17 [CONFIRM the decorator prints totes at ga...]
- side vents (dieline attached). Internal 385 x 290 x 50 mm [CONFIRM after fit test].
- 10. Open [CONFIRM] / [QUOTE] items that change the numbers
- 9. A paper bag sized to carry flat catering boxes: [QUOTE].

07 Merch - 16 lines

- Status: working spec for quoting and proofing. All blanks were checked on the supplier's own product page on 3 Oct 2026 (sources at the end). No prices are give...
- Logo DOUGH BOSS. The wordmark, rebuilt from the site CSS. Never redrawn, retyped or AI-generated. [CONFIRM with the owner that this is the shop's logo.]
- Heritage Since 2009 / "Oven-baked in Sydney since 2009" On the site, but [CONFIRM before printing] : a permanent run makes it a fixed claim. Not used in the spe...
- Blank (alternative, retail or heavier) AS Colour Classic Tee 5026 , Black. Heavy weight 220 GSM, 22-singles, 100% combed cotton. Sizes SML-5XL. https://www.asco...

- Back artwork size Option 1: 250 mm wide , cap height about 17.8 mm (Bebas Neue at 25.4 mm). Option 2: 250 mm wide on the longer line WHOLE TABLE., both lines at...
- Care (AS Colour page) Hand wash cold separately. Do not bleach. Do not tumble dry. Iron medium heat. Line dry in shade. [CONFIRM the shop's laundering routine: ...]
- Care (AS Colour page) Spot clean only. Do not bleach. Do not tumble dry. Issue two caps per staff member if they must be worn daily. [CONFIRM whether caps form ...]
- Blank Detpak Small Paper Twist Handle Bag, C400S0029 , Black range, matte. Detpak lists it at 280 x 280 x 150 mm [CONFIRM with Detpak which figure is the gusset...]
- Fit warning The catering dozen box (working internal size 385 x 290 x 50 mm) does not fit either bag . These bags are for counter takeaway only. Catering orders...
- Method Detpak custom print, up to 4 colours, minimum order quantities apply. [CONFIRM with Detpak that opaque cream or white ink on the black bag is possible an...]
- Food-safety note Printing is on the outside only. Food goes in its own wrap or liner, not directly against printed surfaces. [CONFIRM with Detpak whether the in...]
- The live site shows no coffee, hot drinks or beverages (read 3 Oct 2026). A branded cup sleeve would suggest a drinks offer the shop is not shown to have. Park ...
- Stock (premium alternative) G.F Smith Colorplan Ebony 350 gsm (uncoated black, sold in Australia exclusively by Ball & Doggett) with white toner or foil. [CONFIRM...]
- Application Second-surface (on the inside of the glass), reverse-cut, so it reads correctly from the street and is protected from weather and scraping. Add a ch...
- Placement Measure each glazing panel first [CONFIRM: panel sizes for Revesby, Bankstown and Roselands]. Working proposal: centred on the main panel beside the d...
- Approvals Roselands Centro: centre management's design criteria and approval are required before installation [CONFIRM]. Strip shops: [CONFIRM landlord consent ...]

08 Marketing - 52 lines

- - [CONFIRM: ...] marks a fact or decision only Elie or the team can supply. [DRAFT COPY: owner to approve] marks wording I wrote. It cannot be printed or posted...
- The live site already uses "mini manoush" and "minis" in its catering copy and its catering page title (VERIFIED, 2026-10-03). This is also open question 5 in 0...
- For people in the south-west who feed a group, Dough Boss catering is a contemporary Lebanese bakery's bakes, sent out in a black box that stacks to the size of...
- 2. Stacked means scale. One dozen box per dozen ordered means the stack height shows the order size: Morning Tea is 2 boxes, Office Platter 3 and Function Sprea...
- Phases run on gates, not dates. The launch date is [CONFIRM: Elie sets it after Gate 3]. "Day 1" below means that date.
- Owners (roles; names are [CONFIRM])
- Catering lead [CONFIRM: name] Pilot, enquiries, quotes, seal writing standard, contact consent records
- Store managers (x3) [CONFIRM: names] POS installation, counter conversations, stock of boxes and seals
- Marketing lead [CONFIRM: name] Content calendar, GBP posts, Instagram, UGC permissions, reporting
- Photographer [CONFIRM: name or studio] The real-sample shoot (section 4)
- Web/dev [CONFIRM: name] Short link, QR, plugin flags, test lead end to end
- Outreach sender [CONFIRM: name, inbox, legal footer] B2B messages per 04-corporate-outreach.md
- - An allergen matrix per bake, using the FSANZ required names [CONFIRM: matrix exists].
- - Which shops take catering enquiries at the counter [CONFIRM]. This decides the POS copy at Bankstown and Roselands Centro.
- - Counter script for staff [DRAFT COPY: owner to approve]: "That's our catering box. Tell us the date, the headcount and any dietary needs and the catering tea..."
- - Make a small pilot run of real boxes from the printer [QUOTE: pilot quantity and cost; see the costing section]. Pack real orders for willing existing custom...

- - Do not give free pilot boxes in return for a review or a post (compliance §3). If boxes go to prospects as a tasting, that is the tasting decision in marketin...
- - Fit: the bakes per box without crushing or overlap [CONFIRM: the count this sets] .
- - Condition at opening after a set hold time: sogginess, condensation and whether the liner holds grease [CONFIRM: hold time with the food-safety supervisor] .
- In store, all three shops Counter stack display, tent card and window decal go up (section 3) Copy only from verified lines or approved drafts. Roselands Centro...
- Launch email outline [DRAFT COPY: owner to approve; this is an outline, not final copy] :
- - Footer: legal entity name and ABN [CONFIRM] , contact address [CONFIRM] , unsubscribe.
- Time to first reply Hours from enquiry to first human reply CRM, against the [CONFIRM] response standard
- All copy below is either VERIFIED (live site, 2026-10-03) or marked [DRAFT COPY: owner to approve] . Two tiers of live-site lines:
- - Tier B, live on the site but each one a claim. "Fresh from the oven." · "Oven-baked" · "Fresh to order" / "Baked to order" · "Three shops baking daily" · "Sin...
- - Build: real production boxes, empty, with a weighted base. Three stacks show the three packages at true stack height [CONFIRM: box counts per package after th...
- - Store-specific line where catering is not prepared in that shop [DRAFT COPY: owner to approve] : "Catering is prepared through our Revesby bakery. Ask us how ...
- - [CONFIRM: glass measurements per shop; landlord or Roselands Centro management signage approval; whether any council rule applies to shopfront graphics.]
- 3.4 Optional extras [DRAFT COPY: owner to approve]
- - No people and no hands in any shot. No smoke, steam or haze. No lemons. No props or garnishes that are not in the box the customer receives. Show the real bak...
- 2 Seal close-up: handwritten FOR / DATE / ticks / BOX 1 OF 3 "Personal" Writing done before the shot (no hand in frame). Use a fictional first name or the organ...
- 9 Context, no people: box open on a meeting-room table; on a family dining table; on a bench beside a TV for a game night (no league or club IP) The four occasi...
- 4. "Three shops." The box on each shop's counter, cut on the beat: Revesby, Bankstown, Roselands Centro. The caption points to the catering page and does not im...
- 6. "After the table." A slow push-in on the empty liner. Caption [DRAFT COPY: owner to approve] : "That's how you know." Use it only if it is honest for that or...
- - Prompt on the handover card or liner [DRAFT COPY: owner to approve] : "Show us the table. Tag @doughboss."
- - Hashtag: [CONFIRM: pick one; check on Instagram that it is not already used by someone else] . Do not use a hashtag that names the unannounced product.
- - Prompts for the community (organic posts): "What's your footy-night spread?", "Morning tea for the office: what goes first?" and "Table or bench: where did yo...
- - Lead form segments (includes/leads/): corporate , office_breakfast and events , matching the landing pages catering-corporate , catering-office-breakfast an...
- - Known gap in the code: if Tag Manager also sends generate_lead from the browser, GA4 counts the lead twice. Keep one source (the code carries this as a [CONFIRM...
- Seal label (outside the box, not food contact): short URL as text, QR only if it scans at the seal's size doughboss.com.au/box [CONFIRM URL] https://doughboss.c...
- Liner sheet doughboss.com.au/box-l [CONFIRM URL] ...?utm_source=catering-box&utm_medium=qr&utm_campaign=catering-box&utm_content=liner
- Tent card, per shop doughboss.com.au/box-t-<shop [CONFIRM URL] ...?utm_source=in-store&utm_medium=qr&utm_campaign=catering-box&utm_content=tent-card-<shop
- Counter stack header doughboss.com.au/box-c-<shop [CONFIRM URL] ...utm_content=counter-stack-<shop
- - Liner print caution. If the QR goes on the liner, the printer must confirm the ink and side are suitable for food contact, or keep the code in a margin that d...

- - Before printing: check the short link returns the live catering page with a 200 on an iPhone and on an Android phone. Scan the printed proof at its real size ...
- 1. redirect-log clicks per short link (counts only; log no IP address [CONFIRM the redirect tool's logging]);
- - [] Every printed or posted line is Tier A, or a Tier B line Elie has confirmed in writing for every catering bake, or an approved [DRAFT COPY] line entered i...
- - [] Each order's seal allergen field is completed from the allergen matrix using the required names [CONFIRM matrix exists].
- - [] Liner and any print on it are suitable for food contact [CONFIRM with the printer].
- - [] Every commercial message names the sender (legal entity and ABN [CONFIRM]), gives working contact details and has a working unsubscribe for at least 30 d...
- - [] The privacy policy is live and describes the dbgr_attr cookie (90 days), the attribution kept with each enquiry and the platforms that receive data (code ...
- - [] Shopfront graphics have the landlord's or Roselands Centro management's approval [CONFIRM].

09 Production - 63 lines

- - [CONFIRM: ...] is an open fact. Nothing marked this way may be printed, quoted to a supplier as fixed, or shown to a customer until it is closed in the regist...
- - [QUOTE] is a cost that needs a written supplier quote with source and date. No price appears in this section.
- - The catering box referred to throughout is the working "dozen box" from the pack brief: one-piece corrugated mailer, hinged lid, tuck front, 4 x 3 layout, sid...
- [CONFIRM trade mark ownership and registration before any franchise or merch scale-up]
- - [] Spot references for the two inks are set by the printer from an ink drawdown on the actual board [CONFIRM: spot ink reference for ember e2231a on black kr...]
- - [] Items printed in process (seal labels, menus, flyers, some merch): CMYK, with the profile the printer specifies [CONFIRM: printer's CMYK profile].
- - [] Overprint and knockout set deliberately: white knocks out of nothing (it is the base); red over white is set as the printer advises for trap [CONFIRM: tra...]
- - [] Minimum line weight and minimum type size for the board and process [CONFIRM: printer minimums for flexo or digital on corrugated].
- - [] Line styles on the Dieline layer: cut solid, crease dashed, perforation dotted (or the printer's own convention) [CONFIRM: printer's dieline line-style co...]
- - [] Print file: PDF/X-4 (or the printer's stated standard) [CONFIRM: printer's PDF standard].
- Board / substrate as specified (grade, flute, liner) [CONFIRM per PDS]
- - Brand custodian signs every stage. [CONFIRM: named person]
- - Food-safety lead signs any stage involving a food-contact component (liner, inside of the box, any label that touches food). [CONFIRM: named person]
- - [] Sample size drawn per the agreed sampling plan [CONFIRM: sampling plan agreed with each supplier, for example an ISO 2859-1 inspection level].
- - [] Internal dimensions within tolerance: L, W, H each within plus or minus [X] mm of the PDS [CONFIRM: tolerance from supplier spec].
- - [] Board grade, flute and liner as on the PDS [CONFIRM].
- - [] Ink rub: rub a printed area with a clean dry finger and with the back of another box; no visible transfer or smearing [CONFIRM: formal rub test method and...]
- - [] Fold cracking: erect [N] boxes; check every crease on the black outer for cracking, white fibre showing or liner splitting. Light fibre at folds may be wi...
- - [] Grease resistance as specified [CONFIRM: grade and test from supplier spec].
- - [] Adhesive holds on the box's black kraft at shop temperature, and peels without tearing the box only if that is the specified behaviour [CONFIRM: permanent...]
- - [] Writable: a test field filled in with the shop's marker does not smear or bead after [X] seconds [CONFIRM: marker type to be standardised].
- - [] Wash test on one sample per batch per the care label before issue or sale [CONFIRM: wash test method].

- [] Care and fibre labels present as supplied by the manufacturer [CONFIRM: labelling obligations for merch offered for sale]
- [] Fail: keep in quarantine, photograph defects, notify supplier in writing within [N] days [CONFIRM: claim window in supplier terms], record in the supplie...
- [] Store standards flat, in the dark, away from heat. Replace them on a set cycle because they fade [CONFIRM: replacement interval].
- [] Packaging stored in a dry, clean, ventilated area away from chemicals, cleaning products, fuel, strong food odours, ovens and direct sun [CONFIRM: storage...]
- Dozen box each [] [] [] [] [] [QUOTE] [] []
- Greaseproof liner each [] [] [] [] [] [QUOTE] [] []
- Seal label each [] [] [] [] [] [QUOTE] [] []
- Staff shirt each by size [] [] [] [] [] [QUOTE] [] []
- Before you start you need: the order (production calendar entry or ticket), erected boxes that passed QA, liners, seal labels, the shop's standard marker, the s...
- 6. Check the bakes are ready to pack per the shop's food-safety plan [CONFIRM: hold and venting rule for hot bakes in a closed box, from the food-safety plan].
- 7. Place 12 bakes in each box in the 4 x 3 layout, one variety per row or as the order requires [CONFIRM: layout after the fit test]. Use tongs or gloves per t...
- Date: the pack date [CONFIRM: whether the date field means pack date; no use-by or best-before wording unless the food-safety plan supports it, G-12].
- 13. Stack the boxes for the order squarely, lids up, labels facing out, vents unobstructed. Do not exceed [N] boxes high [CONFIRM: maximum stack height from the...]
- Owner Owns the brand and all master files; final release to production; approves new suppliers and any new use of the logo Elie [CONFIRM: legal owner of the bra...]
- Brand custodian Maintains the master library, applies the naming and version rules, runs proof sign-off, answers usage requests [CONFIRM: named person]
- Food-safety lead Signs off food-contact items; owns the allergen matrix [CONFIRM: named person]
- Shop leads Use approved assets only; run incoming QA and the packing SOP; report defects One per shop [CONFIRM: names]
- External designers, printers, agencies Work on copies; return all working files to the custodian; never hold the only copy Per contract [CONFIRM: work-for-hire ...]
- [] The master library is held in one Dough Boss-controlled location with backup [CONFIRM: location, for example a shared drive owned by the business account,...]
- [] Font licences for Bebas Neue, Barlow and any marker face are recorded with their licence type [CONFIRM: licence terms permit commercial print and merch].
- 11_Suppliers/ approved supplier list, PDS per supplier, food-contact declarations, quotes ([QUOTE] log)
- [] Use the wordmark "DOUGH BOSS." exactly as rebuilt from the site CSS: Bebas Neue caps, tracking .13em, outlined box, ember-red full stop (e2231a) [CONFIRM...]
- [] Keep clear space around the wordmark [CONFIRM: clear-space rule, for example the height of the full stop] and respect a minimum size [CONFIRM: minimum pri...]
- Context from the repository (read 3 Oct 2026): the live site has a published /franchising/ page, but the Google Ads negative keyword list states "Franchise enqu..."
- [] Council, landlord or centre approvals for external signage identified [CONFIRM: approvals required at the site].
- 4 Signage fabrication and install 3, signage supplier [QUOTE] [] Owner []
- 6 Uniform order and incoming QA (A5 merch) 5, staff size list, [QUOTE] [] Shop lead []
- 15 Delivery and ordering platforms, if used 11, owner decision [CONFIRM: platforms used, G-15] [] Owner []
- 18 Opening readiness check: every item above ticked, no open [CONFIRM] on public-facing material 1 to 17 n/a Owner []
- [CONFIRM trade mark ownership and registration before any franchise or merch scale-up]
- [] Business name, domain (doughboss.com.au) and social handles (@doughboss) held by the same entity that owns the brand [CONFIRM, G-01].

- - [] Commissioned artwork, photography and fonts licensed or assigned so they can be used by franchisees [CONFIRM, G-17].
- - [] This brand and catering pack, finalised with no open [CONFIRM] on brand items.
- - [] A brand compliance check per shop (signage, uniform, packaging version, labels, listings) at a set interval [CONFIRM: interval].
- - [] Confirm who owns the cutting die and print plates, and whether the die can move between suppliers [CONFIRM in each quote, G-18].
- Dozen box Primary [] [] [] [] [QUOTE] [] [QUOTE]
- Dozen box Second [] [] [] [] [QUOTE] [] [QUOTE]
- Liner Primary [] [] [] [] [QUOTE] [] [QUOTE]
- Seal label Primary [] [] [] [] [QUOTE] [] [QUOTE]
- Staff shirts Primary [] [] [] [] [QUOTE] [] [QUOTE]
- Scope: compiled from the pack brief and this section (3 Oct 2026). When the full pack is assembled, merge every [CONFIRM] and [QUOTE] from the other sections in...

A Brief - 9 lines

- Unknowns are [CONFIRM: ...] gaps. Only copy that is verified on the live site may be printed.
- ember-red full stop e2231a). Rebuilt exactly from the site CSS, never AI-drawn. [CONFIRM with the
- - "Since 2009" appears on the site [CONFIRM before printing: a permanent print run makes it a fixed claim].
- The per-order label carries an allergen field completed from the shop's matrix [CONFIRM matrix exists].
- Working structure (proposal, all sizes [CONFIRM])
- bakes [CONFIRM: measure a mini and do a fit test with a sample].
- - Sizes: pizzas are "generally medium-sized" [CONFIRM diameter; AU medium is commonly about 28-30 cm].
- (9 cm used) [CONFIRM by measuring].
- [QUOTE] gap with an RFQ template. Never invent a price.

Total lines carrying an open marker: 218.