LINE AND PLATE LEGEND

DIE CUT	spot 'DIE CUT', solid 0.25 pt, overprint. Outline, tab edges, slots, vents.
DIE CREASE	spot 'DIE CREASE', dashed (3 mm dash, 2 mm gap) 0.25 pt, overprint. Folds, roll folds, hinge, tuck fold.
DIMENSIONS	spot 'DIMENSIONS', non-printing information layer, overprint. Dimensions, panel names, notes, this block.
PRINT-FREE RING	dotted ring, 6 mm beyond every vent and slot (on DIMENSIONS). No print inside it.
WHITE OPAQUE	spot, 100 % only, knockout. White artwork plus the white underlay under every ember element, choked 0.3 mm.
EMBER PMS 485 C	spot, 100 % only, overprint. Prints over its own white underlay. Alternate CMYK is a screen simulation only [CONFIRM: Pantone drawdown].
INSIDE DARK	placeholder spot for the optional inside-lid print (page 3). Colour not decided [CONFIRM].
CROP / REGISTRATION	colourant 'All': prints on every plate. Marks sit 5 mm clear of trim.
BOARD PREVIEW	non-printing layer. Black kraft (outside), natural kraft (inside). Not a plate; never print it.

BLEED 3 mm. SAFE ZONE 5 mm inside every cut and crease.
KEEP ALL PRINT 6 mm CLEAR OF CUT-OUTS AND VENTS.
FONTS EMBEDDED; OUTLINE BEFORE PLATE MAKING IF REQUIRED.

NOTES

- View: from the OUTSIDE (print side). FEFCO catalogues draw from the inside: check orientation before cutting any tool.
- TrimBox = blank 593.8 x 781.0 mm. BleedBox = trim + 3 mm each side. MediaBox adds marks and this block.
- Registration: crop marks and targets are colourant All. Converter to confirm sheet layout, gripper edge, colour bar and mark positions.
- All dimensions are INTERNAL (erected box). CONVERTER TO CONFIRM ALLOWANCES IN CAD (caliper, fold, roll and bend allowances).
- Structure values are working values [CONFIRM with the converter's structural engineer before tooling].
- Hinge bands (ember, 5 mm either side of the hinge crease) run to the crease by design; the 5 mm safe zone does not apply to them.
- Flute direction: [CONFIRM: converter to propose]. No flute arrow is drawn.
- Vent alignment (rolled): outer centre 25.0 from base crease; inner centre 25.0 from roll fold; centre offset 0.000 mm (v1 was 0.8 mm).

TITLE BLOCK

PART NO.	DB-CAT-DOZEN
REV.	B (draft)
DATE	3 Oct 2026
UNITS	mm SCALE 1:1
TITLE	Dough Boss catering box, dozen (12 bakes, 4 x 3)
STYLE	FEFCO 0427 type [CONFIRM style with converter]
SIZE	INTERNAL DIMENSIONS 385 x 290 x 50 mm
BOARD	E-flute 1.6 mm [CONFIRM board build and caliper]
VIEW	OUTSIDE (print side), all plates + die
PAGE	1 of 4 Outside print
TECH PACK	DB-TP-CAT-001 rev A

STATUS: DRAFT. Not for press until sample, board and Pantone are approved.
CONVERTER TO CONFIRM ALLOWANCES IN CAD

SIGN-OFF

DOUGH BOSS APPROVAL

name _____ signature _____ date _____

CONVERTER ACKNOWLEDGEMENT

name _____ signature _____ date _____



LINE AND PLATE LEGEND

———	**DIE CUT**	spot 'DIE CUT', solid 0.25 pt, overprint. Outline, tab edges, slots, vents.
– – –	**DIE CREASE**	spot 'DIE CREASE', dashed (3 mm dash, 2 mm gap) 0.25 pt, overprint. Folds, roll folds, hinge, tuck fold.
———	**DIMENSIONS**	spot 'DIMENSIONS', non-printing information layer, overprint. Dimensions, panel names, notes, this block.
· · · · ·	**PRINT-FREE RING**	dotted ring, 6 mm beyond every vent and slot (on DIMENSIONS). No print inside it.
▭	**WHITE OPAQUE**	spot, 100 % only, knockout. White artwork plus the white underlay under every ember element, choked 0.3 mm.
▭	**EMBER PMS 485 C**	spot, 100 % only, overprint. Prints over its own white underlay. Alternate CMYK is a screen simulation only [CONFIRM: Pantone drawdown].
▭	**INSIDE DARK**	placeholder spot for the optional inside-lid print (page 3). Colour not decided [CONFIRM].
———	**CROP / REGISTRATION**	colourant 'All': prints on every plate. Marks sit 5 mm clear of trim.
▭	**BOARD PREVIEW**	non-printing layer. Black kraft (outside), natural kraft (inside). Not a plate; never print it.

BLEED 3 mm. SAFE ZONE 5 mm inside every cut and crease.
KEEP ALL PRINT 6 mm CLEAR OF CUT-OUTS AND VENTS.
FONTS EMBEDDED; OUTLINE BEFORE PLATE MAKING IF REQUIRED.

NOTES

- View: from the OUTSIDE (print side). FEFCO catalogues draw from the inside: check orientation before cutting any tool.
- TrimBox = blank 593.8 x 781.0 mm. BleedBox = trim + 3 mm each side. MediaBox adds marks and this block.
- Registration: crop marks and targets are colourant All. Converter to confirm sheet layout, gripper edge, colour bar and mark positions.
- All dimensions are INTERNAL (erected box). CONVERTER TO CONFIRM ALLOWANCES IN CAD (caliper, fold, roll and bend allowances).
- Structure values are working values [CONFIRM with the converter's structural engineer before tooling].
- Hinge bands (ember, 5 mm either side of the hinge crease) run to the crease by design; the 5 mm safe zone does not apply to them.
- Flute direction: [CONFIRM: converter to propose]. No flute arrow is drawn.
- Vent alignment (rolled): outer centre 25.0 from base crease; inner centre 25.0 from roll fold; centre offset 0.000 mm (v1 was 0.8 mm).
- FEATURE SCHEDULE (flat, mm from the base panel lower-left corner, outside view):
- Blank 593.8 x 781.0 (x -104.4 to 489.4, y -104.4 to 676.6). Tuck 45; tab 22 x 6 (6 off); slot 24 x 2.5 (6 off).
- Vents, 8 punches on the flat (4 on the box), all D10, mid-height, at 20 % / 80 % of the 290 wall:
- outer ply (x, y): (-25.0, 58.0); (-25.0, 232.0); (410.0, 58.0); (410.0, 232.0)
- inner ply (x, y): (-75.0, 58.0); (-75.0, 232.0); (460.0, 58.0); (460.0, 232.0)
- Base slots (centres): front x = 128.9, 256.1 at y = 3.75; sides y = 87.0, 203.0 at x = 3.75 and 381.25.

TITLE BLOCK

PART NO.	DB-CAT-DOZEN
REV.	B (draft)
DATE	3 Oct 2026
UNITS	mm SCALE 1:1
TITLE	Dough Boss catering box, dozen (12 bakes, 4 x 3)
STYLE	FEFCO 0427 type [CONFIRM style with converter]
SIZE	INTERNAL DIMENSIONS 385 x 290 x 50 mm
BOARD	E-flute 1.6 mm [CONFIRM board build and caliper]
VIEW	OUTSIDE (print side), die only
PAGE	2 of 4 Die and dimensions
TECH PACK	DB-TP-CAT-001 rev A

STATUS: DRAFT. Not for press until sample, board and Pantone are approved.
CONVERTER TO CONFIRM ALLOWANCES IN CAD

SIGN-OFF

DOUGH BOSS APPROVAL

name _____ signature _____ date _____

CONVERTER ACKNOWLEDGEMENT

name _____ signature _____ date _____



LINE AND PLATE LEGEND

DIE CUT	spot 'DIE CUT', solid 0.25 pt, overprint. Outline, tab edges, slots, vents.
DIE CREASE	spot 'DIE CREASE', dashed (3 mm dash, 2 mm gap) 0.25 pt, overprint. Folds, roll folds, hinge, tuck fold.
DIMENSIONS	spot 'DIMENSIONS', non-printing information layer, overprint. Dimensions, panel names, notes, this block.
PRINT-FREE RING	dotted ring, 6 mm beyond every vent and slot (on DIMENSIONS). No print inside it.
WHITE OPAQUE	spot, 100 % only, knockout. White artwork plus the white underlay under every ember element, choked 0.3 mm.
EMBER PMS 485 C	spot, 100 % only, overprint. Prints over its own white underlay. Alternate CMYK is a screen simulation only [CONFIRM: Pantone drawdown].
INSIDE DARK	placeholder spot for the optional inside-lid print (page 3). Colour not decided [CONFIRM].
CROP / REGISTRATION	colourant 'All': prints on every plate. Marks sit 5 mm clear of trim.
BOARD PREVIEW	non-printing layer. Black kraft (outside), natural kraft (inside). Not a plate; never print it.

BLEED 3 mm. SAFE ZONE 5 mm inside every cut and crease.
KEEP ALL PRINT 6 mm CLEAR OF CUT-OUTS AND VENTS.
FONTS EMBEDDED; OUTLINE BEFORE PLATE MAKING IF REQUIRED.

NOTES

- View: from the OUTSIDE (print side). FEFCO catalogues draw from the inside: check orientation before cutting any tool.
- TrimBox = blank 593.8 x 781.0 mm. BleedBox = trim + 3 mm each side. MediaBox adds marks and this block.
- Registration: crop marks and targets are colourant All. Converter to confirm sheet layout, gripper edge, colour bar and mark positions.
- All dimensions are INTERNAL (erected box). CONVERTER TO CONFIRM ALLOWANCES IN CAD (caliper, fold, roll and bend allowances).
- Structure values are working values [CONFIRM with the converter's structural engineer before tooling].
- Hinge bands (ember, 5 mm either side of the hinge crease) run to the crease by design; the 5 mm safe zone does not apply to them.
- Flute direction: [CONFIRM: converter to propose]. No flute arrow is drawn.
- Vent alignment (rolled): outer centre 25.0 from base crease; inner centre 25.0 from roll fold; centre offset 0.000 mm (v1 was 0.8 mm).

TITLE BLOCK

PART NO.	DB-CAT-DOZEN
REV.	B (draft)
DATE	3 Oct 2026
UNITS	mm SCALE 1:1
TITLE	Dough Boss catering box, dozen (12 bakes, 4 x 3)
STYLE	FEFCO 0427 type [CONFIRM style with converter]
SIZE	INTERNAL DIMENSIONS 385 x 290 x 50 mm
BOARD	E-flute 1.6 mm [CONFIRM board build and caliper]
VIEW	INSIDE, viewed from inside (mirrored left-right)
PAGE	3 of 4 Inside print, optional 1 colour [CONFIRM]
TECH PACK	DB-TP-CAT-001 rev A

STATUS: DRAFT. Not for press until sample, board and Pantone are approved.
CONVERTER TO CONFIRM ALLOWANCES IN CAD

SIGN-OFF

DOUGH BOSS APPROVAL

name _____ signature _____ date _____

CONVERTER ACKNOWLEDGEMENT

name _____ signature _____ date _____

PLATE: WHITE OPAQUE
white artwork + white underlay (carries the choked underlay under ember)

PLATE: EMBER PMS 485 C
ember foil stops and hinge bands (overprints the white underlay)



PLATE: INSIDE DARK (page 3 inside print)
optional inside-lid print, viewed from inside; colour [CONFIRM]

PLATE: DIE CUT
outline, tab edges, slots, vents

PLATE: DIE CREASE
folds, roll folds, hinge, tuck fold

PLATE: DIMENSIONS
non-printing information plate



LINE AND PLATE LEGEND

	DIE CUT	spot 'DIE CUT', solid 0.25 pt, overprint. Outline, tab edges, slots, vents.
	DIE CREASE	spot 'DIE CREASE', dashed 0.5 mm dash, 3 mm gap 0.25 pt, overprint. Folds, roll folds, hinge, tuck fold.
	DIMENSIONS	spot 'DIMENSIONS', non-printing information layer, overprint. Dimensions, panel names, notes, this block.
	PRINT-FREE RING	40 mm ring, 6 mm beyond every vent and slot (no DIMENSIONS). No print inside it.
	WHITE UNDLAY	spot, 100 % only, knockout. White artwork plus the white underlay under every ember element, choked 0.3 mm.
	EMBER PMS 485 C	spot, 100 % only, overprint. Prints over its own white underlay. Alternate CMYK is a screen simulation only [CONFIRM: Pantone simulation].
	INSIDE DARK	placeholder spot for the optional inside-lid print (page 3). Colour not decided [CONFIRM].
	CROP + REGISTRATION	coloured 'All' prints on every plate. Prints at 6 mm clear of trim.
	BOARD PREVIEW	non-printing layer. Black kraft (outside), natural kraft (inside). Not a plate; never print it.

BLEED 3 mm. SAFE ZONE 5 mm inside every cut and crease.
ALL DIMENSIONS IN MILLIMETRES. 1 : 1 AT 100 % SCALE.
FONTS EMBEDDED; OUTLINE BEFORE PLATE MAKING IF REQUIRED.

NOTES

- Vinyl. Print the OUTSIDE (print side). FSTO catalogue draw from the inside; check orientation before cutting any roll.
- 1 media = blank 585.8 x 780.0 mm. BleedBox = trim + 3 mm each side. PlateBox adds marks and this block.
- Registration: crop marks and targets are coloured All. Converter to confirm sheet layout, gripper edge, colour bar and mark positions.
- All dimensions are INTERNAL (unrolled box). CONVERTER TO CONFIRM ALLOWANCES IN CAD (caliper, fold, roll and bend allowances).
- Structure values are working values [CONFIRM with the converter's structural engineer before tooling].
- Hinge bands (section 3 mm either side of the hinge creases) run to the crease lay design; the 5 mm safe zone does not apply to them.
- Roll-fold tolerance: 0.5 mm on the roll-fold centre and on the 26.0 mm offset.
- Vent alignment (cobalt): outer vents 35.0 from base crease. Inner vents at 35.0 from roll fold; centre offset 0.200 mm (1 was 0.8 mm).
- Each roll shows one plate on a non-printing backing (black kraft, natural kraft or pale grey). Captions and this block are on the DIMENSIONS layer.
- Plate rolls carry the registration marks (coloured All) so alignment can be checked on every plate.

TITLE BLOCK

PART NO.	SB-CAT-150DN
REV.	B (was A)
DATE	14 Oct 2026
UNITS	mm SCALE 0.1
TITLE	Dough Boss catering box, dozen (12 bake), 4 x 3
STYLE	FEFCO 0427 type [CONFIRM style with converter]
SIZE	INTERNAL DIMENSIONS 395 x 250 x 50 mm
BOARD	E-flute 1.8 mm [CONFIRM board build and caliper]
VIEW	DEFAULT/DIE/PRINT/PROOF; each plate alone (outside view; inside plate viewed from inside)
PAGE	4 of 4 Separations proof, 1:1
TECH PACK	SB-TP-CAT-001 rev A

STATUS: DRAFT. Not for press until names, board and Pantone are approved.
CONVERTER TO CONFIRM ALL ALLOWANCES IN CAD

SIGN-OFF

DOUGH BOSS APPROVAL

name _____ signature _____ date _____

CONVERTER ACKNOWLEDGEMENT

name _____ signature _____ date _____