



SHREDDED SYSTEM

FULL GUIDE

The Gironde Cut, day by day: 95 kg to 70–75 kg

October 2026 · Not medical advice

HOW TO USE THIS GUIDE

This is the practical companion to the research report. The report explains why; this guide says what to do each day and each week. The Shredded System app runs the same plan: it holds the meal templates, counts the carb-up clock, logs your weight and makes the weekly decision for you.

Read sections 1–4 once. After that you only need the daily routine (section 9) and the weekly check-in (section 10).

Before you start: see a GP or prescriber about retatrutide and get baseline bloods (lipids, liver, kidney, glucose). This plan is not medical advice.

1. THE PLAN ON ONE PAGE

AREA	RULE
Diet base	Gironda Cut: meat and eggs at every meal, green vegetables twice a day, carbs under 50 g on low days.
Carb-up	Every 72–96 hours: one day at about maintenance calories with 200–300 g carbs, protein unchanged, fat low.
Calories	Low days 400–600 kcal under maintenance. Never under 1,500 kcal without a clinician.
Protein	160 g a day (150–190 g). Every day, hungry or not.
Fibre	25–30 g a day: vegetables, berries, psyllium.
Training	Full Body A and B, twice a week, 1–2 sets, stop 1–2 reps short of failure on compounds.
Steps	Your current average + 1,500–2,000, building to 10,000–15,000.
Rate	0.5–1.0% of bodyweight a week.
Tracking	Weigh daily, waist weekly, photos every 4 weeks.
Decisions	Once a week, from 14 days of data, one change at a time.
Breaks	1–2 weeks at maintenance every 8–12 weeks.
Never	Dehydration tricks, raw eggs or milk, diuretics, under-eating protein, dose changes without a clinician.

2. PHASES

PHASE	WEEKS	WEIGHT	FOCUS
0. Baseline	Week 0 (now)	95 kg	Log 7 days of normal eating and weight. Take photos, waist and a blood test. Set up the app.
1. Gironda Cut I	Weeks 1–10	95 → ~87 kg	Full plan. Expect a fast first two weeks (water).
Diet break	Weeks 11–12	hold	Maintenance calories, Modern Gironda meals, same training.
2. Gironda Cut II	Weeks 13–22	~87 → ~80 kg	Add steps if the rate slows.
Diet break	Weeks 23–24	hold	As before.
3. Gironda Cut III	Weeks 25–36	~80 → 75 kg	Rate slows to 0.5–0.7%. Protect strength.
Decision point	At 75 kg	75 kg	Photos, waist and strength (or a DEXA scan). Continue to 70 kg only if visible fat remains and strength holds (report, section 7).
4. Finish (optional)	Weeks 37–50	75 → 70 kg	Slowest phase. Two carb-ups a week if training suffers.
5. Maintenance	After	goal	Add 100–200 kcal a week until weight is stable. Keep protein and training.

3. SETTING YOUR NUMBERS

3.1 CALORIES

Step 1. Estimate maintenance. Enter height, age, sex and activity in the app (Setup). It uses the Mifflin-St Jeor equation:

- Men: $(10 \times \text{weight in kg}) + (6.25 \times \text{height in cm}) - (5 \times \text{age}) + 5$
- Women: the same, – 161 instead of + 5

Multiply by activity: 1.2 if you sit most of the day, 1.375 if you're lightly active (most people who walk 8–10k steps), 1.55 if you're moderately active (12–15k steps and training).

Step 2. Set the low-day target at maintenance – 500 (range 400–600).

Step 3. Correct it from real data after 14 days. The app does this: $\text{average intake} + (\text{kg lost} \times 7,700 \div \text{days}) = \text{your real maintenance}$.

Example (assumed values, replace with yours): a 180 cm, 40-year-old man at 95 kg, lightly active. $BMR = 950 + 1,125 - 200 + 5 = 1,880$ kcal. Maintenance $\approx 1,880 \times 1.375 \approx 2,585$ kcal. Low-day target $\approx 2,085$ kcal.

3.2 PROTEIN, FAT, CARBS, FIBRE

	LOW DAY	CARB-UP DAY
Calories	Maintenance – 500	About maintenance
Protein	160 g (150–190)	Same
Fat	60–90 g	40–50 g
Carbs	Under 50 g	200–300 g
Fibre	25–30 g	30 g+
Saturated fat	Under 25 g	Under 20 g

3.3 SCALING THE TEMPLATES

The Gironda Cut template is 1,678 kcal. To reach your target, add in this order:

ADD	KCAL	PROTEIN NOTES
1 whole egg	72	6 g Easiest.
50 g more steak or 5% beef	62	11 g Keeps it Gironda.
10 g olive oil	88	0 g On vegetables.
15 g almonds	92	3 g Snack or top-up.
100 g more Greek yogurt	54	10 g Top-up.

To go down, remove them in reverse order. Never drop protein below 150 g.

4. THE DAY TYPES

The app has four day types. Most weeks: 4 Gironda Cut days, 2 Modern Gironda (training) days and 1 carb-up.

4.1 GIRONDA CUT (DEFAULT LOW DAY): 1,678 KCAL

MEAL	FOOD	AMOUNT
Meal 1 (break the fast)	Whole eggs	4 (200 g)
	5% beef mince, shaped into patties	250 g raw
	Spinach and mushrooms	100 g each
	Butter, for cooking	5 g
Meal 2	Rump steak, trimmed	250 g raw
	Whole eggs	2
	Broccoli	250 g
	Salad leaves and cucumber	100 g
	Olive oil	15 g (1½ tbsp)
Top-up (any time in the window)	Greek yogurt, 0% fat	200 g
	Mixed berries	100 g
	Almonds	25 g
	Psyllium husk, with a large glass of water	5 g (1 tsp)

Totals: 1,678 kcal · 187 g protein · 85 g fat (25 g saturated) · 28 g carbs · 20 g fibre.

How to cook:

- Meal 1: shape the mince into 3 patties (about 80 g each), fry 4 minutes a side until cooked through. Wilt the spinach and mushrooms in the same pan with the butter. Fry or scramble the eggs last.
- Meal 2: take the steak out 20 minutes early, pat it dry, salt it, sear 2–4 minutes a side in a very hot pan and rest it for 5 minutes. Steam the broccoli for 5 minutes. Fry the eggs while the steak rests.

4.2 STRICT GIRONDA (YOUR CURRENT TWO MEALS): 1,865 KCAL

MEAL	FOOD	KCAL	PROTEIN	FAT	CARBS
Meal 1	6 eggs + 3 pork patties	933	77 g	66 g	5 g
Meal 2	6 eggs + 250 g sirloin	932	93 g	60 g	2 g

Totals: 1,865 kcal · 170 g protein · 126 g fat (47 g saturated) · 7 g carbs · **0 g fibre**.

Use this when you can't cook vegetables (travel, a chaotic day). If you use it more than 2 days a week, fix the fibre at minimum: add 2 handfuls of salad and 5–10 g of psyllium, and swap the pork patties for 5% beef.

4.3 MODERN GIRONDA (TRAINING DAY): 1,628 KCAL

MEAL	FOOD	AMOUNT
Meal 1	3 eggs, 200 g egg whites, 100 g spinach	
	60 g oats with 100 g berries	
Meal 2 (after training)	250 g rump steak, 400 g boiled potatoes, 200 g broccoli, salad, 10 g olive oil	
Top-up	200 g Greek yogurt + 1 scoop whey	

Totals: 1,628 kcal · 164 g protein · 44 g fat · 131 g carbs · 22 g fibre.

The carbs sit around training to keep sessions strong. If you prefer to stay Gironda-strict on training days too, use the Gironda Cut day and move the potatoes to the carb-up.

4.4 CARB-UP DAY: 2,224 KCAL

MEAL	FOOD
Meal 1	3 eggs, 200 g egg whites, 80 g oats, 1 banana, 100 g berries
Meal 2	250 g rump steak, 350 g cooked white rice, 200 g green beans
Meal 3	200 g chicken breast, 350 g baked sweet potato, 200 g broccoli, 5 g olive oil

Totals: 2,224 kcal · 180 g protein · 42 g fat · 267 g carbs · 35 g fibre.

The carb-up clock:

- Gironda's interval was about 72 hours. Use **72–96 hours** (every third or fourth day). The app counts it and turns the Today screen gold when one is due.
- Put the carb-up on a training day or the day before one.
- If weight has stalled for 2 weeks and you feel fine, stretch the interval to 120 hours. If training feels flat, shorten it to 72.
- Weight will jump 0.5–1.5 kg the next morning. That is glycogen and water. It's gone within 2–3 days.
- It isn't a cheat day. If you go off plan, log it honestly and carry on.

5. EATING WINDOW AND FASTING

The 18:6 window from your Trainer app (09:00–15:00) fits this plan: Meal 1 when the window opens, Meal 2 mid-window, the top-up before it closes.

- Fasting doesn't burn extra fat on its own; it is just a way to control intake. If the window makes protein hard to hit, widen it to 16:8.
- **No extended fasts (over 24 hours) while taking retatrutide** or any appetite-suppressing medication, unless a clinician has agreed.
- Drink 2.5–3.5 litres of water a day. Tea and black coffee are fine (your no-coffee rule is your choice, not a diet requirement).

6. SHOPPING AND MEAL PREP

6.1 WEEKLY SHOP (4 CUT, 2 MODERN, 1 CARB-UP)

FOOD	AMOUNT A WEEK
Eggs	33 (buy 3 × 12, or 2 × 15 + 6)
Egg whites, pasteurised carton	600 g
5% beef mince	1 kg
Rump steak, trimmed	1.75 kg
Chicken breast	200 g
Greek yogurt 0%	1.2 kg
Whey protein	2 scoops
Broccoli	1.6 kg
Spinach	600 g
Mushrooms	400 g
Salad leaves and cucumber	600 g
Green beans	200 g
Mixed berries (frozen is fine)	700 g
Banana	1
Potatoes	800 g cooked weight (about 850 g raw)
Sweet potato	350 g cooked (about 400 g raw)
White rice	350 g cooked (about 120 g dry)
Porridge oats	200 g
Almonds	100 g
Psyllium husk	20 g
Olive oil, butter	as needed

The app builds this list for whatever mix of days you plan.

6.2 PREP (DOLCE STYLE)

Twice a week (Sunday and Wednesday):

1. Shape all the beef mince into 80 g patties. Cook half, keep half raw in the fridge (cooked patties keep 3 days).
2. Wash and chop broccoli, beans and salad into daily bags.

3. Portion yogurt, berries and almonds into tubs for the top-ups.
4. Cook the carb-up rice and potatoes the night before.

7. TRAINING

7.1 THE WEEK

DAY	SESSION
Monday	Full Body A
Tuesday	Brisk walk, 25–40 minutes
Wednesday	Walk or easy cycling
Thursday	Full Body B (carb-up the day before or on the day)
Friday	Brisk walk, 25–40 minutes
Saturday	Longer easy walk
Sunday	Rest or a gentle walk

7.2 FULL BODY A

EXERCISE	SETS	REPS	EFFORT
Leg press or safety-bar squat	2	6–10	1–2 reps in reserve
Incline machine or dumbbell press	2	6–10	1–2 in reserve
Neutral or underhand pulldown	2	6–10	1–2 in reserve
Seated leg curl	1–2	8–12	0–1 in reserve
Lateral raise	1–2	10–15	0–1 in reserve
Calf raise	1–2	10–15	0–1 in reserve

7.3 FULL BODY B

EXERCISE	SETS REPS	EFFORT
Romanian deadlift or machine hip hinge	2 6–10	2 in reserve, never to failure
Chest-supported row	2 6–10	1–2 in reserve
Machine chest press or assisted dip	2 6–10	1–2 in reserve
Split squat or leg extension	1–2 8–12	1 in reserve
Curl	1 8–12	0–1 in reserve
Pressdown	1 8–12	0–1 in reserve
Cable crunch or plank	2 10–15 / 30–60 s	1 in reserve

7.4 PROGRESSION

- **Reps in reserve (RIR):** how many more good reps you could have done. RIR 1 = one more was possible.
- When you hit the top of the rep range on every set at the target RIR, add 2.5–5% to the weight next time.
- In a deficit, holding your weights is a win. Losing reps in two comparable sessions in a row is a warning sign (section 10).
- **Deload** every 8–10 weeks or when strength falls twice: same weights, half the sets, for one week. Line it up with a diet break if you can.
- **Mentzer option:** if you prefer your Trainer HIT programmes, keep them. Use one set to failure only on machines and isolation exercises.

7.5 STEPS

Start at your current 7-day average plus 1,500–2,000 a day. Build toward 10,000–15,000. Your Trainer step chain (15,000 on 5 days, or 75,000 a week) is a good end point. Walking is the safest cardio in a long cut: it burns calories without eating into recovery.

8. MEASURING PROGRESS

WHAT	WHEN	HOW
Weight	Every morning	After the toilet, before food or drink, same scale. Only the 7-day average matters.
Waist	Monday	Tape at the navel, relaxed, after breathing out.
Photos	Every 4 weeks	Same light, same place, front, side and back.
Strength	Each session	Top-set weight and reps in the app.
Blood test	Start, then about every 12 weeks	Lipids, liver, kidney, glucose. Essential if on medication.

9. THE DAILY ROUTINE (ABOUT 60 SECONDS OF LOGGING)

1. **Wake:** weigh in. Enter it on Today.
2. **Check the day type:** the app suggests Cut, Modern (training) or Carb-up. Accept or change it.
3. **Eat the template.** Tap each meal as eaten. If you ate something else, tap **Off plan** and enter rough macros.
4. **Tick the habits:** vegetables, water, no alcohol.
5. **Evening:** enter steps and sleep (or pull them from Trainer), rate hunger and energy 1–5, and tick any symptoms.

10. THE WEEKLY CHECK-IN

Every Monday the app compares the last 7 days' average weight with the 7 days before and applies these rules in order:

SITUATION	DECISION
Fewer than 12 complete days in the last 14	Keep logging. No changes.
Strength fell in two comparable sessions	Review sleep and deficit. Add 100–150 kcal or deload.
Losing over 1%/week, and tired	Add 100–200 kcal or drop one cardio session.
Losing over 1%/week, feeling fine	No change; re-check next week.
Losing 0.5–1.0%/week	On track. No change.
Losing 0.3–0.5%/week	Acceptable, especially later in the cut. No change.
Under 0.3%/week, waist down 0.5 cm or more	Hold one more week.
Under 0.3%/week, adherence under 85%	Tighten execution. Don't cut calories.
Under 0.3%/week, adherence 85% or more	Remove 100–150 kcal or add about 1,500 steps a day. One change only.

The same rules are in `data/decision-rules.json`.

11. TROUBLESHOOTING

PROBLEM	FIX
Constipation	More vegetables, 5–10 g psyllium with a big glass of water, 3 litres of fluid. Fewer strict days.
Hungry all the time	Bigger vegetable portions, more egg whites, the top-up at your hungriest time. Check sleep.
No appetite (medication)	Eat the protein first. Use liquid protein (whey, yogurt) when solids are hard. Don't skip meals.
Nausea after big fatty meals	Smaller, leaner meals (swap pork patties for 5% beef, fewer yolks). Tell your prescriber.
Training feels flat	Carb-up the day before training; shorten the clock to 72 hours.
Weight jumped overnight	Carb-up, salty meal, poor sleep or a hard session. Look at the 7-day average.
Stalled for 2+ weeks	Let the weekly rules decide. Check adherence honestly first.
Went off plan	Log it, eat the next meal on plan. No compensation fasting.
Alcohol	Not part of the cut. If you drink, log it; it counts as off plan.
Bad blood test (LDL up a lot)	Leaner meat, fewer yolks (use whites), more fish and olive oil. Discuss with your GP.

12. RED FLAGS: STOP AND GET HELP

SYMPTOM	ACTION
Severe or persistent abdominal pain, possibly spreading to the back	Urgent medical help (NHS 111, or 999 if severe)
Repeated vomiting or can't keep fluids down	NHS 111 today
Fainting, chest pain, racing or irregular heartbeat	999
Yellow skin or eyes, or pain under the right ribs after fatty meals	GP promptly
Dizzy on standing, very dark urine or not passing urine	Rehydrate, get medical advice
No bowel movement for 4+ days with pain or bloating	Pharmacist or GP

The app shows these as soon as you tick a matching symptom.

13. MEDICATION

Retatrutide is an investigational drug and isn't approved in the UK or the US. This guide and the app never advise on dose, timing, escalation or where to get it. If you take it:

- Tell your GP or a prescriber, and get bloods checked.
- Hit your protein target every day regardless of appetite.
- Avoid very large, very fatty meals if they make nausea worse.
- No extended fasts unless a clinician agrees.
- Log what you take and any symptoms in the app, so you have a record to show a clinician.

14. REACHING THE GOAL

At 75 kg, take photos, measure your waist and compare your strength with week 1 (a DEXA scan is worth it here). Then choose:

- **Continue to 70 kg** if visible fat remains over the lower abs and lower back and strength is within about 10% of your best.
- **Stop and maintain** if you are already lean and strength is falling.

Moving to maintenance: add 100–200 kcal a week (mostly carbohydrates) until your 7-day average is stable for 2 weeks. Keep protein at 150 g+, both training sessions and your step count. Expect 1–2 kg to come back as glycogen and water. That is fine.

APPENDIX A: FOOD VALUES (PER 100 G)

FOOD	KCAL	PROTEIN	FAT	CARBS	FIBRE
Whole egg (1 large ≈ 50 g)	143	12.6	9.5	0.7	0
Egg whites (carton)	52	10.9	0.2	0.7	0
Lidl pork patty (from your Trainer macros)	224	17.4	16.7	1.2	0
Beef mince 5% (raw)	124	21.5	4.5	0	0
Sirloin (raw)	201	22	12.7	0	0
Rump, trimmed (raw)	125	22	4	0	0
Chicken breast (raw)	106	24	1.1	0	0
Cod (raw)	80	18	0.7	0	0
Salmon (raw)	208	20	13.4	0	0
Greek yogurt 0%	54	10.3	0.2	3	0
Broccoli	34	2.8	0.4	2.8	2.6
Spinach	23	2.9	0.4	1.6	2.2
Mixed berries	40	0.7	0.3	7	3
Psyllium husk	180	1.5	0.6	4	80
Olive oil	884	0	100	0	0
Almonds	612	21	55.8	6.9	7.4
Oats (dry)	375	11	8	60	9
Potatoes (boiled)	77	1.8	0.1	17	1.2
White rice (cooked)	130	2.7	0.3	28	0.4
Sweet potato (baked)	90	2	0.2	20.7	3.3

The full list is in `data/foods.csv`.

APPENDIX B: FILES IN THIS FOLDER

FILE	WHAT IT IS
docs/research-report.pdf	The evidence and reasoning.
docs/full-guide.pdf	This guide.
app-spec/product-spec.md	Specification for building the app in Claude Code or Grok.
data/*.csv , data/*.json	Foods, meal templates, workouts and decision rules: the single source for the app.
templates/*.csv	Blank logs for spreadsheets.
app/	The working app.