



Vibe Coding for User Experience Designers

Hackathon

Lecturer: Prof. Dr. Ignacio Alvarez,
Vanchha Chandrayan

UXD_VCUX_FW- SS26


Welcome to the 2nd UXD VibeCoding Hackathon



*The most exciting 3 hours of the summer semester
are about to start...*



Hackathon Plan



Hackathon's Mission



Build your own Vibecoding Project Tracker:
a tool that helps you monitor your own vibecoding projects through every stage, from intent to ship.

Start with a starter repo. End with a deployed tool you'll actually want to use in your final project.

Track your tasks


Add, edit, move, and complete vibecoding tasks on a Kanban board.

Anchor your prompts

Store the prompt + AI tool + outcome for every task.

Demo a working tool in 3 hours

Out of one repo, one demo, one pitch.



Hackathon Pre-requisites



- ☒ Working Laptops + chargers (obvious)
- ☒ Internet (you are building and deploying a Web app)
- ☒ Web browser (Chrome recommended)
- ☒ Working Github account (check authentication settings)
- ☒ Vibecoding Tool(s) – Cursor, Lovable, Replit, Antigravity, Claude, Gemini, ChatGPT, CODEX ...
- ☒ Terminal
- ☒ Depending on Arch. Choices software packet managers like Python's pip, Javascript's npm, and libraries (dependencies)

Hackathon Milestones



Phase 1 · Setup



Phase 2 · Plan



Phase 3 · Build



Phase 4 · Ship

Github-commit tags



Key milestone



Hackathon Starting Point

Fork the starter, clone it, run it



1. One person in the team forks the starter repo: <https://github.com/ignacioalvmar/vibecoding-project-tracker>
2. Add your teammates as collaborators on the fork
3. All, copy the team's repo address.
4. All, open your terminal, navigate to your project folder, then run:

```
git clone <your-git-repo-address>
```



Set-up tips

One person creates the repo and invites the other two as collaborators.

Everyone clones to their own laptop.

The **starter repo** contains a draft **PRD**, the Tailwind **setup**, the Task **data model**, and a **localStorage** helper.


It **saves ~30 min** of boilerplate so you can spend the time on the vibecoding parts.

Milestone 1

PHASE 1

git-linked

Connect your teams' repo to the Hackathon Portal



Profile Information
Update your name and profile picture

Profile Picture
Enter a URL to your profile image

Name
Ignacio Alvarez

Profile Image URL
https://avatars.githubusercontent.com/u/9892557?v=4
Enter a URL to an image hosted online

Email
ignacioalvmar@gmail.com
Email cannot be changed

GitHub Repository
Link your GitHub repository to track your progress

Repository URL
https://github.com/ignacioalvmar/hackathon_test


Current: https://github.com/ignacioalvmar/hackathon_test 0f

Cancel Save Changes

- › Register on the Hackathon Portal at vc-hackathon-hub.vercel.app
- › Register your repo
- › Add the webhook that pushes commit events to the dashboard
- › Edit something in your repo (e.g. README.md file)

```
git add .  
git commit -m "git-linked"  
git push
```

- › Repo appears on the Hackathon Portal dashboard
- › **Tag pushed: git-linked**



Milestone 2 – Review and Complete the PRD



PHASE 2

prd-done

Review the Product Requirement Document (PRD)

Person B can start M3 in parallel.

- › Open PRD.md. Read sections 1-7 together as a team, that's the locked spec.
- › Fill in PRD #8: your three teammate names + GitHub handles.
- › Fill in PRD #9: who owns each of M4 through M14 (defaults are suggested).
- › Fill in PRD #11: team name, one-line tagline.
- › **PRD.md has zero remaining <TODO> markers.**
- › **Every teammate agrees on the milestones they are taking care of.**

```
git add .  
git commit -m "prd-done"  
git push
```

- › **Tag pushed: prd-done**

Tips

- Remember the [PRD material](#)
- Complete draft or create yours from scratch



Word Template



PRD-Copilot



Vibe North Star

Milestone 3 – Design System



PHASE 2

design-done

Parallel to M2, Person B drafts the visual identity while the rest of the team reviews the PRD

- › Fill in **DESIGN.md**
 - #1: one-sentence mood.
- › Pick the colors in DESIGN.md #2: brand, surface, feature/bug, four due-date states.
- › Pick the typography in #3: heading font, body font, monospace font.
- › Write #4 component principles (3-4 sentences) and #5 microcopy lines.
- › Paste the hex values into tailwind.config.js so the rest of the team can use the tokens.


```
git add .  
git commit -m "design-done"  
git push
```

- › Tag pushed: design-done

Tips

- Remember the [DESIGN.md tutorial](#)
- Complete draft or create yours from scratch
- Use your AI tool or [Google Stitch](#)

Stitch BETA



Milestone 4 - Task data model + board view




PHASE 3

data-model

Get the Kanban on the screen. Everything else hangs off this.

› Test the repo locally

```
npm install
...
npm run dev
VITE v5.4.21 ready in 566 ms
→ Local: http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help
```



Build


› A task is an object with:

id, title, description, type (feature / bug), status, assignee, due date, created date

- › Render a Kanban board with four columns: To Do, In Progress, Review, Done.
- › Pre-populate three or four mock tasks so the board is not empty on first load.
- › Show at minimum the task title and the assignee on each card.

```
git add .
git commit -m "data-model"
git push
```

› Tag pushed: data-model



Milestone 5 - Add / edit / delete tasks via modal



PHASE 3

crud-modal

Make the board editable. Without this, the demo is static.

Build


- › A "+" button opens a modal with every field from M3.
- › Clicking a card opens the same modal in edit mode, pre-filled.
- › A delete button removes the task.
- › Use a status dropdown inside the modal — no drag-and-drop yet.
- › Persist everything to localStorage (or your shared backend).

Done?

- › "+" creates a new task that appears on the board.
- › Clicking a card opens an editable form.
- › Delete removes the task and the change persists.
- › Closing and reopening the browser keeps everything intact.

```
git add .
git commit -m "crud-modal"
git push
```

- › Tag pushed: crud-modal



Milestone 6 - Feature vs. bug visual distinction



PHASE 3

tag-style

Visual win. Make the board feel vibecoding-specific

Build


- › Tasks tagged "feature" use one accent color
- › Tasks tagged "bug" use a different accent color
- › Add a small icon in the corner of each card.
- › Apply the same color scheme in the board, the modal, and anywhere else the task is shown.

Done?

- › A "feature" and "bug" cards look visibly different
- › Color and icon are consistent everywhere a task is rendered.

```
git add .
git commit -m "tag-style"
git push
```

- › Tag pushed: tag-style



Milestone 7 – “Task Owner”



PHASE 3

task-owner

Who is doing what?

Build


- › Show the task assignee's initials / avatar prominently on each card.
- › Add a "Hand off to..." dropdown that reassigns the task to another teammate.
- › Optional: a strip at the top showing what each of the team members people is currently driving.

Done?

- › Every card shows whose task it is at a glance.
- › "Hand off to..." reassigns successfully.
- › Reassignment is acknowledged visually.

```
git add .
git commit -m "task-owner"
git push
```

- › **Tag pushed: task-owner**



Milestone 8 - Time-based color coding on cards



PHASE 3

due-tint

No new fields, just CSS based on the existing due date

Build


- › Clear visual language for when tasks are due
- › More than 2 days out: calm
- › Less than 24 hours: warning
- › Past due: alarm
- › Done: neutral

Done?

- › All four states are visibly distinct on the board.
- › Color updates automatically — user does nothing.
- › Done tasks always look neutral, even if previously overdue.

```
git add .  
git commit -m "due-tint"  
git push
```

- › Tag pushed: due-tint



Milestone 9 – Task Context field



PHASE 3

task-context

The vibecoding project differentiator. Copy context, paste into any AI tool, continue vibecoding.

Build


- › Add a **"Context"** section to the task modal: one **Markdown text area**.
- › Below it, an optional small **"AI tool"** dropdown (Claude, ChatGPT, Cursor, Lovable, Replit, Other).
- › Save a contextUpdatedAt **timestamp** automatically whenever the field is edited.
- › Show a small "last updated 2 h ago" hint near the field.
- › Pre-fill new tasks with a **placeholder template** (e.g. Background / Constraints / Tried so far / Pick up).

Done?

- › Context textarea visible in the modal, with a clear label.
- › Content survives reload and shows up when the task is reopened.
- › AI tool dropdown saves to contextTool.
- › Last-updated message visible next to the field.

```
git add .
git commit -m "task-context"
git push
```

- › **Tag pushed: task-context**



Stretch

Add a Markdown preview pane next to the textarea so writers see the formatting live.

Milestone 10 – "Copy Context" button



PHASE 3

copy-context

Click the button, paste into any AI chat.

Build


- › Add a button on each card (and inside the modal) labeled "Copy Context"
- › Pressing it copies the Markdown context block to clipboard.
- › Block includes: title, description, and the full Context field.
- › Format the output cleanly so it reads as a natural briefing when pasted into your AI

Done?

- › Button visible on every card and inside the modal.
- › Pressing it copies the Markdown block (verify by pasting into a text editor).
- › Pasted text reads cleanly in an AI chat.

```
git add .
git commit -m "copy-context"
git push
```

- › Tag pushed: copy-context



Stretch

Small "Copied to clipboard!" toast notification on success.

Milestone 11 – “Deliverable Anchor” Board



PHASE 3

project-deliverables

A home for the four final-project deliverables, pinned as a top banner..

Build


- › Add 4 cards / elements pinned at the top of the page: Presentation, Demo, Report, Documentation.
- › Each card has a single URL input field.
- › Each has a status indicator (empty / filled dot) that changes when a link is added.

Done?

- › Four labeled cards always visible above the Kanban board.
- › Each card accepts and saves a URL.
- › Status indicator changes when a link is present.
- › Links survive a page reload.

```
git add .
git commit -m "project-deliverables"
git push
```

- › Tag pushed: project-deliverables



Milestone 12 – Secret Sauce



PHASE 3

secret-sauce

Make it unique, make it stand out, make it yours..


Build

› Create a unique value interaction that makes your project tool different e.g.:

- drag cards across kanban to place them
- collapsable content
- sounds for actions
- ...

```
git add .  
git commit -m "secret-sauce"  
git push
```

› Tag pushed: project-deliverables



Milestone 13 – Pitch

PHASE 4

pitch-ready

The last 15 minutes are the most important

- › Pre-populate the board with a demoable tasks (~3 per column)
- › At least one task with a prompt context filled in for the live demo.
- › Prepare your pitch

```
git add .  
git commit -m "pitch-ready"  
git push
```

- › Tag pushed: pitch-ready

DONE

- › Top 5 (all / most milestones in shortest time) will pitch
- › All will vote their favorite
- › Winner price reveal after



