

Patient Information	Specimen Information	Client Information
DILORENZO, DAMON DOB: 05/26/1986 AGE: 39 Gender: M Fasting: U Phone: 917.224.9901 Patient ID: FS24-13096411 Health ID: 8573039079305221	Specimen: LL997653D Requisition: 0019262 Lab Ref #: FS24.FSXAA3GPPJ Collected: 05/14/2026 / 10:16 EDT Received: 05/15/2026 / 00:54 EDT Reported: 05/20/2026 / 06:30 EDT	Client #: 73929798 MAIL992 FADUL, RAFID FULLSCRIPT-HQ 1750 ELM ST FL 12 MANCHESTER, NH 03104-2907

COMMENTS: FASTING:UNKNOWN

Test Name	In Range	Out Of Range	Reference Range	Lab
TESTOSTERONE, FREE, BIOAVAILABLE AND TOTAL, MS				
ALBUMIN	4.9		3.6-5.1 g/dL	Z3E
SEX HORMONE BINDING GLOBULIN	27		10-50 nmol/L	Z3E
TESTOSTERONE, FREE AND BIOAVAILABLE				Z3E
TESTOSTERONE, FREE	69.6		46.0-224.0 pg/mL	
TESTOSTERONE, BIOAVAILABLE	155.2		110.0-575.0 ng/dL	
TESTOSTERONE, TOTAL, MS	458		250-1100 ng/dL	Z3E

For additional information, please refer to
<https://education.questdiagnostics.com/faq/FAQ165>
(This link is being provided for informational/educational purposes only.)
(Note)

This test was developed and its analytical performance characteristics have been determined by medfusion. It has not been cleared or approved by the FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

MDF
med fusion
2501 South State Highway 121, Suite 1100
Lewisville TX 75067
972-966-7300
Ithiel James L. Frame, MD, PhD

COMPREHENSIVE METABOLIC PANEL				LL3
GLUCOSE	88		65-99 mg/dL	
			Fasting reference interval	
UREA NITROGEN (BUN)	16		7-25 mg/dL	
CREATININE	1.09		0.60-1.26 mg/dL	
EGFR	89		> OR = 60 mL/min/1.73m2	
BUN/CREATININE RATIO	SEE NOTE:		6-22 (calc)	
	Not Reported: BUN and Creatinine are within reference range.			
SODIUM	140		135-146 mmol/L	
POTASSIUM	4.2		3.5-5.3 mmol/L	
CHLORIDE	103		98-110 mmol/L	
CARBON DIOXIDE	28		20-32 mmol/L	
CALCIUM	9.7		8.6-10.3 mg/dL	
PROTEIN, TOTAL	7.1		6.1-8.1 g/dL	
ALBUMIN	4.8		3.6-5.1 g/dL	
GLOBULIN	2.3		1.9-3.7 g/dL (calc)	
ALBUMIN/GLOBULIN RATIO	2.1		1.0-2.5 (calc)	
BILIRUBIN, TOTAL	0.6		0.2-1.2 mg/dL	
ALKALINE PHOSPHATASE	41		36-130 U/L	

Patient Information	Specimen Information	Client Information
DILORENZO, DAMON DOB: 05/26/1986 AGE: 39 Gender: M Fasting: U Patient ID: FS24-13096411 Health ID: 8573039079305221	Specimen: LL997653D Collected: 05/14/2026 / 10:16 EDT Received: 05/15/2026 / 00:54 EDT Reported: 05/20/2026 / 06:30 EDT	Client #: 73929798 FADUL, RAFID

Test Name	In Range	Out Of Range	Reference Range	Lab
AST	20		10-40 U/L	
ALT	19		9-46 U/L	
HEMOGLOBIN A1c	5.0		<5.7 %	LL3

For the purpose of screening for the presence of diabetes:

<5.7% Consistent with the absence of diabetes
5.7-6.4% Consistent with increased risk for diabetes (prediabetes)
> or =6.5% Consistent with diabetes

This assay result is consistent with a decreased risk of diabetes.

Currently, no consensus exists regarding use of hemoglobin A1c for diagnosis of diabetes in children.

According to American Diabetes Association (ADA) guidelines, hemoglobin A1c <7.0% represents optimal control in non-pregnant diabetic patients. Different metrics may apply to specific patient populations. Standards of Medical Care in Diabetes(ADA).

TSH W/REFLEX TO FT4	0.91		0.40-4.50 mIU/L	LL3
CBC (INCLUDES DIFF/PLT)				LL3
WHITE BLOOD CELL COUNT	4.9		3.8-10.8 Thousand/uL	
RED BLOOD CELL COUNT	4.32		4.20-5.80 Million/uL	
HEMOGLOBIN	13.9		13.2-17.1 g/dL	
HEMATOCRIT	39.8		39.4-51.1 %	
MCV	92.1		81.4-101.7 fL	
MCH	32.2		27.0-33.0 pg	
MCHC	34.9		31.6-35.4 g/dL	
RDW	12.2		11.0-15.0 %	
PLATELET COUNT	173		140-400 Thousand/uL	
MPV	11.1		7.5-12.5 fL	
ABSOLUTE NEUTROPHILS	2881		1500-7800 cells/uL	
ABSOLUTE LYMPHOCYTES	1519		850-3900 cells/uL	
ABSOLUTE MONOCYTES	319		200-950 cells/uL	
ABSOLUTE EOSINOPHILS	152		15-500 cells/uL	
ABSOLUTE BASOPHILS	29		0-200 cells/uL	
NEUTROPHILS	58.8		%	
LYMPHOCYTES	31.0		%	
MONOCYTES	6.5		%	
EOSINOPHILS	3.1		%	
BASOPHILS	0.6		%	
VITAMIN B12	698		200-1100 pg/mL	LL3
FOLATE, SERUM	>24.0		ng/mL	LL3
			Reference Range	
			Low: <3.4	
			Borderline: 3.4-5.4	
			Normal: >5.4	

ESTRADIOL	<30		< OR = 39 pg/mL	LL3
Reference range established on post-pubertal patient population. No pre-pubertal reference range established using this assay. For any patients for				

Patient Information	Specimen Information	Client Information
DILORENZO, DAMON DOB: 05/26/1986 AGE: 39 Gender: M Fasting: U Patient ID: FS24-13096411 Health ID: 8573039079305221	Specimen: LL997653D Collected: 05/14/2026 / 10:16 EDT Received: 05/15/2026 / 00:54 EDT Reported: 05/20/2026 / 06:30 EDT	Client #: 73929798 FADUL, RAFID

Test Name	In Range	Out Of Range	Reference Range	Lab
whom low Estradiol levels are anticipated (e.g. males, pre-pubertal children and hypogonadal/post-menopausal females), the Quest Diagnostics Nichols Institute Estradiol, Ultrasensitive, LCMSMS assay is recommended (order code 30289). Please note: patients being treated with the drug fulvestrant (Faslodex(R)) have demonstrated significant interference in immunoassay methods for estradiol measurement. The cross reactivity could lead to falsely elevated estradiol test results leading to an inappropriate clinical assessment of estrogen status. Quest Diagnostics order code 30289-Estradiol, Ultrasensitive LC/MS/MS demonstrates negligible cross reactivity with fulvestrant.				
PSA, TOTAL	0.41		< OR = 4.00 ng/mL	LL3
The total PSA value from this assay system is standardized against the WHO standard. The test result will be approximately 20% lower when compared to the equimolar-standardized total PSA (Beckman Coulter). Comparison of serial PSA results should be interpreted with this fact in mind. This test was performed using the Siemens chemiluminescent method. Values obtained from different assay methods cannot be used interchangeably. PSA levels, regardless of value, should not be interpreted as absolute evidence of the presence or absence of disease.				

Patient Information	Specimen Information	Client Information
DILORENZO, DAMON DOB: 05/26/1986 AGE: 39 Gender: M Fasting: U Patient ID: FS24-13096411 Health ID: 8573039079305221	Specimen: LL997653D Collected: 05/14/2026 / 10:16 EDT Received: 05/15/2026 / 00:54 EDT Reported: 05/20/2026 / 06:30 EDT	Client #: 73929798 FADUL, RAFID

Endocrinology

Test Name	Result	Reference Range	Lab
VITAMIN D,25-OH,TOTAL,IA	59	30-100 ng/mL	LL3
Vitamin D Status 25-OH Vitamin D: Deficiency: <20 ng/mL Insufficiency: 20 - 29 ng/mL Optimal: > or = 30 ng/mL For 25-OH Vitamin D testing on patients on D2-supplementation and patients for whom quantitation of D2 and D3 fractions is required, the QuestAssureD(TM) 25-OH VIT D, (D2,D3), LC/MS/MS is recommended: order code 92888 (patients >2yrs).			
For additional information, please refer to http://education.QuestDiagnostics.com/faq/FAQ199 (This link is being provided for informational/ educational purposes only.)			
Physician Comments:			

Patient Information	Specimen Information	Client Information
DILORENZO, DAMON DOB: 05/26/1986 AGE: 39 Gender: M Fasting: U Patient ID: FS24-13096411 Health ID: 8573039079305221	Specimen: LL997653D Collected: 05/14/2026 / 10:16 EDT Received: 05/15/2026 / 00:54 EDT Reported: 05/20/2026 / 06:30 EDT	Client #: 73929798 FADUL, RAFID

Cardio IQ®

Test Name	Current		Risk/Reference Interval			Units	Historical
	Result & Risk		Optimal	Moderate	High		
	Optimal	Non-Optimal					Result & Risk
LIPID PANEL							
CHOLESTEROL, TOTAL	180		<200	N/A	>=200	mg/dL	
HDL CHOLESTEROL	59		>=40	N/A	<40	mg/dL	
TRIGLYCERIDES	56		<150	150-199	>=200	mg/dL	
LDL-CHOLESTEROL		107	<100	100-129	>129	mg/dL (calc)	
CHOL/HDLC RATIO	3.1		<=3.5	3.6-5.0	>5.0	calc	
NON-HDL CHOLESTEROL	121		<130	130-189	>=190	mg/dL (calc)	
INFLAMMATION							
HS CRP	<0.2		<1.0	1.0-3.0	>3.0	mg/L	
METABOLIC MARKERS							
INSULIN	3.3		<=18.4	N/A	>18.4	uIU/mL	

For details on reference ranges please refer to the reference range/comment section of the report.

Medical Information For Healthcare Providers: If you have questions about any of the tests in our Cardio IQ offering, please call Client Services at our Quest Diagnostics-Cleveland HeartLab Cardiometabolic Center of Excellence. They can be reached at 866.358.9828, option 1 to arrange a consult with our clinical education team.

Patient Information	Specimen Information	Client Information
DILORENZO, DAMON DOB: 05/26/1986 AGE: 39 Gender: M Fasting: U Patient ID: FS24-13096411 Health ID: 8573039079305221	Specimen: LL997653D Collected: 05/14/2026 / 10:16 EDT Received: 05/15/2026 / 00:54 EDT Reported: 05/20/2026 / 06:30 EDT	Client #: 73929798 FADUL, RAFID

Reference Range/Comments				
Analyte Name	In Range	Out Range	Reference Range	Lab
LDL-CHOLESTEROL		107	<100 mg/dL (calc)	Z4M
Desirable range <100 mg/dL for primary prevention; <70 mg/dL for patients with CHD or diabetic patients with >= 2 CHD risk factors. LDL-C is now calculated using the Martin-Hopkins calculation, which is a validated novel method providing better accuracy than the Friedewald equation in the estimation of LDL-C. Martin SS et al. JAMA. 2013;310(19): 2061-2068 (http://education.QuestDiagnostics.com/faq/FAQ164)				
CHOL/HDL-C RATIO	3.1		<5.0 calc	Z4M
CHOLESTEROL, TOTAL	180		<200 mg/dL	Z4M
HDL CHOLESTEROL	59		>39 mg/dL	Z4M
HS CRP	<0.2		<1.0 mg/L	Z4M
Reference Range: Optimal <1.0 mg/L, according to Jellinger PS et al. Endocr Pract.2017;23(Suppl 2):1-87. The AHA/CDC Guidelines recommend hs-CRP ranges for identifying Relative Cardiovascular Risk in patients ages >17 years: <1.0 mg/L Lower Relative Cardiovascular Risk; 1.0-3.0 mg/L Average Relative Cardiovascular Risk; 3.1-10.0 mg/L Higher Relative Cardiovascular Risk. If result is between 3.1 and 10.0 mg/L, consider retesting in 1-2 weeks to exclude a benign transient elevation secondary to infection or inflammation from the baseline CRP value. Persistent elevations of >10.0 mg/L upon retesting may be associated with infection and inflammation. The AHA/CDC recommendations are based on Pearson TA, Mensah GA, Alexander RW, et al. Markers of inflammation and cardiovascular disease: application to clinical and public health practice: A statement for healthcare professionals from the Centers for Disease Control and Prevention and the American Heart Association. Circulation 2003; 107(3): 499-511.				
INSULIN	3.3		<18.5 uIU/mL	Z4M
NON HDL CHOLESTEROL	121		<130 mg/dL (calc)	Z4M
For patients with diabetes plus 1 major ASCVD risk factor, treating to a non-HDL-C goal of <100 mg/dL (LDL-C of <70 mg/dL) is considered a therapeutic option.				
TRIGLYCERIDES	56		<150 mg/dL	Z4M

PERFORMING SITE:

LL3 QUEST DIAGNOSTICS GREENSBORO, 4380 FEDERAL DRIVE SUITE 100, GREENSBORO, NC 27410-8149 Laboratory Director: JANICE J HESSLING,MD,PHD, CLIA: 34D0932172
Z3E MEDFUSION, 2501 SOUTH STATE HIGHWAY 121 SUITE 1100, LEWISVILLE, TX 75067-8065 Laboratory Director: ITHIEL J FRAME,MD,PHD, CLIA: 45D2004217
Z4M CLEVELAND HEARTLAB INC, 6701 CARNEGIE AVENUE SUITE 500, CLEVELAND, OH 44103-4623 Laboratory Director: M. QASIM ANSARI, MD , CLIA: 36D1032987