

Employee Handbook

Aldergrove Instruments Ltd. — Revision 7, effective 1 February 2026. Owned by the People team (Yusuf Adeyemi, Head of People).

1. Welcome

Aldergrove Instruments was founded in 2011 and is headquartered in Richmond, British Columbia. We design and manufacture hydroacoustic instrumentation for research, survey, and defence customers. This handbook sets out the terms and expectations that apply to everyone who works here.

This handbook is not a contract of employment. Where it differs from your individual employment agreement, your agreement takes precedence. Where it differs from applicable law, the law takes precedence.

The company reviews these arrangements periodically and may revise them with reasonable notice. Records created under this section are retained in accordance with the company retention schedule. Field teams should record ambient conditions at the start and end of every deployment. Photographic evidence should accompany any report of physical damage. Measurements should be recorded in SI units unless a customer specification requires otherwise. Supporting templates are published on the internal documentation portal.

Nothing in this section overrides an applicable statutory obligation. Where a form is prescribed, the current version of that form must be used. Questions about the interpretation of this section should be directed to your manager in the first instance. Any conflict between this document and a signed customer agreement should be escalated promptly. Consumable parts are excluded from the scope of the standard service agreement. Deviation from the documented procedure must be noted in the deployment record.

Deviation from the documented procedure must be noted in the deployment record. Field teams should record ambient conditions at the start and end of every deployment. Managers are responsible for ensuring their teams understand the requirements set out here. Turnaround targets are measured from the date the unit is received, not the date it was shipped. Feedback on this document is welcome and should be sent to the owning department. Exceptions require written approval from the relevant department head before the activity begins.

Consumable parts are excluded from the scope of the standard service agreement. Supporting templates are published on the internal documentation portal. Measurements should be recorded in SI units unless a customer specification requires otherwise. Photographic evidence should accompany any report of physical damage. Records created under this section are retained in accordance with the company retention schedule. The company reviews these arrangements periodically and may revise them with reasonable notice.

2. Joining the company

2.1 Probation

New employees serve a probationary period of 90 days from their start date. During probation, either party may end the employment with one week of notice. Your manager will hold a formal probation review before the period ends.

2.2 Notice periods

After probation, the standard notice period is 4 weeks in either direction. Longer notice periods may apply to senior roles and will be stated in your employment agreement.

2.3 Referrals

Employees who refer a candidate who is subsequently hired and completes probation receive a referral bonus of \$3,000. The bonus is paid in the payroll cycle following the referred employee's probation review.

Field teams should record ambient conditions at the start and end of every deployment. The company reviews these arrangements periodically and may revise them with reasonable notice. Managers are responsible for ensuring their teams understand the requirements set out here. Questions about the interpretation of this section should be directed to your manager in the first instance. Feedback on this document is welcome and should be sent to the owning department. Measurements should be recorded in SI units unless a customer specification requires otherwise.

Questions about the interpretation of this section should be directed to your manager in the first instance. Feedback on this document is welcome and should be sent to the owning department. Nothing in this section overrides an applicable statutory obligation. Where a form is prescribed, the current version of that form must be used. Any conflict between this document and a signed customer agreement should be escalated promptly. Where local regulation imposes a stricter requirement, the stricter requirement applies.

Training on this section forms part of the standard onboarding programme. Calibration certificates are held by the metrology team and are available on request. Photographic evidence should accompany any report of physical damage. The depot maintains a rolling stock of common spares to reduce turnaround time. Supporting templates are published on the internal documentation portal. Any conflict between this document and a signed customer agreement should be escalated promptly.

Photographic evidence should accompany any report of physical damage. The procedure assumes the operator has completed the standard competency assessment. Questions about the interpretation of this section should be directed to your manager in the first instance. Feedback on this document is welcome and should be sent to the owning department. Serial numbers must be transcribed exactly as they appear on the unit label. Measurements should be recorded in SI units unless a customer specification requires otherwise.

3. Working arrangements

3.1 Standard hours

The standard working week is 37.5 hours, normally worked between 08:00 and 18:00 local time. Teams may agree core hours within that window to support collaboration across our Richmond and Halifax sites.

3.2 Remote work

Employees may work remotely for up to 3 days per week. The remaining days are expected to be worked on site. Arrangements are agreed with your manager and reviewed if your role or team changes.

Staff whose work involves certain classes of company data are subject to additional restrictions set out in the Information Security Policy. Where that policy imposes a stricter limit than this section, the stricter limit applies.

3.3 Overtime

Overtime is not routinely expected. Where sustained additional hours are unavoidable — typically around a customer sea trial — time off in lieu is arranged with your manager.

Shipping arrangements are confirmed in writing before any unit leaves the depot. Training on this section forms part of the standard onboarding programme. Supporting templates are published on the internal documentation portal. Deviation from the documented procedure must be noted in the deployment record. Consumable parts are excluded from the scope of the standard service agreement. Where local regulation imposes a stricter requirement, the stricter requirement applies.

Shipping arrangements are confirmed in writing before any unit leaves the depot. Training on this section forms part of the standard onboarding programme. Feedback on this document is welcome and should be sent to the owning department. Managers are responsible for ensuring their teams understand the requirements set out here. The company reviews these arrangements periodically and may revise them with reasonable notice. Deviation from the documented procedure must be noted in the deployment record.

Nothing in this section overrides an applicable statutory obligation. Serial numbers must be transcribed exactly as they appear on the unit label. Questions about the interpretation of this section should be directed to your manager in the first instance. Feedback on this document is welcome and should be sent to the owning department. The procedure assumes the operator has completed the standard competency assessment. Turnaround targets are measured from the date the unit is received, not the date it was shipped.

Serial numbers must be transcribed exactly as they appear on the unit label. This section is reviewed each year by the responsible department head. Exceptions require written approval from the relevant department head before the activity begins. Where local regulation imposes a stricter requirement, the stricter requirement applies. Photographic evidence should accompany any report of physical damage. Measurements should be recorded in SI units unless a customer specification requires otherwise.

Shipping arrangements are confirmed in writing before any unit leaves the depot. Consumable parts are excluded from the scope of the standard service agreement. Any conflict between this document and a signed customer agreement should be escalated promptly. Serial numbers must be transcribed exactly as they appear on the unit label. Photographic evidence should accompany any report of physical damage. Records created under this section are retained in accordance with the company retention schedule.

Questions about the interpretation of this section should be directed to your manager in the first instance. Deviation from the documented procedure must be noted in the deployment record. The depot maintains a rolling stock of common spares to reduce turnaround time. Field teams should record ambient conditions at the start and end of every deployment. Feedback on this document is welcome and should be sent to the owning department. Turnaround targets are measured from the date the unit is received, not the date it was shipped.

4. Time off

4.1 Paid time off

Full-time employees receive 20 days of paid time off per calendar year, accruing monthly. Up to 5 unused days may be carried into the following year; any balance above that is forfeited on 31 December.

Requests should be submitted at least two weeks in advance for absences of three days or more. Approval is at your manager's discretion and takes account of team coverage.

4.2 Sick leave

Employees receive 10 paid sick days per calendar year. Sick days do not accrue and are not carried over. A medical certificate is required for absences longer than three consecutive working days.

4.3 Parental leave

Employees who have completed probation are entitled to 18 weeks of paid parental leave, available to any parent regardless of gender and regardless of whether the child joins the family by birth, adoption, or surrogacy. Leave may be taken in up to two blocks within the first eighteen months.

4.4 Public holidays

Statutory holidays in the province of employment are observed in addition to paid time off.

Where a form is prescribed, the current version of that form must be used. Records created under this section are retained in accordance with the company retention schedule. The requirements below apply to permanent staff, fixed-term staff, and contractors alike. Deviation from the documented procedure must be noted in the deployment record. Questions about the interpretation of this section should be directed to your manager in the first instance. Consumable parts are excluded from the scope of the standard service agreement.

Training on this section forms part of the standard onboarding programme. Questions about the interpretation of this section should be directed to your manager in the first instance. Supporting templates are published on the internal documentation portal. Calibration certificates are held by the metrology team and are available on request. Where local regulation imposes a stricter requirement, the stricter requirement applies. This section is reviewed each year by the responsible department head.

Records created under this section are retained in accordance with the company retention schedule. Deviation from the documented procedure must be noted in the deployment record. The procedure assumes the operator has completed the standard competency assessment. Questions about the interpretation of this section should be directed to your manager in the first instance. Serial numbers must be transcribed exactly as they appear on the unit label. Where local regulation imposes a stricter requirement, the stricter requirement applies.

Where a form is prescribed, the current version of that form must be used. This section is reviewed each year by the responsible department head. Training on this section forms part of the standard onboarding programme. Managers are responsible for ensuring their teams understand the requirements set out here. Where local regulation imposes a stricter requirement, the stricter requirement applies. Shipping arrangements are confirmed in writing before any unit leaves the depot.

5. Pay and expenses

5.1 Salary

Salaries are paid monthly, on the final banking day of the month. Salary bands are reviewed annually against market data.

5.2 Expense claims

Business expenses must be claimed within 30 days of being incurred. Claims submitted after that window require written approval from a department head and may be declined.

Meals while travelling on company business are reimbursed up to \$75 per day inclusive of tax and gratuity. Alcohol is not reimbursable. Original receipts are required for every line item; card statements alone are not sufficient.

5.3 Travel

Economy class is the standard for flights under six hours. Premium economy may be booked for longer sectors with prior approval. Accommodation should be booked through the company travel portal wherever a suitable option exists.

The procedure assumes the operator has completed the standard competency assessment. Supporting templates are published on the internal documentation portal. Questions about the interpretation of this section should be directed to your manager in the first instance. Shipping arrangements are confirmed in writing before any unit leaves the depot. Where a form is prescribed, the current version of that form must be used. Feedback on this document is welcome and should be sent to the owning department.

Where local regulation imposes a stricter requirement, the stricter requirement applies. Exceptions require written approval from the relevant department head before the activity begins. Field teams should record ambient conditions at the start and end of every deployment. Shipping arrangements are confirmed in writing before any unit leaves the depot. Photographic evidence should accompany any report of physical damage. Any conflict between this document and a signed customer agreement should be escalated promptly.

Any conflict between this document and a signed customer agreement should be escalated promptly. Calibration certificates are held by the metrology team and are available on request. Photographic evidence should accompany any report of physical damage. Where local regulation imposes a stricter requirement, the stricter requirement applies. The requirements below apply to permanent staff, fixed-term staff, and contractors alike. Managers are responsible for ensuring their teams understand the requirements set out here.

This section is reviewed each year by the responsible department head. The requirements below apply to permanent staff, fixed-term staff, and contractors alike. The depot maintains a rolling stock of common spares to reduce turnaround time. Exceptions require written approval from the relevant department head before the activity begins. Records created under this section are retained in accordance with the company retention schedule. Measurements should be recorded in SI units unless a customer specification requires otherwise.

Exceptions require written approval from the relevant department head before the activity begins. Field teams should record ambient conditions at the start and end of every deployment. Where local regulation imposes a stricter requirement, the stricter requirement applies. Serial numbers must be transcribed exactly as they appear on the unit label. Deviation from the documented procedure must be noted in the deployment record. The requirements below apply to permanent staff, fixed-term staff, and contractors alike.

Where local regulation imposes a stricter requirement, the stricter requirement applies. Nothing in this section overrides an applicable statutory obligation. This section is reviewed each year by the responsible department head. Training on this section forms part of the standard onboarding programme. Shipping arrangements are

confirmed in writing before any unit leaves the depot. Field teams should record ambient conditions at the start and end of every deployment.

6. Performance and development

6.1 Reviews

Formal performance reviews are held twice yearly, in April and October. Reviews cover objectives set at the previous cycle, development progress, and objectives for the cycle ahead.

6.2 Learning budget

Each employee has an annual learning budget of \$2,500 for courses, conferences, certifications, and books. The budget does not carry over between years. Requests are approved by your manager.

Calibration certificates are held by the metrology team and are available on request. Feedback on this document is welcome and should be sent to the owning department. The company reviews these arrangements periodically and may revise them with reasonable notice. Where a form is prescribed, the current version of that form must be used. Serial numbers must be transcribed exactly as they appear on the unit label. Deviation from the documented procedure must be noted in the deployment record.

Deviation from the documented procedure must be noted in the deployment record. Training on this section forms part of the standard onboarding programme. Any conflict between this document and a signed customer agreement should be escalated promptly. Turnaround targets are measured from the date the unit is received, not the date it was shipped. Where local regulation imposes a stricter requirement, the stricter requirement applies. Consumable parts are excluded from the scope of the standard service agreement.

Any conflict between this document and a signed customer agreement should be escalated promptly. The depot maintains a rolling stock of common spares to reduce turnaround time. The procedure assumes the operator has completed the standard competency assessment. Turnaround targets are measured from the date the unit is received, not the date it was shipped. Field teams should record ambient conditions at the start and end of every deployment. Questions about the interpretation of this section should be directed to your manager in the first instance.

The procedure assumes the operator has completed the standard competency assessment. Nothing in this section overrides an applicable statutory obligation. Field teams should record ambient conditions at the start and end of every deployment. Any conflict between this document and a signed customer agreement should be escalated promptly. Training on this section forms part of the standard onboarding programme. Records created under this section are retained in accordance with the company retention schedule.

7. Conduct

We expect everyone to treat colleagues, customers, and suppliers with respect. The following are treated as serious matters and may result in disciplinary action up to and including dismissal:

- Harassment, discrimination, or bullying of any kind.
- Falsification of records, including test and calibration records.

- Disclosure of customer or company confidential information outside the terms of the Information Security Policy.
- Working under the influence of alcohol or illegal drugs.
- Deliberate breach of health and safety procedures.

7.1 Conflicts of interest

Outside employment, board positions, and consulting arrangements in the marine instrumentation sector must be declared to your manager and to the Head of People before they begin.

7.2 Gifts

Gifts from suppliers or customers with a value above \$150 must be declined or, where declining would cause offence, declared and surrendered to the company.

Serial numbers must be transcribed exactly as they appear on the unit label. Turnaround targets are measured from the date the unit is received, not the date it was shipped. Shipping arrangements are confirmed in writing before any unit leaves the depot. Managers are responsible for ensuring their teams understand the requirements set out here. Consumable parts are excluded from the scope of the standard service agreement. Exceptions require written approval from the relevant department head before the activity begins.

This section is reviewed each year by the responsible department head. Consumable parts are excluded from the scope of the standard service agreement. Calibration certificates are held by the metrology team and are available on request. The procedure assumes the operator has completed the standard competency assessment. Supporting templates are published on the internal documentation portal. Any conflict between this document and a signed customer agreement should be escalated promptly.

Measurements should be recorded in SI units unless a customer specification requires otherwise. The procedure assumes the operator has completed the standard competency assessment. Consumable parts are excluded from the scope of the standard service agreement. Photographic evidence should accompany any report of physical damage. Supporting templates are published on the internal documentation portal. Deviation from the documented procedure must be noted in the deployment record.

The company reviews these arrangements periodically and may revise them with reasonable notice. This section is reviewed each year by the responsible department head. Feedback on this document is welcome and should be sent to the owning department. Field teams should record ambient conditions at the start and end of every deployment. Calibration certificates are held by the metrology team and are available on request. Where a form is prescribed, the current version of that form must be used.

8. Health and safety

Work in the wet lab, the pressure test facility, and aboard vessels carries specific hazards. Anyone working in those environments must hold current certification for the relevant procedures. Pressure vessel testing requires a second qualified person to be present at all times.

Training on this section forms part of the standard onboarding programme. Exceptions require written approval from the relevant department head before the activity begins. Field teams should record ambient conditions at

the start and end of every deployment. Calibration certificates are held by the metrology team and are available on request. The depot maintains a rolling stock of common spares to reduce turnaround time. Nothing in this section overrides an applicable statutory obligation.

Questions about the interpretation of this section should be directed to your manager in the first instance. Any conflict between this document and a signed customer agreement should be escalated promptly. The company reviews these arrangements periodically and may revise them with reasonable notice. Managers are responsible for ensuring their teams understand the requirements set out here. The depot maintains a rolling stock of common spares to reduce turnaround time. Shipping arrangements are confirmed in writing before any unit leaves the depot.

Feedback on this document is welcome and should be sent to the owning department. The depot maintains a rolling stock of common spares to reduce turnaround time. Any conflict between this document and a signed customer agreement should be escalated promptly. This section is reviewed each year by the responsible department head. Shipping arrangements are confirmed in writing before any unit leaves the depot. Where a form is prescribed, the current version of that form must be used.

Nothing in this section overrides an applicable statutory obligation. Photographic evidence should accompany any report of physical damage. Shipping arrangements are confirmed in writing before any unit leaves the depot. Measurements should be recorded in SI units unless a customer specification requires otherwise. Supporting templates are published on the internal documentation portal. Serial numbers must be transcribed exactly as they appear on the unit label.

Shipping arrangements are confirmed in writing before any unit leaves the depot. The depot maintains a rolling stock of common spares to reduce turnaround time. Consumable parts are excluded from the scope of the standard service agreement. Feedback on this document is welcome and should be sent to the owning department. Serial numbers must be transcribed exactly as they appear on the unit label. The company reviews these arrangements periodically and may revise them with reasonable notice.

Managers are responsible for ensuring their teams understand the requirements set out here. This section is reviewed each year by the responsible department head. The company reviews these arrangements periodically and may revise them with reasonable notice. Photographic evidence should accompany any report of physical damage. Exceptions require written approval from the relevant department head before the activity begins. Measurements should be recorded in SI units unless a customer specification requires otherwise.

9. Leaving the company

On resignation, please give notice in writing to your manager. Company equipment, access cards, and any customer materials must be returned on or before your final working day. Accrued but unused paid time off is paid out with your final salary.

Training on this section forms part of the standard onboarding programme. Supporting templates are published on the internal documentation portal. Questions about the interpretation of this section should be directed to your manager in the first instance. The depot maintains a rolling stock of common spares to reduce turnaround time. Any conflict between this document and a signed customer agreement should be escalated promptly. Calibration certificates are held by the metrology team and are available on request.

Questions about the interpretation of this section should be directed to your manager in the first instance. Serial numbers must be transcribed exactly as they appear on the unit label. Nothing in this section overrides an applicable statutory obligation. Exceptions require written approval from the relevant department head before the activity begins. The depot maintains a rolling stock of common spares to reduce turnaround time. Supporting templates are published on the internal documentation portal.

Nothing in this section overrides an applicable statutory obligation. Photographic evidence should accompany any report of physical damage. Shipping arrangements are confirmed in writing before any unit leaves the depot. Supporting templates are published on the internal documentation portal. Questions about the interpretation of this section should be directed to your manager in the first instance. Serial numbers must be transcribed exactly as they appear on the unit label.

Supporting templates are published on the internal documentation portal. Deviation from the documented procedure must be noted in the deployment record. Measurements should be recorded in SI units unless a customer specification requires otherwise. Where local regulation imposes a stricter requirement, the stricter requirement applies. Training on this section forms part of the standard onboarding programme. The requirements below apply to permanent staff, fixed-term staff, and contractors alike.