

Leadership Team Meeting — Minutes

Aldergrove Instruments Ltd. — Q1 2026 meeting held on 14 January 2026 at Richmond HQ, Boardroom 2. Chaired by Priya Raghunathan.

1. Attendance

- Priya Raghunathan (CEO, chair)
- Marcus Bellweather (CFO)
- Dana Okonkwo (VP Engineering)
- Yusuf Adeyemi (Head of People)
- Renata Solberg (CISO)
- Helen Draycott (VP Sales)

Apologies: Tomás Iglesias (VP Operations).

2. Minutes of the previous meeting

The minutes of the Q4 2025 meeting were approved without amendment.

3. Matters arising

The Atlantic facility fit-out was confirmed complete. The service depot at that site is now accepting instruments directly from customers rather than routing them through Richmond.

Feedback on this document is welcome and should be sent to the owning department. Where a form is prescribed, the current version of that form must be used. The company reviews these arrangements periodically and may revise them with reasonable notice. The procedure assumes the operator has completed the standard competency assessment. Questions about the interpretation of this section should be directed to your manager in the first instance. Nothing in this section overrides an applicable statutory obligation.

Consumable parts are excluded from the scope of the standard service agreement. Training on this section forms part of the standard onboarding programme. Any conflict between this document and a signed customer agreement should be escalated promptly. Questions about the interpretation of this section should be directed to your manager in the first instance. Supporting templates are published on the internal documentation portal. This section is reviewed each year by the responsible department head.

Managers are responsible for ensuring their teams understand the requirements set out here. The procedure assumes the operator has completed the standard competency assessment. Deviation from the documented procedure must be noted in the deployment record. Calibration certificates are held by the metrology team and are available on request. Photographic evidence should accompany any report of physical damage. Consumable parts are excluded from the scope of the standard service agreement.

Questions about the interpretation of this section should be directed to your manager in the first instance. Measurements should be recorded in SI units unless a customer specification requires otherwise. Serial numbers

must be transcribed exactly as they appear on the unit label. Records created under this section are retained in accordance with the company retention schedule. Field teams should record ambient conditions at the start and end of every deployment. Feedback on this document is welcome and should be sent to the owning department.

4. Decisions

The following decisions were taken and are recorded for the register:

2026-01-A	Approve the Halifax hiring plan for six roles, to be filled before the end of Q2 2026.
2026-01-B	Defer the AX-7400 development programme to Q3 2026 pending the outcome of the titanium housing trial.
2026-01-C	Approve a trade show budget of \$48,000 for the calendar year, covering Oceanology International and two regional events.
2026-01-D	Adopt the revised Information Security Policy with effect from 1 February 2026.

5. Financial update

The Chief Financial Officer reported that the year had closed in line with the forecast presented in October, and that the audit was proceeding without significant findings.

Questions about the interpretation of this section should be directed to your manager in the first instance. Exceptions require written approval from the relevant department head before the activity begins. The requirements below apply to permanent staff, fixed-term staff, and contractors alike. The depot maintains a rolling stock of common spares to reduce turnaround time. Where a form is prescribed, the current version of that form must be used. Records created under this section are retained in accordance with the company retention schedule.

Training on this section forms part of the standard onboarding programme. The company reviews these arrangements periodically and may revise them with reasonable notice. Supporting templates are published on the internal documentation portal. Any conflict between this document and a signed customer agreement should be escalated promptly. Calibration certificates are held by the metrology team and are available on request. Managers are responsible for ensuring their teams understand the requirements set out here.

Where local regulation imposes a stricter requirement, the stricter requirement applies. This section is reviewed each year by the responsible department head. The depot maintains a rolling stock of common spares to reduce turnaround time. Questions about the interpretation of this section should be directed to your manager in the first instance. Serial numbers must be transcribed exactly as they appear on the unit label. The procedure assumes the operator has completed the standard competency assessment.

Where a form is prescribed, the current version of that form must be used. Any conflict between this document and a signed customer agreement should be escalated promptly. Field teams should record ambient conditions at the start and end of every deployment. Calibration certificates are held by the metrology team and are available on request. Where local regulation imposes a stricter requirement, the stricter requirement applies. Questions about the interpretation of this section should be directed to your manager in the first instance.

6. Engineering update

The VP Engineering reported that the titanium housing trial had produced encouraging results at test depth but that a supplier lead time of twenty-two weeks made a Q1 start for the AX-7400 programme impractical. The meeting accepted the recommendation to defer.

Where a form is prescribed, the current version of that form must be used. This section is reviewed each year by the responsible department head. Supporting templates are published on the internal documentation portal. Any conflict between this document and a signed customer agreement should be escalated promptly. Calibration certificates are held by the metrology team and are available on request. Field teams should record ambient conditions at the start and end of every deployment.

Supporting templates are published on the internal documentation portal. Where a form is prescribed, the current version of that form must be used. This section is reviewed each year by the responsible department head. Where local regulation imposes a stricter requirement, the stricter requirement applies. Serial numbers must be transcribed exactly as they appear on the unit label. The procedure assumes the operator has completed the standard competency assessment.

Consumable parts are excluded from the scope of the standard service agreement. Exceptions require written approval from the relevant department head before the activity begins. Where local regulation imposes a stricter requirement, the stricter requirement applies. Managers are responsible for ensuring their teams understand the requirements set out here. This section is reviewed each year by the responsible department head. Shipping arrangements are confirmed in writing before any unit leaves the depot.

Where a form is prescribed, the current version of that form must be used. Measurements should be recorded in SI units unless a customer specification requires otherwise. Exceptions require written approval from the relevant department head before the activity begins. Turnaround targets are measured from the date the unit is received, not the date it was shipped. Photographic evidence should accompany any report of physical damage. This section is reviewed each year by the responsible department head.

7. Any other business

The CISO presented the revised Information Security Policy. The meeting noted the tightened remote working provision for staff handling Restricted data and adopted the policy with effect from 1 February 2026.

8. Next meeting

The next meeting will be held on 8 April 2026 at Richmond HQ.