CONTEXT-DRIVEN DEVELOPMENT FRAMEWORK

Context replaces prompting.

Core principle. The problem is never the model — it is the absence of structured context. You stop iterating on output and start iterating on the **system** that produces output. Without context the system guesses; with context, it executes with intent.

THE WORKFLOW

GROUND TRUTH

/context/ + /input/

Business reality (read-only) plus external materials a subject brings in.

→

System

/specs/ — the decisions

Per-subject working docs that translate ground truth into decisions an agent can act on.

→

DELIVERABLE

/output/

Generated artifacts. Never hand-edited — sources are regenerated.

Iteration loop

If the output is wrong, **fix the system, not the output.** Update **/specs/** (subject decision) or **/context/** (general truth), then regenerate. When a learning generalizes beyond one subject, log it in **/iterations/** so the system gets smarter over time.

THE FIVE LAYERS

/context/

READ-ONLY

Ground truth

Structural reality of the business: voice, audience, services, pricing, constraints. Organized by topic, shared across every subject.

/specs/

EDITABLE

Per-subject decisions

One folder per subject (client, project, campaign). Scope, decisions, internal notes. Where the system actually makes choices.

/input/

READ-ONLY

External material

Briefs, PDFs, photos, transcripts the subject brings in. Same slug as /specs/ and /output/. Never mixed with /context/.

/output/

GENERATED

Artifacts

Source files (HTML, MD) and rendered deliverables (PDFs). Reproducible from /context/ + /specs/ + /input/. Never edited by hand.

/iterations/

APPEND-ONLY

System memory

Each meaningful learning logged as v{N}-{slug}: manifest, feedback, changes, principle. The memory that prevents repeating mistakes.

A SESSION, START TO FINISH

1. **Read context**
   Agent reads /context/ first. This is ground truth — do not contradict it.
2. **Open the subject**
   cp -r specs/_template specs/{slug}/. Same slug in /input/ and /output/.
3. **Load inputs**
   Drop client materials into /input/{slug}/. Reference them from /specs/.
4. **Generate**
   Produce sources and rendered files into /output/{slug}/. Don't edit by hand.
5. **Fix the system**
   On wrong output, update /specs/ or /context/. Regenerate, don't patch.
6. **Log learnings**
   If the lesson generalizes, append /iterations/v{N}-{slug}/ and update /context/.

THE THREE RULES

RULE 1 · THE ITERATION RULE

Do not fix the output. Fix the system. The wrong file is a symptom — the cause lives in /context/ or /specs/.

RULE 2 · SEPARATION OF CONCERNS

General truths → /context/. Subject-specific facts → /specs/{slug}/. External material → /input/{slug}/. Never mix.

RULE 3 · GENERALIZE FORWARD

When a per-subject lesson applies elsewhere, lift it to /context/ and log /iterations/. The system compounds.

Read-only · Editable · Generated · Append-only

Memory vs iterations: memory holds cross-session prefs that decay; /iterations/ holds durable changes anyone reading the repo should find.