

# Computing Machinery I

## Assignment 5

### Part A: Global Variables and Separate Compilation

A LIFO stack data structure can be implemented using an array, as shown in the following C program:

```
#include <stdio.h>
#include <stdlib.h>

#define STACKSIZE 5
#define FALSE 0
#define TRUE 1

/* Function Prototypes */
void push(int value);
int pop();
int stackFull();
int stackEmpty();
void display();

/* Global Variables */
int stack[STACKSIZE];
int top = -1;

int main()
{
    int operation, value;

    do {
        system("clear");
        printf("### Stack Operations ###\n\n");
        printf("Press 1 - Push, 2 - Pop, 3 - Display, 4 - Exit\n");
        printf("Your option? ");
        scanf("%d", &operation);
        switch (operation) {
            case 1:
                printf("\nEnter the positive integer value to be pushed: ");
                scanf("%d", &value);
                push(value);
                break;
            case 2:
                value = pop();
                if (value != -1)
                    printf("\nPopped value is %d\n", value);
                break;
            case 3:
                display();
                break;
            case 4:
                printf("\nTerminating program\n");
                exit(0);
            default:
                printf("\nInvalid option! Try again.\n");
                break;
        }
        printf("\nPress the return key to continue . . . ");
        getchar();
        getchar();
    } while (operation != 4);

    return 0;
}
```

```

void push(int value)
{
    if (stackFull())
        printf("\nStack overflow! Cannot push value onto stack.\n");
    else {
        stack[++top] = value;
    }
}

int pop()
{
    register int value;

    if (stackEmpty()) {
        printf("\nStack underflow! Cannot pop an empty stack.\n");
        return (-1);
    } else {
        value = stack[top];
        top--;
        return value;
    }
}

int stackFull()
{
    if (top == STACKSIZE - 1)
        return TRUE;
    else
        return FALSE;
}

int stackEmpty()
{
    if (top == -1)
        return TRUE;
    else
        return FALSE;
}

void display()
{
    register int i;

    if (stackEmpty())
        printf("\nEmpty stack\n");
    else {
        printf("\nCurrent stack contents:\n");
        for (i = top; i >= 0; i--) {
            printf("  %d", stack[i]);
            if (i == top) {
                printf(" <-- top of stack");
            }
            printf("\n");
        }
    }
}

```

Translate all functions except `main()` into ARMv8 assembly language, and put them into a separate assembly source code file called *a5a.asm*. These functions will be called from the `main()` function given above, which will be in its own C source code file called *a5aMain.c*. Also move the global variables into *a5a.asm*. Your assembly functions will call the `printf()` library routine. Be sure to handle the global variables and format strings in the appropriate way. Input will come from standard input. Run the program to show that it is working as expected, capturing its output using the *script* UNIX command, and name the

output file *script1.txt*.

## Part B: External Pointer Arrays and Command-Line Arguments

Given the following declarations in C:

```
char *month[] = {"January", "February", "March", "April", "May",  
                "June", "July", "August", "September", "October",  
                "November", "December"};  
char *season[] = {"Winter", "Spring", "Summer", "Fall"};
```

create an ARMv8 assembly language program to accept as command line arguments two strings representing a date in the format *mm dd*. Your program will print the name of month, the day (with the appropriate suffix), and the season for this date. For example:

```
./a5b 12 25  
December 25th is Winter
```

Be sure to use the proper suffix for the day of the month. For example, one should distinguish the 11th from the 1st, 21st, and 31st. Your program should exit, printing this error message, if the user does not supply two command-line arguments:

```
usage: a5b mm dd
```

You will need to call `atoi()` to convert strings to numbers, and `printf()` to produce the output. Be sure to do range checking for the day and month. Assume that Winter ranges from December 21 to March 20, Spring from March 21 to June 20, Summer from June 21 to September 20, and Fall from September 21 to December 20. Name your source code file *a5b.asm*. Run your program three times with different input to illustrate that it works; capture the output using the *script* UNIX command. Name the output file *script2.txt*.

### New Skills need for this Assignment:

- Understanding and use of external variables in assembly
- Separate compilation
- Calling assembly functions from `main()`
- Calling library functions from assembly routines
- External arrays of pointers
- Command line arguments

### Submit the following:

1. Your source code and 2 scripts via electronic submission. Use the *Assignment 5* Dropbox Folder in D2L to submit electronically. Your TA will assemble and run your programs to test them. Name your files *a5aMain.c* and *a5a.asm* for Part A, and *a5b.asm* for Part B, and the scripts as *script1.txt* and *script2.txt*.

# Computing Machinery I

## Assignment 5 Grading

**Student:** \_\_\_\_\_

### Part A:

Correct use of external variable(s)	4	_____
push() function in assembly	4	_____
pop() function in assembly	4	_____
stackFull() function in assembly	4	_____
stackEmpty() function in assembly	4	_____
display() function in assembly	8	_____
Linking of separate source code modules	2	_____
Correct manipulation of stack	4	_____

### Part B:

Command line arguments	4	_____
Correct use of external pointer arrays	4	_____
Calls to library functions	2	_____
Range checking	3	_____
Correct output	4	_____
2 Scripts showing I/O	4	_____
Complete documentation and commenting	4	_____
Design quality	4	_____

<b>Total</b>	<b>63</b>	_____	_____ %
--------------	-----------	-------	---------