

# Mobile Application Development

Higher Diploma in Science in Computer Science

---

Produced  
by

Eamonn de Leastar (edeleastar@wit.ie)

Department of Computing, Maths & Physics  
Waterford Institute of Technology

<http://www.wit.ie>

<http://elearning.wit.ie>













Waterford Institute of Technology  
INSTITIÚID TEICNEOLAÍOCHTA PHORT LÁIRGE



# Restructured Donation-Service UI

---





# Dashboard UI?

---

- Decompose the UI into 'Segments'
- Each Segment is capable of being rendered with any container
- These containers can be standalone pages  
or sections of other pages....



## Help Me Run Springfield

Donate what you can now - No Bitcoins accepted!

## Register

First Name Last Name



Email

Password



## Log-in

Email

Password



Select Amount

- ☐ Paypal
- ☐ Direct



Amount

Method donated

100

210

20

330

1000

160


paypal

direct

direct

paypal

# Refactor Views




- “Fragment” all of the views into a Segments folder



# Segments

- These segments are standalone - they do not include menus/titles etc..



```
<section class="ui raised segment">
  <div class="ui grid">
    <aside class="ui six wide column">
      
    </aside>
    <div class="ui ten wide column fluid form">
      <div class="ui stacked segment">
        <form>
          <h3>
            <div>
              <aside class="six wide column">
                
              <article class="eight wide column">
                <table cl
                  <thead>
                    <tr>
                      <th>
                      <th>
                    </tr>
                  </thead>
                  <tbody>
                    #{lis
                  <tr>
                </section>
              </div>
            </div>
          </div>
        </form>
      </div>
    </div>
  </section>
```

```
<section class="ui raised segment">
  <div class="ui grid">
    <aside class="six wide column">
      
    </aside>
    <article class="eight wide column">
      <table cl
      <section class="ui raised segment">
        <thead>
          <div class="ui grid">
            <tr>
              <div class="ui ten wide column">
                <div class="ui stacked fluid form segment">
                  <form action="/register" method="
                  <h3 class="ui header">Register
                </div>
              </div>
            </tr>
          </thead>
          <tbody>
            <tr>
              <div class="ui stacked segment">
                <div class="ui grid">
                  <aside class="six wide column">
                    
                  <article class="ten wide column">
                    <header class="ui header"> Help Me R
                    <p> Donate what you can now - No Bitc
                  </article>
                </div>
              </div>
            </tr>
          </tbody>
        </table>
      </article>
    </div>
  </section>
  <label>Email</label>
  <input placeholder="Email" ty
```

```


tion class="ui raised segment">
iv class="ui grid">
<div class="ui ten wide column">
  <div class="ui stacked fluid form segment">
    <form action="/register" method="POST">
      <h3 class="ui header">Register</h3>
      <section class="ui stacked segment">
        <div class="ui grid">
          <aside class="six wide column">
            
          </aside>
          <article class="ten wide column">
            <header class="ui header"> Help Me Run Springfield </header>
            <p> Donate what you can now - No Bitcoins accepted! </p>
          </article>
        </div>
      </section>
      <label>Email</label>
      <input placeholder="Email" type="text" name="email">
    </div>
    <div class="field">
      <label>Password</label>
      <input type="password" name="password">
    </div>
    <button class="ui blue submit button">Submit</button>
  </form>
</div>
</div>
<aside class="ui five wide column">
  
</aside>
</div>

```



# Existing Views

- Existing View  
'include' these  
fragments unmodified



```
{extends 'main.html' /}  
{set title:'Donations' /}  
{include "menus/welcomemenu.html" /}  
{include "Segments/welcome.html" /}
```

```
{extends 'main.html' /}  
{set title:'Login to donate to Abamo' /}  
  
{include "menus/welcomemenu.html" /}  
{include "Segments/login.html" /}
```

```
{extends 'main.html' /}  
{set title:'Signup for Donation' /}  
  
{include "menus/welcomemenu.html" /}  
{include "Segments/signup.html" /}
```

```
{extends 'main.html' /}  
{set title:'Report' /}  
  
<nav class="ui inverted menu">  
  <header class="header item"> <a href="/"> Donation </a> </header>  
  <div class="right menu">  
    <a class="item" href="/donation"> Donate</a>  
    <a class="active item" href="/donation/report"> Report</a>  
    <a class="item" href="/logout"> Logout</a>  
  </div>  
</nav>  
  
{include "Segments/report.html" /}
```

Select Amount


- ☐ Paypal
- ☐ Direct

**DONATE**



Amount	Method donated
100	
210	paypal
0	
20	direct
330	direct
1000	
160	paypal
100	

# New Views Assembled from these Segments



```
{extends 'main.html' /}
{set title:'Donation Request' /}

<nav class="ui inverted menu">
  <header class="header item"> <a href="/"> Donation </a> </header>
  <div class="right menu">
    <a class="active item" href="/donation"> Donate</a>
    <a class="item" href="/donation/report"> Report</a>
    <a class="item" href="/logout"> Logout</a>
  </div>
</nav>

<section class="ui raised segment">
  <div class="ui middle aligned two column grid">
    <div class="column">
      {include "Segments/donate.html" /}
    </div>
    <div class="column">
      {include "Segments/report.html" /}
    </div>
  </div>

  <div class="ui divider"></div>

  <div class="ui successful progress">
    <div class="bar" style="width:${progress}"> </div>
  </div>
</section>
```

Select Amount

☐ Paypal☐ Direct

DONATE



Amount	Method donated
100	
210	paypal
0	
20	direct
330	drect
1000	
160	paypal
100	

```
<div class="ui middle aligned two column grid">
  <div class="column">
    #{include "Segments/donate.html" /}
  </div>
  <div class="column">
    #{include "Segments/report.html" /}
  </div>
</div>
```

# What does this do?

---

```
#{extends 'main.html' /}  
#{set title:'Dashboard' /}  
#{include "menus/welcomemenu.html" /}  
  
  <div class="ui middle aligned three column grid">  
    <div class="row">  
      <div class="column">  
        #{include "Segments/welcome.html" /}  
      </div>  
      <div class="column">  
        #{include "Segments/signup.html" /}  
      </div>  
      <div class="five wide column">  
        #{include "Segments/login.html" /}  
      </div>  
    </div>  
    <div class="row">  
      <div class="column">  
        #{include "Segments/donate.html" /}  
      </div>  
      <div class="column">  
        #{include "Segments/report.html" /}  
      </div>  
    </div>  
  </div>
```



## Help Me Run Springfield

Donate what you can now - No Bitcoins accepted!

## Register

First Name Last Name



Email

Password



## Log-in

Email

Password



Select Amount

☐ Paypal

☐ Direct



Amount

Method donated

100

210

20

330

1000


160

paypal

direct

direct

paypal



Except where otherwise noted, this content is licensed under a Creative Commons Attribution-NonCommercial 3.0 License.

For more information, please see <http://creativecommons.org/licenses/by-nc/3.0/>



Waterford Institute of Technology  
INSTITIÚID TEICNEOLAÍOCHTA PHORT LÁIRGE

