Mobile Application Development



David Drohan (ddrohan@wit.ie)
Dr. Siobhan Drohan (sdrohan@wit.ie)

Department of Computing & Mathematics Waterford Institute of Technology http://www.wit.ie





Introducing Kotlin

Overview - Part 2







- ■What is Kotlin?
- □Context Java Vs JVM
- □ Kotlin History
- Milestones
- ☐ General Overview & Features
- □Kotlin & IntelliJ IDEA
- □ Conclusion





- ■What is Kotlin?
- □Context Java Vs JVM
- □Kotlin History
- Milestones
- ☐ General Overview & Features
- □Kotlin & IntelliJ IDEA
- Conclusion

Kotlin Overview









- □ runs on Java Virtual Machine.
- ☐ is an evolution of the Java syntax but is more concise and has cleaner syntax.
- ☐ is not syntax compatible with Java; but is interoperable with Java.
- □ relies on some Java Class Libraries e.g. Collections framework.
- ☐ is a statically-typed programming language.
- offers null safety.






- ☐ runs on Java Virtual Machine.
- □ is an evolution of the Java syntax but is more concise and has cleaner syntax.
- ☐ is not syntax compatible with Java; but is interoperable with Java.
- □ relies on some Java Class Libraries e.g. Collections framework.
- ☐ is a statically-typed programming language.
- offers null safety.

Runs on Java Virtual Machine






Kotlin compiles to JVM ByteCode (like Java)

Note: Kotlin also compiles to JavaScript






- □ runs on Java Virtual Machine.
- ☐ is an evolution of the Java syntax but is more concise and has cleaner syntax.
- ☐ is not syntax compatible with Java; but is interoperable with Java.
- ☐ relies on some Java Class Libraries e.g. Collections framework.
- ☐ is a statically-typed programming language.
- offers null safety.












"Java is extremely verbose and ceremonious.

Programmers need to write reams of code to
get a simple task done. There's a great deal of
'ceremony' in Java APIs, and Android
aggravates this by forcing developers to go
through many steps, in a specific order, to get
things done."

Source: https://dzone.com/articles/why-you-should-consider-kotlin-for-android-develop?fromrel=true

Kotlin (Concise) Vs Java (Overly Verbose)





"Java code is verbose..."

"Kotlin provides a well thought-out syntax and extensive standard library that removes many of the pain points that exist in Java."

Source: https://medium.com/keepsafe-engineering/lessons-from-converting-an-app-to-100-kotlin-68984a05dcb6






Rough estimates indicate approximately a 40% cut in the number of lines of code.

https://kotlinlang.org/docs/reference/faq.html



Kotlin (Concise) Vs Java (Overly Verbose)



Kotlin drastically reduces the amount of boilerplate code you have to write.

The less code you write, the fewer mistakes you make, the less to test, the better the execution.





"Kotlin is approachable and can be acquired in a few hours by simply reading the language reference. It has a lean and intuitive syntax."

"Kotlin is also designed to have a gentle learning path for Java developers. Java programmers will find that most of the Kotlin syntax feels familiar."

https://dzone.com/articles/why-you-should-consider-kotlin-for-android-develop?fromrel=true






- ☐ runs on Java Virtual Machine.
- ☐ is an evolution of the Java syntax but is more concise and has cleaner syntax.
- ☐ is not syntax compatible with Java; but is interoperable with Java.
- ☐ relies on some Java Class Libraries e.g. Collections framework.
- ☐ is a statically-typed programming language.
- offers null safety.





Compilation of a mixed project







- ☐ Kotlin and Java are 100% interoperable; Java and Kotlin code can co-exist very well in the same project and compile perfectly.
- ☐ Kotlin can be called from Java and Java from Kotlin.
- ☐ Both .java and .kt files are compiled to .class bytecode.
- When a project containing both Java and Kotlin is compiled, it would be difficult to tell which parts were created in Java and which in Kotlin.
- You can start using Kotlin in an existing Java project, without having to convert the project to Kotlin (no need to bin all your Java code!)

https://dzone.com/articles/why-you-should-consider-kotlin-for-android-develop?fromrel=true





- ☐ runs on Java Virtual Machine.
- ☐ is an evolution of the Java syntax but is more concise and has cleaner syntax.
- ☐ is not syntax compatible with Java; but is interoperable with Java.
- □ relies on some Java Class Librariese.g. Collections framework.
- ☐ is a statically-typed programming language.
- offers null safety.






- ☐ Interoperability advantages:
 - you can use any of the vast number of Java Libraries and Frameworks in a Kotlin project.
 - Kotlin can also easily integrate with Maven, Gradle and other build systems.

https://dzone.com/articles/why-you-should-consider-kotlin-for-android-develop?fromrel=true https://www.xenonstack.com/blog/overview-of-kotlin-comparison-between-kotlin-java





- □ runs on Java Virtual Machine.
- ☐ is an evolution of the Java syntax but is more concise and has cleaner syntax.
- ☐ is not syntax compatible with Java; but is interoperable with Java.
- ☐ relies on some Java Class Libraries e.g. Collections framework.
- ☐ is a statically-typed programming language.
- offers null safety.





STATIC TYPING

"Variable declarations are mandatory before usage,
else results in a compile-time error"

Static Typing – Example



```
String greeting = "Hello!";
int someRandomInteger = 100;
double aDoubleVariable = 2.2;
```

A type is assigned to each variable.

In Java, if we don't assign a type, we get a compiler error

→ Java is statically typed.

Types determine the operations we can perform on the variables.



https://howtoprogramwithjava.com/dynamic-typing-vs-static-typing/





```
fun main(args : Array<String>)
{
   var someRandomInteger = 100
   var aDoubleVariable = 2.2
   println (someRandomInteger)
   println (aDoubleVariable)
}
```



In Kotlin, you don't have to specify the type of each variable explicitly, even though Kotlin <u>is</u> statically-typed.

Here, Kotlin determines the type from the initialisation.

http://petersommerhoff.com/dev/kotlin/kotlin-for-java-devs/#type-inference





```
fun main(args : Array<String>)
{
  var someRandomInteger : Int = 100
  var aDoubleVariable : Double = 2.2
  println (someRandomInteger)
  println (aDoubleVariable)
}
```



However, you can choose to explicitly define a data type.





```
fun main(args : Array<String>)
{
   var someRandomInteger //compile error
   var aDoubleVariable : Double = 2.2
   println (someRandomInteger)
   println (aDoubleVariable)
}
```



With Kotlin, you have to <u>either</u> define a type or initialise the variable (kotlin then determines the type!).





```
fun main(args : Array<String>)
  var someRandomInteger : Int = 100
  var aDoubleVariable : Double = 2.2
   someRandomInteger = 2.65  //compile error
  aDoubleVariable = 233
                              //compile error
  println (someRandomInteger)
  println (aDoubleVariable)
```



http://petersommerhoff.com/dev/kotlin/kotlin-for-java-devs/#type-inference





- ☐ runs on Java Virtual Machine.
- ☐ is an evolution of the Java syntax but is more concise and has cleaner syntax.
- ☐ is not syntax compatible with Java; but is interoperable with Java.
- ☐ relies on some Java Class Libraries e.g. Collections framework.
- ☐ is a statically-typed programming language.
- offers null safety.

Aside - Null (The Billion Dollar Mistake)





I call it my billion-dollar mistake. It was the invention of the null reference in 1965.

— Tony Hoare —

AZ QUOTES

Kotlin Overview 29





- □ Kotlin eliminates most sources of null references by making all types non-nullable by default — meaning that the compiler won't let you use a non-initialized, non-nullable variable.
- ☐ If you need a variable to hold a null value, you have to declare the type as nullable by adding a question mark after the type (more on this in later lectures).

```
1 var nonNullable: String = "My string" // needs to be initialized
2 var nullable: String?
```

Source: https://dzone.com/articles/kotlin-vs-java-first-impressions-using-kotlin-for



