


## Front-end









- All written in HTML + templating
- Templating language supports:
  - Layouts
  - Partials
  - Views
- These are similar to 11ty equivalents

- The starter app has a menu + 3 'Views':
  - Start
  - Dashboard
  - About




## main.html


- All views will be based on structure laid down in app/views/main.html
- Includes Semantic-UI CSS library



- View content will be inserted into #{doLayout /}
- (equivalent to {{content}} in 11ty)


 title can be replaced by view (more on this later)





## welcome

# main.html defines structure for the full page





#{menu id:"start"/}
includes
menu.html in
view

start.html provides #{doLayout /} for main

```
<nav class="ui menu">
    <header class="ui header item"> <a href="/"> Template 1 </a></header>
    <div class="right menu">
        <a id="dashboard" class="item" href="/dashboard"> Dashboard </a>
        <a id="about" class="item" href="/about"> About </a>
        </div>
    </nav>

<script>
        $("#${_id}").addClass("active item");
</script>
```


<!DOCTYPE html>

</body>

</html>

## about

# main.html defines structure for the full page



about.html provides #{doLayout /} for main

```
#{menu id:"about"/}
includes menu.html
in view
```

```
<nav class="ui menu">
    <header class="ui header item"> <a href="/"> Template 1 </a></header>
    <div class="right menu">
        <a id="dashboard" class="item" href="/dashboard"> Dashboard </a>
        <a id="about" class="item" href="/about"> About </a>
        </div>
    </nav>

</pr
```

### dashboard

#### menu.html

```
<nav class="ui menu">
    <header class="ui header item"> <a href="/"> Template 1 </a></header>
    <div class="right menu">
        <a id="dashboard" class="item" href="/dashboard"> Dashboard </a>
        <a id="about" class="item" href="/about"> About </a>
        </div>
    </nav>

</pr
```

main.html

#### mainpanel.html

```
<segment class="ui rasied segmemnt">
    <h1 class="ui headder">
        Title for Dashboard Panel
    </h1>

        To be replaced with content...


</segment>
```

#### dashboard.html

```
#{extends 'main.html' /}
#{set title:'Dashboard' /}
#{menu id:"dashboard"/}
<section class="ui segment">
    #{mainpanel/}
</section>
```

rendered view

4 separate files to generate single view



# tags/menu.html


- views errors tags amainpanel.html amenu.html = about.html dashboard.html main.html astart.html
- Script to dynamically change the 'active' menu item

- Semantic-UI menu component
- header item + 2 menu items
  - Dashboard
  - About
- To be modified to reflect your apps menu structure

```
<nav class="ui menu">
  <header class="ui header item"> <a href="/"> Template 1 </a></header>
  <div class="right menu">
    <a id="dashboard" class="item" href="/dashboard"> Dashboard </a>
    <a id="about" class="item" href="/about"> About </a>
  </div>
</nav>
<script>
 $("#${_id}").addClass("active item");
</script>
```



# tags/mainpanel.html



- Simple 'partial' used by dashboard view.
- To be replaced with app specific content

```
<segment class="ui rasied segmemnt">
    <h1 class="ui headder">
        Title for Dashboard Panel
    </h1>

        To be replaced with content...

</segment>
```

#### **Title for Dashboard Panel**

To be replaced with content...

# Front-end

