

Live bug retest checklist

Step-by-step checks by account type

Live recheck: 2026-10-02T18:47:29.902Z (UTC)

Site: <https://foundersarena.exoasia.org>

Purpose: revisit the 11 previously live-confirmed findings; this is separate from the eight source/local findings.

Before you begin

1. Use the account matching each checklist. Keep Admin and Founder in separate browser profiles or use one normal and one private window.
2. Open each linked URL after signing in. Passwords are intentionally omitted; use the credentials already supplied.
3. Allow at least 10 seconds for data to load before marking a page empty. If production was updated after this recheck, record the new behavior rather than assuming a bug remains.
4. Keep live checks read-only: do not grant credits, submit documents/applications, buy credits, send invitations, or mark introductions complete. Each test identifies how to inspect the fault without those actions.
5. Record browser, time, role, final URL, screenshot, and relevant request status. Redact personal data before sharing evidence.

Suggested account order

Admin: QA-07, QA-08, QA-11

Investor: QA-09

Ecosystem Partner: QA-10

Founder: QA-03, QA-02, QA-04, QA-06; Founder comparison for QA-08

Public / incognito: QA-05, optional QA-01

What counts as a result

Fail: the listed faulty behavior is reproduced.

Pass: the expected corrected behavior is observed.

Inconclusive: missing test data, loading/network failure, changed permissions, or a step cannot be completed.

Local fixes are not proof of live fixes. No deployment or production migrations were performed in this work. Backend payment/security risks require staging tests and are listed at the end.

Admin search crashes with a comma

Account / actor: Admin

Open: <https://foundersarena.exoasia.org/admin/users>

Latest evidence: Reconfirmed: HTTP 500.

Steps

1. Sign in as Admin and open the Users page. Open browser Developer Tools (F12), select Network, and clear the request list.
2. Search for Dev. Wait for the request and note the normal result.
3. Replace the search with Dev, (including the comma). Wait for the search request.
4. Select the /api/admin/users request in Network and inspect its Status and Response. If the page hides the error, open the read-only URL below while still logged in.

Read-only fallback URL:

<https://foundersarena.exoasia.org/api/admin/users?search=Dev%2C&limit=1>

Output if the bug still exists

HTTP 500 with a filter parsing error. The screen may remain empty or keep old results instead of visibly reporting the failure.

Expected result once fixed

Both searches return HTTP 200. Punctuation is treated as part of the search; zero results is valid.

Your result: ☐ Pass ☐ Fail ☐ Inconclusive

Tested at / browser: _____

Evidence / notes:

Admin includes expired credits in the balance

Account / actor: Admin + Founder (use separate sessions)

Open: <https://foundersarena.exoasia.org/admin/users>

Latest evidence: Admin balance reconfirmed as 100000; compare Founder balance manually.

Steps

1. In an Admin session, open Users and find founder@exoasia.com. Record the displayed credits without granting or editing anything.
2. In a separate private browser session, sign in as Founder and open /dashboard and /payments. Record the available balance.
3. Compare the two balances. In credit history, inspect any grant date and expiration shown. If expiration is not visible, do not assume a mismatch proves this bug without checking the ledger with an authorized developer.
4. Do not use the Grant Credits action during this check.

Output if the bug still exists

The previous check showed Admin 100,000 versus Founder 0 because the grant had expired. The latest admin recheck still returns 100,000; the latest pass did not independently reread the founder balance.

Expected result once fixed

Admin and Founder show the same available balance after applying expiry and debits. New legitimate grants can change the numbers.

Your result: ☐ Pass ☐ Fail ☐ Inconclusive

Tested at / browser: _____

Evidence / notes:

Admin Introductions shows raw JSON

Account / actor: Admin; Advisor may share this page

Open: <https://foundersarena.exoasia.org/advisor/introductions>

Latest evidence: Reconfirmed: versioned JSON is visible on Introductions.

Steps

1. Sign in as Admin and open Introductions.
2. Look at the Asks text beneath the member cards. Use the browser Find command (Ctrl+F) to search for `_v`.
3. Check whether the text contains braces, quoted field names, arrays, or fields such as `target_regions` and `target_raise_min`.
4. Capture the faulty card. Do not click Mark as introduced. Redact member names/contact details before sharing evidence.
5. Optional: open an existing member detail under `/advisor/members` and inspect the summary. Report this separately if JSON appears; not every member-detail page was verified live.

Output if the bug still exists

Asks displays `{_v:2,...}` data instead of a readable description.

Expected result once fixed

Readable fields such as Regions: Global, Industries: AI, and Target raise: \$100,000–\$1,000,000; no raw JSON.

Your result: ☐ Pass ☐ Fail ☐ Inconclusive

Tested at / browser: _____

Evidence / notes:

Investor notification points to a POST-only API

Account / actor: Investor

Open: <https://foundersarena.exoasia.org/notifications>

Latest evidence: Reconfirmed: API link present; GET returned 405.

Steps

1. Sign in as Investor and open Notifications. Find an existing match-job notification (for example, matching completion/failure).
2. Right-click its link and copy the destination. Inspect it without a normal click, because a corrected notification may mark the job acknowledged.
3. If the destination is `/api/jobs/<id>/acknowledge`, paste that URL into a separate browser tab. This sends GET, not the acknowledgement POST.
4. Record the HTTP status in Developer Tools → Network. Do not manually POST to the endpoint.

Output if the bug still exists

The notification destination is an API acknowledgement endpoint; GET returns 405 Method Not Allowed.

Expected result once fixed

The copied destination is `/matches`. Acknowledgement is a separate background POST during an ordinary click.

Your result: ☐ Pass ☐ Fail ☐ Inconclusive

Tested at / browser: _____

Evidence / notes:

Ecosystem Matches misses the discovery workflow

Account / actor: Ecosystem Partner

Open: <https://foundersarena.exoasia.org/matches>

Latest evidence: Reconfirmed: remains on generic /matches; inspect results against Discover.

Steps

1. Sign in as Ecosystem Partner and open Matches. Wait at least 10 seconds for loading to finish.
2. Record the final URL and any no-projects message.
3. Open /ecosystem and select Discover. Wait for its results.
4. Compare discovery results with the Matches page. Do not create matches, feature companies, unlock paid results, or invite members.

Output if the bug still exists

The generic /matches page has no projects while the ecosystem Discover tab exposes projects. Earlier discovery showed 25 startup projects and five investor profiles; counts can change.

Expected result once fixed

Opening /matches routes the Ecosystem Partner into the existing /ecosystem portfolio/discovery workflow.

Your result: ☐ Pass ☐ Fail ☐ Inconclusive

Tested at / browser: _____

Evidence / notes:

Payment success appears without checkout

Account / actor: Founder; shared member payment page

Open: <https://foundersarena.exoasia.org/payments/success>

Latest evidence: Reconfirmed: false success heading still appears.

Steps

1. Sign in as Founder. Do not start a checkout.
2. Enter the exact page URL below in the address bar with no query parameters.
3. Wait for the page to settle and inspect the heading and confirmation message.
4. Capture the URL and heading. This check does not buy anything and does not establish that credits were granted.

Output if the bug still exists

Payment successful is displayed even though no payment was made.

Expected result once fixed

Checkout not found or equivalent invalid-checkout state. Success appears only for an authenticated, owned payment confirmed as paid.

Your result: ☐ Pass ☐ Fail ☐ Inconclusive

Tested at / browser: _____

Evidence / notes:

KYC submission has no file picker

Account / actor: Founder; Admin / Advisor is affected as reviewer

Open: <https://foundersarena.exoasia.org/documents>

Latest evidence: Reconfirmed: zero file inputs on the page.

Steps

1. Sign in as Founder and open Documents.
2. Inspect the SEC/DTI submission controls. Look for an actual file picker and accepted file types/size limits.
3. Observe whether Submit is offered without selecting a file. Do not click Submit on production: the old implementation could create a placeholder record.
4. Capture the missing file selector and available controls. An actual failed upload/record-cleanup test belongs in staging.

Output if the bug still exists

No file picker exists, but submission buttons are offered. Earlier intercepted behavior attempted status=submitted with pending:// rather than a real file.

Expected result once fixed

A real file picker is present; Submit is disabled until a file is selected. Server validation and reviewable private storage must be tested in staging.

Your result: ☐ Pass ☐ Fail ☐ Inconclusive

Tested at / browser: _____

Evidence / notes:

Stage buttons are console-only placeholders

Account / actor: Founder

Open: <https://foundersarena.exoasia.org/stage-4>

Latest evidence: Reconfirmed: Back still leaves the page on Stage 4.

Steps

1. Sign in as Founder and open Stage 4. Open Developer Tools → Console if you want to see placeholder logging.
2. Click Back to Stage 3. Record whether the URL changes to /stage-3 or remains /stage-4.
3. Inspect Stage 1 Activate/RSVP, Stage 2 Submit documents, and Stage 3 pathway/application controls. Do not submit applications or personal data during live testing.
4. For other Stage 4 Open controls, record their labels and whether they explain availability. Use staging for download/booking/execution actions if their behavior has changed.

Output if the bug still exists

Back leaves the user on Stage 4 and only logs. Earlier source tracing also found placeholder activation, RSVP, document submission, pathway/application, and portal handlers.

Expected result once fixed

Back navigates to Stage 3; enabled controls open real workflows. Unimplemented enrollment/applications/booking/packages are disabled and clearly say Coming soon.

Your result: ☐ Pass ☐ Fail ☐ Inconclusive

Tested at / browser: _____

Evidence / notes:

Startup credit pricing is duplicated and contradictory

Account / actor: Founder / Startup; anyone viewing the Startup pricing tab

Open: <https://foundersarena.exoasia.org/payments>

Latest evidence: Reconfirmed: both conflicting sweep descriptions are present.

Steps

1. Sign in as Founder and open Payments.
2. Scroll to What Credits Buy and select Startup if it is not already selected.
3. Compare rows for investor unlock, investor profiles, and Bulk AI Match Sweep.
4. Look for duplicate actions and conflicting first-run pricing. Expand the descriptions if necessary; do not buy credits or start a paid sweep.

Output if the bug still exists

The same actions appear more than once. One sweep row says applies on all tiers and another says Free for first run. cr means credits.

Expected result once fixed

One row per action with consistent first-run and subsequent costs.

Your result: ☐ Pass ☐ Fail ☐ Inconclusive

Tested at / browser: _____

Evidence / notes:

Public nomination entry redirects to sign-in

Account / actor: Public nomination recipient; existing/invited member

Open: <https://foundersarena.exoasia.org/accept-nomination>

Latest evidence: Reconfirmed: anonymous entry redirects to sign-in.

Steps

1. Open a new private/incognito window with no signed-in session.
2. Enter the nomination acceptance URL below and record the final URL.
3. Inspect whether a verification form appears or whether you are redirected to sign-in.
4. Optional: repeat the route in a signed-in Founder session and record any dashboard redirect. Do not enter or consume a real invitation code for this read-only check.

Output if the bug still exists

An anonymous visitor is redirected to /sign-in before reaching the intended email/code verification entry.

Expected result once fixed

The public verification entry opens. Actual invitation validity and complete acceptance must be tested with a controlled staging invitation.

Your result: ☐ Pass ☐ Fail ☐ Inconclusive

Tested at / browser: _____

Evidence / notes:

Public API discloses whether an account exists

Account / actor: Public visitor / caller; account holder whose existence is disclosed

Open: <https://foundersarena.exoasia.org/sign-in>

Latest evidence: Latest read-only probe still returns an existence flag (HTTP 200). Earlier audit independently confirmed anonymous access; repeat incognito to recheck public access.

Steps

1. Use an incognito window, open the live sign-in page, and open Developer Tools → Console. This is an optional technical check.
2. Run the exact read-only lookup below for one supplied test account. It uses POST because that endpoint expects POST, but only checks account existence; it does not sign in or edit a record.
3. Inspect status and body. If the browser disables console pasting, do not bypass its protection; ask a developer to run the lookup through an API client.
4. Do not probe other people's addresses. An exists flag already demonstrates the disclosure. Record the result without a password.

```
fetch('/api/auth/check-email', {method:'POST', headers:{'Content-Type':'application/json'},
body:JSON.stringify({email:'founder@exoasia.com'})}).then(async r => console.log({status:r.status,
body:await r.text()}))
```

Output if the bug still exists

HTTP 200 exposes an exists:true/false flag to a public caller.

Expected result once fixed

HTTP 404 from the retired endpoint, or a properly authorized internal lookup that cannot be used anonymously.

Your result: ☐ Pass ☐ Fail ☐ Inconclusive

Tested at / browser: _____

Evidence / notes:

Findings to test in staging or locally

These eight findings were discovered in source or local tooling. They were not demonstrated through unsafe production events. Use the consolidated QA report for code origins and details.

ID / actor	Controlled test	Expected result
SRC-01 · Webhook / backend	On staging with no webhook secret, send a controlled request.	HTTP 503; no payment or credit change.
SRC-02 · Provider / verifier	Unit-test valid live/test signatures, empty test slot, wrong mode, tampering, and stale timestamps.	Only a valid, current signature for the configured mode is accepted.
SRC-03 · Fulfillment / purchaser	Deliver a paid test event twice; force a ledger failure; retry. Use a test checkout with stored terms.	One award/extension, rollback on failure, successful safe retry; amount/member mismatch rejected.
SRC-04 · Checkout / purchaser	Create a test-mode checkout; simulate payment-record insertion failure.	Owned pending row is saved; failed insert returns error and no checkout redirect.
SRC-05 · Members / subscriptions	Test free, missing, invalid-expiry, expired, and active plans with controlled data.	Only valid non-free active plans are treated as subscribed.
SRC-06 · Credit ledger / member	Mock a database ledger-write failure during a credit-consuming action.	Deduction fails explicitly; no false success.
SRC-07 · Developer / Git	Inspect git status and check environment-file ignore rules.	Real environment secrets are ignored; .env.example can be tracked.
SRC-08 · Developer / CI	Run npm run build, then npm test from the application folder.	Application tests pass without collecting .next dependency tests.

Additional staging acceptance checks

KYC: no file/no submission; valid upload creates a real private storage record; failed insertion cleans up storage; owners cannot self-approve; authorized reviewers can download; placeholders cannot be approved.

Payments: fabricated, unpaid, missing, and another member's checkout IDs cannot show verified success. Actual signed provider events update the correct account once.

Nomination: a controlled invitation reaches verification and completes the intended journey without redirect loops.

Apply the two prepared KYC/payment migrations to the intended staging database before testing the corresponding local fixes. Existing pending checkouts and placeholder KYC records require reconciliation/resubmission.