DESCRIPTIVES

/VARIABLES= Clinica Externo Insumos Operacional Paciente Profissional /STATISTICS=STDDEV RANGE VARIANCE KURTOSIS /SAVE.

M**ja** e

Fonte	Destino
Clinica	ZSC001
Externo	ZSC002
Insumos	ZSC003
Operacional	ZSC004
Paciente	ZSC005
Profissional	ZSC006



	N	Std Dev	Variança	Kurtosis	S.E. Kurt	Intervalo
Clinica	6	25978.45	6.7E+008	2.54	1.74	70106.07
Externo	5	1963.41	3854978	2.29	2.00	5197.63
Insumos	6	5917.32	35014682	-1.90	1.74	13885.88
Operacional	6	125668.0	1.6E+010	1.81	1.74	382127.3
Paciente	6	21241.69	4.5E+008	1.29	1.74	63240.07
Profissional	6	18923.06	3.6E+008	85	1.74	51504.66
Valid N (listwise)	6					
Missing N (listwise)	1					

EXECUTE.

CROSSTABS

/TABLES= Clinica Externo Paciente BY Profissional Insumos Operacional

/FORMAT=AVALUE TABLES /STATISTICS=CHISQ UC KAPPA CORR /CELLS=COUNT ROW COLUMN TOTAL.

Syn

				Casos			
		Valido	ı	Missing	Total		
	N	Percentual	N	Percentual	N	Percentual	
Clinica × Profissional	6	100.0%	0	.0%	6	100.0%	
Clinica × Insumos	6	100.0%	0	.0%	6	100.0%	
Clinica × Operacional	6	100.0%	0	.0%	6	100.0%	
Externo × Profissional	5	83.3%	1	16.7%	6	100.0%	
Externo × Insumos	5	83.3%	1	16.7%	6	100.0%	
Externo × Operacional	5	83.3%	1	16.7%	6	100.0%	
Paciente × Profissional	6	100.0%	0	.0%	6	100.0%	
Paciente × Insumos	6	100.0%	0	.0%	6	100.0%	
Paciente × Operacional	6	100.0%	0	.0%	6	100.0%	

					Profis	sional			
			4.328,24	14.061,20	31.545,43	32.160,45	44.273,75	55.832,91	Total
Clinica	3.189,23	Contagem	1	0	0	0	0	0	1
		Row %	100.0%	.0%	.0%	.0%	.0%	.0%	100.0%
		Column %	100.0%	.0%	.0%	.0%	.0%	.0%	16.7%
		Total %	16.7%	.0%	.0%	.0%	.0%	.0%	16.7%
	44.504,39	Contagem	0	1	0	0	0	0	1
		Row %	.0%	100.0%	.0%	.0%	.0%	.0%	100.0%
		Column %	.0%	100.0%	.0%	.0%	.0%	.0%	16.7%
		Total %	.0%	16.7%	.0%	.0%	.0%	.0%	16.7%
	52.658,32	Contagem	0	0	0	1	0	0	1
		Row %	.0%	.0%	.0%	100.0%	.0%	.0%	100.0%
		Column %	.0%	.0%	.0%	100.0%	.0%	.0%	16.7%
		Total %	.0%	.0%	.0%	16.7%	.0%	.0%	16.7%
	60.489,17	Contagem	0	0	1	0	0	0	1
		Row %	.0%	.0%	100.0%	.0%	.0%	.0%	100.0%
		Column %	.0%	.0%	100.0%	.0%	.0%	.0%	16.7%
		Total %	.0%	.0%	16.7%	.0%	.0%	.0%	16.7%
	72.365,95	Contagem	0	0	0	0	0	1	1
		Row %	.0%	.0%	.0%	.0%	.0%	100.0%	100.0%
		Column %	.0%	.0%	.0%	.0%	.0%	100.0%	16.7%
		Total %	.0%	.0%	.0%	.0%	.0%	16.7%	16.7%
	73.295,30	Contagem	0	0	0	0	1	0	1
		Row %	.0%	.0%	.0%	.0%	100.0%	.0%	100.0%
		Column %	.0%	.0%	.0%	.0%	100.0%	.0%	16.7%
		Total %	.0%	.0%	.0%	.0%	16.7%	.0%	16.7%
Total		Contagem	1	1	1	1	1	1	6
		Row %	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	100.0%
		Column %	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		Total %	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	100.0%

Ch Sippe

	Valor	df	Asymptotic Sig. (2- tailed)
Chi-quadrado de Pearson	30.00	25	.224
Likelihood Ratio	21.50	25	.664
Linear-by-Linear Association	4.08	1	.044
N de casos válidos	6		

SMe

		Valor	Asymp. Std. Error	Approx. T	Approx. Sig.
Ordinal by Ordinal	Spearman Correlation	.89	.06	3.82	.019
Interval by Interval	R de Pearson	.90	.04	4.20	.014
Measure of Agreement	Карра	.20	.23	1.10	
N de casos válidos		6			

Me

			Valor	Asymp. Std. Error	Approx. T
Nominal by	Uncertainty	Simétrico	1.00	.00	
Nominal	Coefficient	Clinica Dependente	1.00	.00	1.8E+008
		Profissional Dependente	1.00	.00	1.8E+008

					Inci	umos			
			3.189,23	3.902,53	11.057,84	13.557,51	15.550,11	17.075,11	Total
Clinica	3.189,23	Contagom	1	0.502,55	0	0	0	0	10001
Cillica	3.109,23	Contagem		_	_			_	_
		Row %	100.0%	.0%	.0%	.0%	.0%	.0%	100.0%
		Column %	100.0%	.0%	.0%	.0%	.0%	.0%	16.7%
		Total %	16.7%	.0%	.0%	.0%	.0%	.0%	16.7%
	44.504,39	Contagem	0	0	1	0	0	0	1
		Row %	.0%	.0%	100.0%	.0%	.0%	.0%	100.0%
		Column %	.0%	.0%	100.0%	.0%	.0%	.0%	16.7%
		Total %	.0%	.0%	16.7%	.0%	.0%	.0%	16.7%
	52.658,32	Contagem	0	0	0	0	1	0	1
		Row %	.0%	.0%	.0%	.0%	100.0%	.0%	100.0%
		Column %	.0%	.0%	.0%	.0%	100.0%	.0%	16.7%
		Total %	.0%	.0%	.0%	.0%	16.7%	.0%	16.7%
	60.489,17	Contagem	0	1	0	0	0	0	1
		Row %	.0%	100.0%	.0%	.0%	.0%	.0%	100.0%
		Column %	.0%	100.0%	.0%	.0%	.0%	.0%	16.7%
		Total %	.0%	16.7%	.0%	.0%	.0%	.0%	16.7%
	72.365,95	Contagem	0	0	0	0	0	1	1
		Row %	.0%	.0%	.0%	.0%	.0%	100.0%	100.0%
		Column %	.0%	.0%	.0%	.0%	.0%	100.0%	16.7%
		Total %	.0%	.0%	.0%	.0%	.0%	16.7%	16.7%
	73.295,30	Contagem	0	0	0	1	0	0	1
		Row %	.0%	.0%	.0%	100.0%	.0%	.0%	100.0%
		Column %	.0%	.0%	.0%	100.0%	.0%	.0%	16.7%
		Total %	.0%	.0%	.0%	16.7%	.0%	.0%	16.7%
Total	,	Contagem	1	1	1	1	1	1	6
		Row %	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	100.0%
		Column %	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		Total %	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%	100.0%

Ch Sippe

	Valor	df	Asymptotic Sig. (2- tailed)
Chi-quadrado de Pearson	30.00	25	.224
Likelihood Ratio	21.50	25	.664
Linear-by-Linear Association	2.12	1	.146
N de casos válidos	6		

		Valor	Asymp. Std. Error	Approx. T	Approx. Sig.
Ordinal by Ordinal	Spearman Correlation	.60	.20	1.50	.208
Interval by Interval	R de Pearson	.65	.24	1.71	.162
Measure of Agreement	Карра	.00	.18	.00	
N de casos válidos		6			

Me

			Valor	Asymp. Std. Error	Approx. T
Nominal by	Uncertainty	Simétrico	1.00	.00	
Nominal	Coefficient	Clinica Dependente	1.00	.00	1.8E+008
		Insumos Dependente	1.00	.00	1.8E+008

CEP

				11	Opera	cional		
			14.123,74	192.215,29	231.549,94	234.078,91	288.030,42	396.251,01
Clinica	3.189,23	Contagem	1	0	0	0	0	0
		Row %	100.0%	.0%	.0%	.0%	.0%	.0%
		Column %	100.0%	.0%	.0%	.0%	.0%	.0%
		Total %	16.7%	.0%	.0%	.0%	.0%	.0%
	44.504,39	Contagem	0	1	0	0	0	0
		Row %	.0%	100.0%	.0%	.0%	.0%	.0%
		Column %	.0%	100.0%	.0%	.0%	.0%	.0%
		Total %	.0%	16.7%	.0%	.0%	.0%	.0%
	52.658,32	Contagem	0	0	0	0	1	0
		Row %	.0%	.0%	.0%	.0%	100.0%	.0%
		Column %	.0%	.0%	.0%	.0%	100.0%	.0%
		Total %	.0%	.0%	.0%	.0%	16.7%	.0%
	60.489,17	Contagem	0	0	1	0	0	0
		Row %	.0%	.0%	100.0%	.0%	.0%	.0%
		Column %	.0%	.0%	100.0%	.0%	.0%	.0%
		Total %	.0%	.0%	16.7%	.0%	.0%	.0%
	72.365,95	Contagem	0	0	0	0	0	1
		Row %	.0%	.0%	.0%	.0%	.0%	100.0%
		Column %	.0%	.0%	.0%	.0%	.0%	100.0%
		Total %	.0%	.0%	.0%	.0%	.0%	16.7%
	73.295,30	Contagem	0	0	0	1	0	0
		Row %	.0%	.0%	.0%	100.0%	.0%	.0%
		Column %	.0%	.0%	.0%	100.0%	.0%	.0%
		Total %	.0%	.0%	.0%	16.7%	.0%	.0%
Total		Contagem	1	1	1	1	1	1
		Row %	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%
		Column %	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		Total %	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%

			Total
Clinica	3.189,23	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	44.504,39	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	52.658,32	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	60.489,17	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	72.365,95	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	73.295,30	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
Total		Contagem	6
		Row %	100.0%
		Column %	100.0%
		Total %	100.0%

Ch Sape

	Valor	df	Asymptotic Sig. (2- tailed)
Chi-quadrado de Pearson	30.00	25	.224
Likelihood Ratio	21.50	25	.664
Linear-by-Linear Association	3.85	1	.050
N de casos válidos	6		

SMe

		Valor	Asymp. Std. Error	Approx. T	Approx. Sig.
Ordinal by Ordinal	Spearman Correlation	.71	.16	2.04	.111
Interval by Interval	R de Pearson	.88	.09	3.66	.022

		Valor	Asymp. Std. Error	Approx. T	Approx. Sig.
Measure of Agreement	Карра	.20	.23	1.10	
N de casos válidos		6			

Me

			Valor	Asymp. Std. Error	Approx. T
Nominal by	Uncertainty	Simétrico	1.00	.00	
Nominal	Coefficient	Clinica Dependente	1.00	.00	1.8E+008
		Operacional Dependente	1.00	.00	1.8E+008

ERŁ

					Profissional			
			14.061,20	31.545,43	32.160,45	44.273,75	55.832,91	Total
Externo	1.355,17	Contagem	0	0	0	0	1	1
		Row %	.0%	.0%	.0%	.0%	100.0%	100.0%
		Column %	.0%	.0%	.0%	.0%	100.0%	20.0%
		Total %	.0%	.0%	.0%	.0%	20.0%	20.0%
	2.276,47	Contagem	0	1	0	0	0	1
		Row %	.0%	100.0%	.0%	.0%	.0%	100.0%
		Column %	.0%	100.0%	.0%	.0%	.0%	20.0%
		Total %	.0%	20.0%	.0%	.0%	.0%	20.0%
	3.180,70	Contagem	0	0	1	0	0	1
		Row %	.0%	.0%	100.0%	.0%	.0%	100.0%
		Column %	.0%	.0%	100.0%	.0%	.0%	20.0%
		Total %	.0%	.0%	20.0%	.0%	.0%	20.0%
	3.389,38	Contagem	0	0	0	1	0	1
		Row %	.0%	.0%	.0%	100.0%	.0%	100.0%
		Column %	.0%	.0%	.0%	100.0%	.0%	20.0%
		Total %	.0%	.0%	.0%	20.0%	.0%	20.0%
	6.552,79	Contagem	1	0	0	0	0	1
		Row %	100.0%	.0%	.0%	.0%	.0%	100.0%
		Column %	100.0%	.0%	.0%	.0%	.0%	20.0%
		Total %	20.0%	.0%	.0%	.0%	.0%	20.0%
Total		Contagem	1	1	1	1	1	5
		Row %	20.0%	20.0%	20.0%	20.0%	20.0%	100.0%
		Column %	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		Total %	20.0%	20.0%	20.0%	20.0%	20.0%	100.0%

Ch Sipe

	Valor	df	Asymptotic Sig. (2- tailed)
Chi-quadrado de Pearson	20.00	16	.220
Likelihood Ratio	16.09	16	.446
Linear-by-Linear Association	2.88	1	.090
N de casos válidos	5		

		Valor	Asymp. Std. Error	Approx. T	Approx. Sig.
Ordinal by Ordinal	Spearman Correlation	60	.32	-1.30	.285
Interval by Interval	R de Pearson	85	.12	-2.77	.070
Measure of Agreement	Карра	.50	.27	2.24	
N de casos válidos		5			

Me

	,		Valor	Asymp. Std. Error	Approx. T
Nominal by	Uncertainty	Simétrico	1.00	.00	
Nominal	Coefficient	Externo Dependente	1.00	.00	NaN
		Profissional Dependente	1.00	.00	NaN

Effen

					Insumos			
			3.902,53	11.057,84	13.557,51	15.550,11	17.075,11	Total
Externo	1.355,17	Contagem	0	0	0	0	1	1
		Row %	.0%	.0%	.0%	.0%	100.0%	100.0%
		Column %	.0%	.0%	.0%	.0%	100.0%	20.0%
		Total %	.0%	.0%	.0%	.0%	20.0%	20.0%
	2.276,47	Contagem	1	0	0	0	0	1
		Row %	100.0%	.0%	.0%	.0%	.0%	100.0%
		Column %	100.0%	.0%	.0%	.0%	.0%	20.0%
		Total %	20.0%	.0%	.0%	.0%	.0%	20.0%
	3.180,70	Contagem	0	0	0	1	0	1
		Row %	.0%	.0%	.0%	100.0%	.0%	100.0%
		Column %	.0%	.0%	.0%	100.0%	.0%	20.0%
		Total %	.0%	.0%	.0%	20.0%	.0%	20.0%
	3.389,38	Contagem	0	0	1	0	0	1
		Row %	.0%	.0%	100.0%	.0%	.0%	100.0%
		Column %	.0%	.0%	100.0%	.0%	.0%	20.0%
		Total %	.0%	.0%	20.0%	.0%	.0%	20.0%
	6.552,79	Contagem	0	1	0	0	0	1
		Row %	.0%	100.0%	.0%	.0%	.0%	100.0%
		Column %	.0%	100.0%	.0%	.0%	.0%	20.0%
		Total %	.0%	20.0%	.0%	.0%	.0%	20.0%
Total		Contagem	1	1	1	1	1	5
		Row %	20.0%	20.0%	20.0%	20.0%	20.0%	100.0%
		Column %	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		Total %	20.0%	20.0%	20.0%	20.0%	20.0%	100.0%

Ch Sign

	Valor	df	Asymptotic Sig. (2- tailed)
Chi-quadrado de Pearson	20.00	16	.220
Likelihood Ratio	16.09	16	.446
Linear-by-Linear Association	.06	1	.806

	Valor	df	Asymptotic Sig. (2- tailed)
	valui	ui	talleu)
N de casos válidos	5		

		Valor	Asymp. Std. Error	Approx. T	Approx. Sig.
Ordinal by Ordinal	Spearman Correlation	40	.40	76	.505
Interval by Interval	R de Pearson	12	.34	21	.844
Measure of Agreement	Карра	25	.00	-1.12	
N de casos válidos		5			

Me

			Valor	Asymp. Std. Error	Approx. T
Nominal by	Uncertainty	Simétrico	1.00	.00	
Nominal	Coefficient	Externo Dependente	1.00	.00	NaN
		Insumos Dependente	1.00	.00	NaN

Elep

					Operacional			
			192.215,29	231.549,94	234.078,91	288.030,42	396.251,01	Total
Externo	1.355,17	Contagem	0	0	0	0	1	1
		Row %	.0%	.0%	.0%	.0%	100.0%	100.0%
		Column %	.0%	.0%	.0%	.0%	100.0%	20.0%
		Total %	.0%	.0%	.0%	.0%	20.0%	20.0%
	2.276,47	Contagem	0	1	0	0	0	1
		Row %	.0%	100.0%	.0%	.0%	.0%	100.0%
		Column %	.0%	100.0%	.0%	.0%	.0%	20.0%
		Total %	.0%	20.0%	.0%	.0%	.0%	20.0%
	3.180,70	Contagem	0	0	0	1	0	1
		Row %	.0%	.0%	.0%	100.0%	.0%	100.0%
		Column %	.0%	.0%	.0%	100.0%	.0%	20.0%
		Total %	.0%	.0%	.0%	20.0%	.0%	20.0%
	3.389,38	Contagem	0	0	1	0	0	1
		Row %	.0%	.0%	100.0%	.0%	.0%	100.0%
		Column %	.0%	.0%	100.0%	.0%	.0%	20.0%
		Total %	.0%	.0%	20.0%	.0%	.0%	20.0%
	6.552,79	Contagem	1	0	0	0	0	1
		Row %	100.0%	.0%	.0%	.0%	.0%	100.0%
		Column %	100.0%	.0%	.0%	.0%	.0%	20.0%
		Total %	20.0%	.0%	.0%	.0%	.0%	20.0%
Total		Contagem	1	1	1	1	1	5
		Row %	20.0%	20.0%	20.0%	20.0%	20.0%	100.0%
		Column %	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		Total %	20.0%	20.0%	20.0%	20.0%	20.0%	100.0%

	Valor	df	Asymptotic Sig. (2- tailed)
Chi-quadrado de Pearson	20.00	16	.220
Likelihood Ratio	16.09	16	.446
Linear-by-Linear Association	2.23	1	.135
N de casos válidos	5		

		Valor	Asymp. Std. Error	Approx. T	Approx. Sig.
Ordinal by Ordinal	Spearman Correlation	70	.25	-1.70	.188
Interval by Interval	R de Pearson	75	.15	-1.94	.147
Measure of Agreement	Карра	.00	.22	.00	
N de casos válidos		5			

Me

			Valor	Asymp. Std. Error	Approx. T
Nominal by	Uncertainty	Simétrico	1.00	.00	
Nominal	Coefficient	Externo Dependente	1.00	.00	NaN
		Operacional Dependente	1.00	.00	NaN

Pith

					Profis	ssional		
			4.328,24	14.061,20	31.545,43	32.160,45	44.273,75	55.832,91
Paciente	10.478,90	Contagem	1	0	0	0	0	0
		Row %	100.0%	.0%	.0%	.0%	.0%	.0%
		Column %	100.0%	.0%	.0%	.0%	.0%	.0%
		Total %	16.7%	.0%	.0%	.0%	.0%	.0%
	37.542,05	Contagem	0	1	0	0	0	0
		Row %	.0%	100.0%	.0%	.0%	.0%	.0%
		Column %	.0%	100.0%	.0%	.0%	.0%	.0%
		Total %	.0%	16.7%	.0%	.0%	.0%	.0%
	47.357,15	Contagem	0	0	0	1	0	0
		Row %	.0%	.0%	.0%	100.0%	.0%	.0%
		Column %	.0%	.0%	.0%	100.0%	.0%	.0%
		Total %	.0%	.0%	.0%	16.7%	.0%	.0%
	47.480,75	Contagem	0	0	1	0	0	C
		Row %	.0%	.0%	100.0%	.0%	.0%	.0%
		Column %	.0%	.0%	100.0%	.0%	.0%	.0%
		Total %	.0%	.0%	16.7%	.0%	.0%	.0%
	58.272,21	Contagem	0	0	0	0	0	1
		Row %	.0%	.0%	.0%	.0%	.0%	100.0%
		Column %	.0%	.0%	.0%	.0%	.0%	100.0%

					Profis	sional		
			4.328,24	14.061,20	31.545,43	32.160,45	44.273,75	55.832,91
		Total %	.0%	.0%	.0%	.0%	.0%	16.7%
	73.718,97	Contagem	0	0	0	0	1	0
		Row %	.0%	.0%	.0%	.0%	100.0%	.0%
		Column %	.0%	.0%	.0%	.0%	100.0%	.0%
		Total %	.0%	.0%	.0%	.0%	16.7%	.0%
Total		Contagem	1	1	1	1	1	1
		Row %	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%
		Column %	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		Total %	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%

			Total
Paciente	10.478,90	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	37.542,05	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	47.357,15	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	47.480,75	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	58.272,21	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	73.718,97	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
Total		Contagem	6
		Row %	100.0%
		Column %	100.0%
	,	Total %	100.0%

	Valor	df	Asymptotic Sig. (2- tailed)
Chi-quadrado de Pearson	30.00	25	.224
Likelihood Ratio	21.50	25	.664
Linear-by-Linear Association	3.86	1	.050
N de casos válidos	6		

		Valor	Asymp. Std. Error	Approx. T	Approx. Sig.
Ordinal by Ordinal	Spearman Correlation	.89	.06	3.82	.019
Interval by Interval	R de Pearson	.88	.06	3.67	.021
Measure of Agreement	Карра	.20	.23	1.10	
N de casos válidos		6			

Me

			Valor	Asymp. Std. Error	Approx. T
Nominal by	Uncertainty	Simétrico	1.00	.00	
Nominal	Coefficient	Paciente Dependente	1.00	.00	1.8E+008
		Profissional Dependente	1.00	.00	1.8E+008

Pien

					Inst	umos		
			3.189,23	3.902,53	11.057,84	13.557,51	15.550,11	17.075,11
Paciente	10.478,90	Contagem	1	0	0	0	0	0
		Row %	100.0%	.0%	.0%	.0%	.0%	.0%
		Column %	100.0%	.0%	.0%	.0%	.0%	.0%
		Total %	16.7%	.0%	.0%	.0%	.0%	.0%
	37.542,05	Contagem	0	0	1	0	0	0
		Row %	.0%	.0%	100.0%	.0%	.0%	.0%
		Column %	.0%	.0%	100.0%	.0%	.0%	.0%
		Total %	.0%	.0%	16.7%	.0%	.0%	.0%
	47.357,15	Contagem	0	0	0	0	1	0
		Row %	.0%	.0%	.0%	.0%	100.0%	.0%
		Column %	.0%	.0%	.0%	.0%	100.0%	.0%
		Total %	.0%	.0%	.0%	.0%	16.7%	.0%
	47.480,75	Contagem	0	1	0	0	0	0
		Row %	.0%	100.0%	.0%	.0%	.0%	.0%
		Column %	.0%	100.0%	.0%	.0%	.0%	.0%
		Total %	.0%	16.7%	.0%	.0%	.0%	.0%
	58.272,21	Contagem	0	0	0	0	0	1
		Row %	.0%	.0%	.0%	.0%	.0%	100.0%
		Column %	.0%	.0%	.0%	.0%	.0%	100.0%

	,				Ins	umos	,	
			3.189,23	3.902,53	11.057,84	13.557,51	15.550,11	17.075,11
		Total %	.0%	.0%	.0%	.0%	.0%	16.7%
	73.718,97	Contagem	0	0	0	1	0	0
		Row %	.0%	.0%	.0%	100.0%	.0%	.0%
		Column %	.0%	.0%	.0%	100.0%	.0%	.0%
		Total %	.0%	.0%	.0%	16.7%	.0%	.0%
Total		Contagem	1	1	1	1	1	1
		Row %	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%
		Column %	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		Total %	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%

			Total
Paciente	10.478,90	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	37.542,05	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	47.357,15	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	47.480,75	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	58.272,21	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	73.718,97	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
Total		Contagem	6
		Row %	100.0%
		Column %	100.0%
		Total %	100.0%

	Valor	df	Asymptotic Sig. (2- tailed)
Chi-quadrado de Pearson	30.00	25	.224
Likelihood Ratio	21.50	25	.664
Linear-by-Linear Association	2.21	1	.137
N de casos válidos	6		

		Valor	Asymp. Std. Error	Approx. T	Approx. Sig.
Ordinal by Ordinal	Spearman Correlation	.60	.20	1.50	.208
Interval by Interval	R de Pearson	.66	.18	1.78	.150
Measure of Agreement	Карра	.00	.18	.00	
N de casos válidos		6			

Me

			Valor	Asymp. Std. Error	Approx. T
Nominal by	Uncertainty	Simétrico	1.00	.00	
Nominal	Coefficient	Paciente Dependente	1.00	.00	1.8E+008
		Insumos Dependente	1.00	.00	1.8E+008

P

					Opera	cional		
			14.123,74	192.215,29	231.549,94	234.078,91	288.030,42	396.251,01
Paciente	10.478,90	Contagem	1	0	0	0	0	0
		Row %	100.0%	.0%	.0%	.0%	.0%	.0%
		Column %	100.0%	.0%	.0%	.0%	.0%	.0%
		Total %	16.7%	.0%	.0%	.0%	.0%	.0%
	37.542,05	Contagem	0	1	0	0	0	0
		Row %	.0%	100.0%	.0%	.0%	.0%	.0%
		Column %	.0%	100.0%	.0%	.0%	.0%	.0%
		Total %	.0%	16.7%	.0%	.0%	.0%	.0%
	47.357,15	Contagem	0	0	0	0	1	0
		Row %	.0%	.0%	.0%	.0%	100.0%	.0%
		Column %	.0%	.0%	.0%	.0%	100.0%	.0%
		Total %	.0%	.0%	.0%	.0%	16.7%	.0%
	47.480,75	Contagem	0	0	1	0	0	0
		Row %	.0%	.0%	100.0%	.0%	.0%	.0%
		Column %	.0%	.0%	100.0%	.0%	.0%	.0%
		Total %	.0%	.0%	16.7%	.0%	.0%	.0%
	58.272,21	Contagem	0	0	0	0	0	1
		Row %	.0%	.0%	.0%	.0%	.0%	100.0%
		Column %	.0%	.0%	.0%	.0%	.0%	100.0%

		,		"	Opera	cional		
			14.123,74	192.215,29	231.549,94	234.078,91	288.030,42	396.251,01
		Total %	.0%	.0%	.0%	.0%	.0%	16.7%
	73.718,97	Contagem	0	0	0	1	0	0
		Row %	.0%	.0%	.0%	100.0%	.0%	.0%
		Column %	.0%	.0%	.0%	100.0%	.0%	.0%
		Total %	.0%	.0%	.0%	16.7%	.0%	.0%
Total		Contagem	1	1	1	1	1	1
		Row %	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%
		Column %	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		Total %	16.7%	16.7%	16.7%	16.7%	16.7%	16.7%

			Total
Paciente	10.478,90	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	37.542,05	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	47.357,15	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	47.480,75	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	58.272,21	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
	73.718,97	Contagem	1
		Row %	100.0%
		Column %	16.7%
		Total %	16.7%
Total		Contagem	6
		Row %	100.0%
		Column %	100.0%
	,	Total %	100.0%

	Valor	df	Asymptotic Sig. (2- tailed)
Chi-quadrado de Pearson	30.00	25	.224
Likelihood Ratio	21.50	25	.664
Linear-by-Linear Association	2.93	1	.087
N de casos válidos	6		

		Valor	Asymp. Std. Error	Approx. T	Approx. Sig.
Ordinal by Ordinal	Spearman Correlation	.71	.16	2.04	.111
Interval by Interval	R de Pearson	.77	.18	2.38	.076
Measure of Agreement	Карра	.20	.23	1.10	
N de casos válidos		6			

Me

			Valor	Asymp. Std. Error	Approx. T
Nominal by	Uncertainty	Simétrico	1.00	.00	
Nominal	Coefficient	Paciente Dependente	1.00	.00	1.8E+008
		Operacional Dependente	1.00	.00	1.8E+008