



# VR-Forces

---

## Users Guide



**VT MAK**  
A company of VT Systems





# VR-Forces

---

Users Guide

Copyright © 2017 VT MAK  
All rights Reserved. Printed in the United States.

Under copyright laws, no part of this document may be copied or reproduced in any form without prior written consent of VT MAK.

VR-Exchange™, VR-TheWorld™, VR-Vantage™, DI-Guy™, and DI-Guy Scenario™ are trademarks of VT MAK. MÄK Technologies®, VR-Forces®, RTIsby®, B-HAVE®, and VR-Link® are registered trademarks of VT MAK.

Terrain Profiles are based in part on the work of the Qwt project (<http://qwt.sourceforge.net>).

All other trademarks are owned by their respective companies.

For third-party license information, please see “Third Party Licenses,” on page lviii.

VT MAK  
150 Cambridge Park Drive, 3rd Floor  
Cambridge, MA 02140 USA

Voice: 617-876-8085  
Fax: 617-876-9208

[info@mak.com](mailto:info@mak.com)  
[www.mak.com](http://www.mak.com)

Revision VRF-4.5-1-170217



# Contents

## Preface

---

How This Manual is Organized .....	xlvi
VR-Forces Documentation.....	lii
MAK Products .....	lii
How to Contact Us .....	lvi
Document Conventions .....	lvii
Mouse Button Naming Conventions.....	lviii
Third Party Licenses .....	lviii
Boost License.....	lviii
libXML and libICONV .....	lix
Lua .....	lix
Freefont OpenType Font Set.....	lix
NVIDIA.....	lx
Third-Party Licenses for VR-Vantage Applications.....	lx

## Section I Introduction, Installation, and Startup

### Chapter 1. Introduction to VR-Forces

---

1.1. Overview .....	1-3
1.1.1. Entity-Level and Aggregate-Level Simulation .....	1-5
1.1.2. Realistic Display of Vehicles and Terrain (3D View) .....	1-7
1.1.3. Create Complex Scenarios .....	1-7
1.1.4. Simulation Object Types Supported .....	1-8
1.1.5. Mission Planning .....	1-10
1.1.6. Simulation Object Tasks .....	1-10
1.1.7. Scripted Tasks and Set Data Requests .....	1-11
1.1.8. Tactical Graphics .....	1-11
1.1.9. Terrain Agility and Composability .....	1-12
1.1.10. Crowd Behaviors and Pattern of Life .....	1-12

1.1.11. Flexible, Intuitive Graphical User Interface .....	1-13
1.1.12. Overlays .....	1-13
1.1.13. Behaviors .....	1-13
1.1.14. Observer Attach Modes .....	1-14
1.1.15. Special Effects and Simulation Object Information Visualization .....	1-14
1.1.16. Dynamic Ocean .....	1-14
1.1.17. Lighting Effects .....	1-15
1.1.18. Accurate Vehicle Positioning .....	1-15
1.1.19. Batch Mode Operation .....	1-15
1.1.20. Remote Control .....	1-16
1.2. The VR-Forces Toolkit .....	1-16
1.2.1. Plug-in Architecture .....	1-16
1.3. DI-Guy .....	1-17
1.4. Support for External Communications Servers .....	1-17
1.5. Helpful Utilities .....	1-18
1.6. Third-Party Software and Content .....	1-19
1.6.1. SilverLining .....	1-19
1.6.2. Triton Ocean SDK .....	1-20
1.6.3. GL Studio .....	1-20
1.6.4. SpeedTree .....	1-21
1.6.5. 3D Models, Terrain, and Graphical Content .....	1-21
1.6.6. OpenSceneGraph .....	1-22
1.6.7. osgEarth .....	1-22
1.7. Distributed Simulation Standards Supported .....	1-22

---

## **Chapter 2. Installing VR-Forces**

---

2.1. Installing VR-Forces .....	2-2
2.1.1. Installing VR-Forces on Windows .....	2-2
2.1.2. Installing VR-Forces on a Linux System .....	2-3
2.1.3. Uninstalling VR-Forces .....	2-3
2.2. The VR-Forces Directory Structure .....	2-4
2.3. Installing and Setting Up the MAK License Manager .....	2-5
2.3.1. Specifying the License Server .....	2-6
2.4. Installing an RTI .....	2-8
2.4.1. Installing the MAK RTI .....	2-9
2.5. Localizing the Graphical User Interface .....	2-10
2.5.1. Translating Other Interface Files .....	2-13
2.5.2. Translating VR-Forces Scripts and Console Messages .....	2-14
2.5.3. Applying the Language Files .....	2-15
2.5.4. Merging Translation Files .....	2-15

---

## **Chapter 3. VR-Forces Application Concepts**

---

3.1. The VR-Forces Program .....	3-2
3.2. Front-end and Back-end Concepts .....	3-2
3.2.1. How Front-ends and Back-ends Work Together .....	3-3

3.2.2. How VR-Forces Back-ends are Identified .....	3-4
3.2.3. VR-Forces Sessions .....	3-4
3.2.4. Coordinating Multiple Front-ends .....	3-6
3.2.5. Working with Multiple Back-ends .....	3-7
3.3. Objects .....	3-8
3.3.1. The Object Parameter Database .....	3-8
3.3.2. Local Objects and Remote Objects .....	3-9
3.4. Representing and Managing Time in VR-Forces .....	3-10
3.4.1. Simulation Time .....	3-10
3.4.2. Time of Day .....	3-10
3.4.3. Exercise Clock Modes .....	3-11
3.5. Interactions .....	3-12
3.6. Advanced Terrain Navigation .....	3-12
3.6.1. How Navigation Data is Generated .....	3-12
3.6.2. Path Finding .....	3-14

## Chapter 4. Starting VR-Forces

4.1. Starting VR-Forces .....	4-3
4.1.1. Starting VR-Forces from the VR-Forces Launcher .....	4-3
4.1.2. Starting Independent VR-Forces Executables .....	4-8
4.1.3. Specifying a Session ID .....	4-8
4.1.4. VR-Forces Startup Tutorial .....	4-9
4.2. The VR-Forces Window .....	4-11
4.2.1. Opening New Windows .....	4-13
4.2.2. Printing the VR-Forces Display .....	4-13
4.3. Managing a Front-end's Session Connection .....	4-14
4.3.1. Joining a Session .....	4-15
4.3.2. Resigning from a Session .....	4-15
4.3.3. Configuring Session Messages and Join at Startup .....	4-16
4.4. Using HLA Time Management .....	4-17
4.4.1. VR-Forces Simulation Time Versus Federation Time .....	4-18
4.4.2. Configuring Time Management for HLA Exercises .....	4-18
4.5. Opening a Terrain Database .....	4-19
4.5.1. Loading a Terrain Database at Startup .....	4-21
4.5.2. Closing a Terrain .....	4-21
4.6. Managing VR-Forces Settings .....	4-21
4.6.1. Synchronizing Settings Among VR-Forces Installations .....	4-23
4.6.2. Global Settings and Observer-Specific Settings .....	4-24
4.7. Exiting VR-Forces .....	4-24
4.8. Configuring Simulation Connections .....	4-24
4.8.1. Opening the Simulation Connections Configuration Dialog Box .....	4-25
4.8.2. Adding a Simulation Connection .....	4-26
4.8.3. Editing a Simulation Connection .....	4-27
4.8.4. Simulation Connection Parameters .....	4-28
4.8.5. Deleting a Simulation Connection .....	4-30

4.8.6. Configuring Auto Connect .....	4-30
4.8.7. Displaying Connection Information .....	4-31
4.9. Managing Plug-ins .....	4-31
4.9.1. Loading Plug-ins .....	4-32
4.9.2. Adding a Plug-in .....	4-34
4.9.3. Specifying the DLLs for a Plug-in .....	4-35
4.9.4. Adding a Plug-in Configuration .....	4-36
4.9.5. Deleting a Plug-in Configuration .....	4-36
4.9.6. Deleting a Plug-in .....	4-37
4.9.7. Viewing a List of Loaded Plug-ins .....	4-37
4.10. The VR-Forces Log Files .....	4-38

## Chapter 5. Command-line Options

---

5.1. Command-Line Options for vrfGui .....	5-3
5.2. Command-line Options for vrfSim .....	5-9
5.3. Command-line Options for vrfLauncher .....	5-14
5.3.1. Running in Combined Mode from the Command Line .....	5-15
5.3.2. Using the -- Command-line Argument .....	5-15
5.4. Protocol-Independent Command-line Options .....	5-15
5.4.1. Specifying the Site ID and Application Number .....	5-15
5.4.2. Specifying the Language to Use in the GUI .....	5-16
5.4.3. Setting the Notification Level .....	5-16
5.4.4. Loading Plug-ins .....	5-17
5.5. Command-line Options for HLA Federations .....	5-17
5.5.1. Specifying the Federation Execution .....	5-17
5.5.2. Specifying the FED File .....	5-18
5.5.3. Specifying the RPR FOM Version .....	5-18
5.5.4. Specifying a FOM Mapper .....	5-18
5.5.5. Specifying the RPR FOM Revision .....	5-18
5.5.6. Specifying FOM Mapper Initialization Data .....	5-19
5.5.7. Specifying a FED File That is Appropriate for the FOM Mapper .....	5-19
5.5.8. Enabling Time Management .....	5-19
5.6. Command-line Options for DIS Exercises .....	5-20
5.6.1. Specifying the Port Number .....	5-20
5.6.2. Specifying Point-to-Point or Multicast Operation .....	5-20
5.6.3. Specifying the Multicast Time-to-Live .....	5-20
5.6.4. Using Asynchronous I/O .....	5-20
5.6.5. Specifying the Exercise ID .....	5-21
5.6.6. Specifying the DIS Version .....	5-21

## Chapter 6. Optimizing Performance

---

6.1. Introduction .....	6-3
6.1.1. Optimizing Simulation Engine Performance .....	6-3
6.1.2. Optimizing Front-End Performance .....	6-4
6.2. Monitoring the Back-end Frame Rate .....	6-5



6.3. Displaying Performance Statistics .....	6-6
6.3.1. Displaying the VR-Forces Function Profiler .....	6-8
6.3.2. Displaying OSG Statistics .....	6-8
6.4. Filtering Simulation Objects Using Interest Management .....	6-8
6.4.1. Enabling Interest Management .....	6-9
6.4.2. Configuring Interest Management .....	6-9
6.5. Clearing the Model Instancing Cache .....	6-11
6.6. Miscellaneous Performance Configuration Options .....	6-12
6.6.1. Limiting Use of Spot Reports .....	6-12
6.6.2. Using Asynchronous I/O for DIS Exercises .....	6-12
6.6.3. Using Incremental Compiling with Streamed Data .....	6-12
6.7. Setting the Tick Rate .....	6-13
6.7.1. Specifying the Tick Rate for Components .....	6-13
6.7.2. Tuning the Network Interface .....	6-14
6.7.3. Tuning the State Repository Tick Rate .....	6-14
6.8. Configuring Graphics Quality .....	6-14
6.9. Balancing Visual Quality Against Network Performance .....	6-15
6.9.1. Enabling Configuration of Performance Options .....	6-16
6.10. Trajectory Smoothing .....	6-16
6.10.1. Configuring Trajectory Smoothing .....	6-17
6.11. Tuning the Target Frame Rate .....	6-17
6.12. Coloring Draw Calls .....	6-18
6.13. Configuring VSync .....	6-19
6.14. DI-Guy Performance Settings .....	6-19

## Section II Scenarios

### Chapter 7. Creating and Running Scenarios

7.1. Creating a Scenario .....	7-3
7.1.1. Specifying Multiple Simulation Model Sets .....	7-8
7.1.2. Creating Simulation Model Set Configurations .....	7-9
7.1.3. Setting the Scenario Starting Date and Time .....	7-11
7.1.4. Importing (Merging) Scenarios .....	7-12
7.1.5. Importing and Exporting MSDL .....	7-14
7.1.6. Scenario Building Blocks .....	7-16
7.2. Loading a Scenario .....	7-17
7.2.1. Loading a Recently Loaded Scenario .....	7-18
7.2.2. Loading a Scenario from the Command Line .....	7-18
7.2.3. Load Balancing a Scenario .....	7-19
7.2.4. Displaying Scenario Information .....	7-21
7.2.5. Editing the Scenario Description .....	7-23
7.2.6. Sample Scenarios .....	7-23
7.3. Running a Scenario .....	7-24
7.3.1. Changing the Simulation Speed .....	7-24
7.3.2. Pausing a Scenario .....	7-25
7.3.3. Rewinding a Scenario .....	7-25

7.3.4. Closing a Scenario .....	7-27
7.4. Saving a Scenario .....	7-27
7.4.1. Saving a Previously Saved Scenario .....	7-29
7.4.2. Saving a Scenario to a New Name or a Different Format .....	7-29
7.5. Checkpoints and Snapshots .....	7-30
7.5.1. Saving Checkpoints .....	7-30
7.5.2. Deleting Checkpoints .....	7-33
7.5.3. Creating Snapshots .....	7-33
7.5.4. Clearing the Snapshot List .....	7-34
7.6. Pausing a Scenario Automatically .....	7-35
7.6.1. Setting the Scenario End Time for a New Scenario .....	7-35
7.6.2. Setting the Scenario End Time for an Open Scenario .....	7-35
7.7. Running VR-Forces in Batch Mode .....	7-36
7.7.1. The Batch File .....	7-36
7.7.2. Creating a Batch File .....	7-37
7.7.3. Editing a Batch File .....	7-37
7.7.4. Running VR-Forces in Batch Mode .....	7-39
7.7.5. Recording Batch Scenarios .....	7-40
7.8. Sending Run and Pause Messages to Simulation Participants .....	7-41
7.9. Recording VR-Forces Simulations with the MAK Data Logger .....	7-41

## **Chapter 8. Scenario Events**

---

8.1. Introduction to Scenario Events .....	8-2
8.2. Creating a Scenario Event .....	8-3
8.2.1. Adding Content to a Scenario Event .....	8-5
8.2.2. Adding Linked Events .....	8-6
8.3. Adding Intelligence Objects .....	8-8
8.4. Starting a Scenario Event .....	8-10
8.4.1. Starting a Scenario Event from a Plan .....	8-11
8.5. Ending a Scenario Event .....	8-12
8.6. Sorting the Event List .....	8-13
8.7. Deleting a Scenario Event .....	8-13
8.8. Showing and Hiding Scenario Events .....	8-14

## **Chapter 9. Target Detection and Combat Features**

---

9.1. Displaying Simulation Objects Based on Spot Reports .....	9-2
9.1.1. Enabling or Disabling Spot Reports .....	9-3
9.1.2. Configuring the Spot Reports Viewpoint .....	9-4
9.1.3. Configuring the Spot Reports Certainty Level .....	9-8
9.1.4. Applying Spot Reports to Tactical Graphics .....	9-9
9.1.5. Displaying Labels for Spot Reports .....	9-9
9.1.6. Using Spot Reports in Tasks .....	9-9
9.2. Managing Force Hostility Relationships .....	9-10
9.2.1. Changing a Force's Hostility in a Plan .....	9-12
9.3. Detecting Targets .....	9-13
9.3.1. Target Detection and Spot Reports .....	9-15