



$\mu = 0.01, \nu = 0.01, \text{MSE} = 6.915\text{e}+01$




$79 \cdot \nu + 0.00079 \cdot r - 0.72663) \cdot (-0.16507 \cdot \nu + (0.10834 \cdot \text{sech}(r) - 0.60414) \cdot \text{sech}(r) + 0.00136 \cdot \text{ta}$

$\mu = 0.01, \nu = 2.51, \text{MSE} = 2.302\text{e}+01$




$$79 \cdot \nu + 0.00079 \cdot r - 0.72663) \cdot (-0.16507 \cdot \nu + (0.10834 \cdot \text{sech}(r) - 0.60414) \cdot \text{sech}(r) + 0.00136 \cdot \tan(r))$$


$\mu = 0.01, \nu = 5, \text{MSE} = 3.747\text{e}+01$




$\mu = 0.01, \nu = 7.5, \text{MSE} = 5.126\text{e}+01$



$\mu = 0.01, \nu = 10, \text{MSE} = 3.771\text{e}+01$




$\mu = 2.51, \nu = 0.01, \text{MSE} = 3.100\text{e}+01$




$$79 \cdot \nu + 0.00079 \cdot r - 0.72663) \cdot (-0.16507 \cdot \nu + (0.10834 \cdot \text{sech}(r) - 0.60414) \cdot \text{sech}(r) + 0.00136 \cdot \text{ta}$$


$\mu = 2.51, \nu = 2.51, \text{MSE} = 1.698\text{e}+01$




$\mu = 2.51, \nu = 5, \text{MSE} = 4.208\text{e}+01$




$\mu = 2.51, \nu = 7.5, \text{MSE} = 5.235\text{e}+01$




$\mu = 2.51, \nu = 10, \text{MSE} = 5.065\text{e}+01$




$\mu = 5, \nu = 0.01, \text{MSE} = 1.749\text{e}+01$




$\mu = 5, \nu = 2.51, \text{MSE} = 2.501\text{e}+01$




$\mu = 5, \nu = 5, \text{MSE} = 5.142\text{e}+01$




$\mu = 5, \nu = 7.5, \text{MSE} = 5.837\text{e}+01$




$\mu = 5, \nu = 10, \text{MSE} = 4.848\text{e}+01$




$\mu = 7.5, \nu = 0.01, \text{MSE} = 2.253\text{e}+01$




$\mu = 7.5, \nu = 2.51, \text{MSE} = 3.388\text{e}+01$



$\mu = 7.5, \nu = 5, \text{MSE} = 5.059\text{e}+01$




$\mu = 7.5, \nu = 7.5, \text{MSE} = 5.201\text{e}+01$




$79 \cdot \nu + 0.00079 \cdot r - 0.72663) \cdot (-0.16507 \cdot \nu + (0.10834 \cdot \text{sech}(r) - 0.60414) \cdot \text{sech}(r) + 0.00136 \cdot \text{ta}$

$\mu = 7.5, \nu = 10, \text{MSE} = 4.611\text{e}+01$




$\mu = 10, \nu = 0.01, \text{MSE} = 4.298\text{e}+01$




$$79 \cdot \nu + 0.00079 \cdot r - 0.72663) \cdot (-0.16507 \cdot \nu + (0.10834 \cdot \text{sech}(r) - 0.60414) \cdot \text{sech}(r) + 0.00136 \cdot \tan(r))$$

$\mu = 10, \nu = 2.51, \text{MSE} = 3.872\text{e}+01$




$$79 \cdot \nu + 0.00079 \cdot r - 0.72663) \cdot (-0.16507 \cdot \nu + (0.10834 \cdot \text{sech}(r) - 0.60414) \cdot \text{sech}(r) + 0.00136 \cdot \text{ta}$$


$\mu = 10, \nu = 5, \text{MSE} = 5.549\text{e}+01$



$\mu = 10, \nu = 7.5, \text{MSE} = 5.614\text{e}+01$



$\mu = 10, \nu = 10, \text{MSE} = 4.705\text{e}+01$



$79 \cdot \nu + 0.00079 \cdot r - 0.72663) \cdot (-0.16507 \cdot \nu + (0.10834 \cdot \text{sech}(r) - 0.60414) \cdot \text{sech}(r) + 0.00136 \cdot \text{ta}$