

$$\begin{aligned}
f_{12} = & a_1 \operatorname{asin}(\cos(a_6 + \operatorname{acos}(s))) + a_{10} \cos(a_{31}s) \\
& + a_{11} \sin(a_{30}s) + a_{12} \sin(s(a_0 + \operatorname{acos}(s))) \\
& + a_{13} \sin(a_{29}s) + a_{24} \sin(\cos(a_{18} + a_{22}s)) \\
& + a_{27} + a_9 \cos(a_{28}s) \\
& + (a_{20} + a_{26}s) \left(4s \left(a_{17} + a_{19}s(a_{15} + s) \left(a_{16}s \tanh(\sin(4s)) + a_{21} + a_7 \sqrt{1-s^2} \right) + a_2 s \operatorname{asin}(\operatorname{asin}(\tanh(s))) + a_3 \sqrt{\sqrt{s} + \operatorname{asin}(s)} \right) \right. \\
& \left. + (a_4 + 4s)(a_{14}\sqrt{s} + a_5 + a_8 \sin(a_{23}s)) - \tanh(\operatorname{asin}(\operatorname{sech}(a_{25}s))) \right)
\end{aligned}$$

$$\begin{aligned}
f_{13} = & a_{11} \tanh(\operatorname{asin}^{a_{39}}(\operatorname{acos}(\sin(a_{49} + \operatorname{acos}(s))))) + a_{14}s \\
& + a_{19} + a_{28} \tanh(\tanh(\sin((a_{53} + s)(a_2 \operatorname{acos}(s) + a_{65})))) \\
& + a_{30} \cos(a_1 \operatorname{acos}(s) + a_{73} + a_{76}s) + a_{31} \sin((a_4 s + a_{69})(a_{10} + s - \sin(s)) \operatorname{asin}(s)) \\
& + a_{34} \sin(a_{24} + a_{71} \tanh(s)) \operatorname{acos}(s) + a_{35}s \sin(a_{26} + a_{72}s^2) \\
& + a_{58}s \sin(s + \operatorname{acos}(s)) + a_9 \operatorname{asin}(\operatorname{sech}(\sin(\cos(a_{61}s)))) \\
& + s \left(a_{17} \operatorname{asin}(\cos(a_{51} + \operatorname{asin}(s))) + \sqrt{\operatorname{acos}(\sin(a_{43} + s))} \right) - s(a_{15} + a_{54}s - \sin(a_{67}s)) \sin(a_{23} + s) \cos(a_{42} + a_{62} \tanh(s) + a_{74}s) \operatorname{acos}(s) \\
& - (a_{13} + s)(a_{37} \operatorname{sech}(a_{25} + \cos(128s)) + a_8) - (a_{18} + s^2)(a_{20} - 4s^2)(a_{29} + s)(a_{12} \operatorname{acos}(s) + a_{50}) \cos(a_{68} \operatorname{acos}(s)) \operatorname{acos}(s) \\
& + (a_{36} + s)(a_{46} + \operatorname{sech}(\operatorname{sech}(\cos(a_3 \sin(s) + a_{75}s)))) \operatorname{acos}(s) \\
& + (a_{48}s^2 + \tanh(a_{16} + \operatorname{acos}(s)))(a_{32} + \tanh(\sin(a_{47}s)) - \operatorname{asin}(s)) \sin(a_{64}s(s + 12)) \\
& + (a_7 \sqrt{s} + s^{a_{39}})(a_{45} - \sqrt{s} + \tanh(s)) + (a_{21} \tanh(s) + a_{33} + a_{40}\sqrt{s} + a_{40}s) \cos(a_0 + a_{77}s) \\
& + (a_{22} \cos(a_{70} \cos(s)) + a_{27} \sin(a_{66} \operatorname{acos}(s)) + a_{52} \sqrt{1 - \sin^2(a_{57}s)} + a_{52}(a_{38}s + a_{44}))(a_5 \sin(a_{60}s) + a_6 \sin(a_{59}s) + a_{63} \sin(a_{56}s) + \cos(33s)) \\
& - \sin(s - \cos(s)) + \sin\left(\sqrt{\tanh(\operatorname{acos}(\operatorname{sech}(\cos(s) - \operatorname{acos}(s))))}\right) \\
& + \operatorname{acos}(\sqrt{s})
\end{aligned}$$

$$\begin{aligned}
f_{14} = & a_1 \operatorname{asin}(\cos(a_{10} + \operatorname{acos}(s))) + a_{15} \tanh((a_{28} + a_5 s) \sin(a_{38}s)) \\
& + a_{17} \cos(a_{36}s) + a_2 \sin(\cos(a_{11} + a_{27}s)) \\
& + a_{21} \cos(a_{33}s) + a_{22} \sin(s(a_0 + \operatorname{acos}(s))) \\
& + a_{24} \sin(a_{35}s) + a_8 \sin(a_{34}s) \\
& + (a_{13} + a_{18}s) \cos(a_{20} + (a_{37} + a_4 s)(s - 2)) \\
& + (a_{30}s + a_{32}) \left(4s \left(a_{25} + a_3 s \operatorname{asin}(\operatorname{asin}(\tanh(s))) + a_6 \sqrt{s + \operatorname{asin}(s)} + 4s(a_{16} + s)(a_{12} \sqrt{1-s^2} + a_{23}s \tanh(\sin(4s)) + a_{26}) \right) \right. \\
& \left. + (a_9 + 2s)(a_{14} \sin(a_{29}s) + a_{19}\sqrt{s} + a_7) - \tanh(\operatorname{asin}(\operatorname{sech}(a_{31}s))) \right)
\end{aligned}$$

$$\begin{aligned}
f_{15} = & a_{14} + a_{18} \operatorname{acos}^{a_{26}}(s) \\
& + a_{22} \cos(s(a_1 + a_8 s)) + a_{23} \operatorname{acos}(s) \operatorname{sech}(\operatorname{asin}(\cos(a_{11} + a_{46} \operatorname{asin}(s) + a_{47} s))) \\
& + a_{24} \sin(a_{51} s) + a_3 \operatorname{asin}(\cos(a_{15} + \sqrt{s})) \\
& + a_{37} \operatorname{sech}(\operatorname{asin}(s)) + a_{45} \operatorname{sech}(a_{40} \sin(s)) \\
& + a_5 \sin(a_{25} \cos(a_{49} s)) + a_{52} \operatorname{acos}(\operatorname{sech}(a_{13} + \cos(s))) \\
& + \sqrt{1-s^2} \\
& + (a_{32} - s)(a_2 \sqrt{s} + a_{48}) \left(a_{10} + a_{20} \sin(a_{44} s) + a_4 \sqrt{s} + a_{50} \tanh(4s) \right. \\
& \quad + (a_{19} + a_{43} s) \left\{ a_7 + (a_{30} + \operatorname{acos}(s^{a_{28}}))(-s + \cos(a_{16} + \cos(s))) (a_{41} + a_{42} s(a_{33} + s) + \operatorname{acos}(\sin(a_{35} s))) \right. \\
& \quad \left. \left. - (a_6 + (a_{21} + a_{27} s) \sin(a_{39} s))(a_{34} s + a_9) \right\} \operatorname{asin}(\tanh(\operatorname{acos}(s))) \right) \\
& - (a_{17} \sin(a_0 \operatorname{acos}(s) + 16s) + a_{29} s)(a_{31} s - \sqrt{s} \tanh(s)) - \cos(s) \\
& + \operatorname{acos}(\cos(a_{36} s)) + \operatorname{sech}(a_{38} + a_{53} \tanh(a_{12} + s))
\end{aligned}$$

$$\begin{aligned}
f_{16} = & a_1 \sin(\cos(a_{27} s + a_8)) + a_{17} \cos(a_{36} s) \\
& + a_{18} \cos(a_{33} s) + a_{21} \sin(s(a_0 + \operatorname{acos}(s))) \\
& + a_{22} \sin(a_{35} s) + a_{32} \operatorname{acos}(\cos(a_7 + \operatorname{acos}(s))) \\
& + a_6 \sin(a_{34} s) - (a_{10} s + a_{16}) \cos(a_4 + (s-2)(a_2 s + a_{37})) \\
& + (a_{13} s + a_{14}) \tanh(64s - 64 \sin(a_{38} s)) \\
& + (a_{29} s + a_{31}) \left(4s \left(a_{24} + a_{26} s(a_{12} + s) (a_{19} s \tanh(\sin(4s)) + a_{25} + a_9 \sqrt{1-s^2}) + a_3 s \operatorname{asin}(\operatorname{acos}(\operatorname{sech}(s))) + a_5 \sqrt{s + \operatorname{asin}(s)}) \right) \right. \\
& \quad \left. - (a_{23} s - 1)(a_{15} \sin(a_{28} s) + a_{20} + \sqrt{s}(a_{11} + s)) - \tanh(\operatorname{asin}(\operatorname{sech}(a_{30} s))) \right)
\end{aligned}$$

$$\begin{aligned}
f_{17} = & a_1 \operatorname{asin}(\cos(a_{10} + \operatorname{acos}(s))) + a_{19} \cos(a_{39} s) \\
& + a_2 \sin(\cos(a_{11} + a_{30} s)) + a_{24} \cos(a_{36} s) \\
& + a_{25} \sin(s(a_0 + \operatorname{acos}(s))) + a_{26} \sin(a_{38} s) \\
& + a_8 \sin(a_{37} s) + (a_{13} + a_{20} s) \cos(a_{22} + (s-2)(a_4 s + a_{40})) \\
& + (a_{17} s + a_{18}) \tanh((a_{15} - \sin(a_{41} s))(a_{32} + a_5 s)) \\
& + (a_{34} s + a_{35}) \left(4s \left(a_{28} + a_{29} s(a_{16} + s) (a_{12} \sqrt{1-s^2} + a_{23} s \tanh(\sin(4s)) + a_{27}) + a_3 s \operatorname{asin}(\operatorname{asin}(\tanh(s))) + a_6 \sqrt{s + \operatorname{asin}(s)}) \right) \right. \\
& \quad \left. + (a_9 + 2s)(a_{14} \sin(a_{31} s) + a_{21} \sqrt{s} + a_7) - \tanh(\operatorname{asin}(\operatorname{sech}(a_{33} s))) \right)
\end{aligned}$$

$$f_{19} = a_0 + a_2 \sin(a_1 + s)$$

$$\begin{aligned}
f_{32} = & a_{32}s^2 + \left(a_{11}(a_{21} + \operatorname{acos}(s) \operatorname{sech}(s) + \operatorname{acos}(\tanh(s))) \left[a_1 \operatorname{sech}(a_{13} + a_{29}s) + a_2 + a_{28} \tanh(4s - 1) \right. \right. \\
& + a_4s + (a_{17} + 2s) \left\{ a_0 \operatorname{sech}(s) + a_{10}s^2 (\operatorname{acos}(s) + \operatorname{sech}(4 \operatorname{acos}(s))) \right. \\
& + a_7 \operatorname{acos}(-\cos(a_{20}s + 6)) + (a_{26} + \operatorname{asin}(s)) (a_{19} \operatorname{acos}(\sqrt{s}) + a_{22} + s(a_6 - s + (a_{16}s + a_{16} \sin(s) + a_9) \tanh(\sin(4s)) + \cos(a_{31}\sqrt{s})) \\
& + s - \operatorname{asin}(\operatorname{asin}(\operatorname{acos}(\sin(a_{18} + s)))) + \operatorname{asin}(s) \left. \right\} - (a_{27}s + a_3) (a_{23} + a_5s - s \operatorname{acos}(1 - s) + (1 - \sin(a_{30}s)) (a_{12} + \sqrt{s})) \\
& \left. - \operatorname{acos}(\operatorname{sech}(\cos(a_{15} + \operatorname{acos}(s)))) \right] \\
& \left. + a_{14} \operatorname{sech}(\sin(\cos(a_{24} + a_{25}s))) \right) \cdot (\operatorname{asin}(\operatorname{sech}(\tanh(a_8 + \operatorname{acos}(s)))) + 4)
\end{aligned}$$

$$f_{34} = a_0 + s(a_1 + a_2s)$$

$$\begin{aligned}
f_{42} = & a_{13} + (-s - \sin(\sin(\sin(a_6 + s)))) \left(a_1 \operatorname{acos}(s) + a_{14} + \left\{ a_0 + a_{12}(a_2 - 32s) (-\sin(4 \cos(s)) + \operatorname{sech}(s)) + a_{12} \tanh(8s) + a_{15} \sqrt{1 - \cos^2(s)} \right. \right. \\
& + a_3s(2s - \tanh(4s))(s - \cos(a_{11}s) + 2) \\
& \left. \left. + a_4(32 \operatorname{asin}(s) + 64)(a_5 + s(a_{10} + a_9s(a_7 + s) \operatorname{acos}(s)) + s + \operatorname{sech}(s)) \right\} \operatorname{acos}(\operatorname{sech}(\cos(a_8 + s))) \right)
\end{aligned}$$

$$\begin{aligned}
f_{44} = & a_0s \operatorname{sech}(s) + a_{16} \sin(s(a_{12}s + a_{73})) \\
& + a_{28} \operatorname{acos}(-\sin(a_{39} + a_{47} \cos(a_{49}s) + a_{79} \operatorname{sech}(s))) + a_3 \operatorname{asin}(\operatorname{sech}(a_{26} + 4s)) \\
& + a_{36} \tanh(\cos(s(a_1 + a_2s + a_{53}s(a_{66} + s)))) + a_{38}s \operatorname{acos}(\sin(a_{30} + a_{45}s(a_{75} + 4s))) \\
& + a_{41} \operatorname{asin}(\operatorname{sech}(\operatorname{asin}(\cos(a_{57}s + a_{62} + 4 \cos(16s))))) \\
& + a_{43} \cos \left(\tanh(a_{61}s) \tanh \left(\tanh \left(a_{21} + \sqrt{\operatorname{acos} \left(-\sin \left(a_{64} \sqrt{s} \left(a_{46} + s + \cos \left(\sqrt{\operatorname{sech}(s)} \right) \right) + a_7 + a_{78}s \right) \right) \right) \right) \right) \\
& + a_{52} \sqrt{a_{19} \tanh(s(a_{27} + s) + \cos(a_{77}s) + 4) + 1} + a_{74} \operatorname{sech}(\cos(a_{31} + a_{65}s)) \\
& + a_{80}s(a_{54} + a_{63} \tanh(2s) + a_8\sqrt{s} + a_9s + \tanh(a_{71}s)) \\
& - 4s(a_{13} + s)(a_{18} + s)(a_{22} + \operatorname{sech}(a_{14} + a_{48}s))(a_{37} + a_{56}s) \operatorname{asin}(\cos((a_5 - 4s)(s + \tanh(s) + 4))) \\
& - s \operatorname{acos}(\sin(a_{17} + a_{68}s)) \operatorname{asin}(a_{20} + \sin(a_{42} + s)) \operatorname{asin}(\cos(a_{15} + a_{76}s)) - (a_{23} + s)(a_4 \sin(a_{67}s) + a_{70}) \operatorname{acos}(s) \\
& + (a_{81} + a_{82} \operatorname{acos}(s))(a_{50}s + a_{51})(-\sin(s) + \operatorname{asin}(s)) \cos(\sqrt{s}) \\
& + (a_{10}s + a_{58}) \tanh(s^{a_{40}} - \operatorname{sech}(a_{25} + (a_{11} + \sqrt{s})(a_{29} + \sqrt{s}) \operatorname{asin}(2s - 1))) \operatorname{asin}(\sin(a_{24} + a_{60}s^{a_{40}})) \\
& + (a_{33}s + a_{34}) \sin((a_{55} + 2s)(a_{69}s + a_{72})) + \operatorname{acos}((a_{32} + a_{35}s) \sin((a_{44} + 9s)(a_{59}s + a_6)))
\end{aligned}$$

$$\begin{aligned}
f_{45} = & a_{11}s(a_{12} + a_{64}s)(a_{22} + \operatorname{sech}(a_{15} + a_{58}s))(a_{34} - s)(a_{55} - s)\operatorname{asin}(\cos((a_7 - 4s)(a_{60} + s + \tanh(s)))) + a_{16}\sin(s(a_{13}s + a_{86})) \\
& + a_{22}s\operatorname{sech}(s) + a_{28}\operatorname{asin}(\cos(a_{17} + a_{54}\cos(a_{59}s) + a_{93}\operatorname{sech}(s))) \\
& + a_{30} + a_{35}\operatorname{asin}(\cos(s(a_3 + a_4s + a_{65}s(a_{78} + s)))) \\
& + a_{40}s\operatorname{asin}(\cos(a_{51}s(a_{61}s + a_{88}) + a_{52})) + a_{42}\operatorname{asin}(\operatorname{sech}(\operatorname{asin}(\cos(a_{43} + a_{63}\cos(a_{81}s) + a_{70}s)))) \\
& + a_{48}\operatorname{sech}\left(\tanh(a_{72}s)\tanh\left(\tanh\left(a_{21} + \sqrt{\operatorname{acos}\left(-\sin\left(a_{69} + a_{76}\sqrt{s}\left(a_{53} + s + \cos\left(\sqrt{\operatorname{sech}(s)}\right)\right) + a_{92}s\right)}\right)\right)\right)\right) + a_5\operatorname{asin}(\operatorname{sech}(a_{26} + 4s)) \\
& + a_{87}\operatorname{sech}(\cos(a_{29} + a_{77}s)) + a_{94}s(a_{10}s + a_{74}\tanh(2s) + a_9\sqrt{s} + \tanh(a_{84}s) + 4) \\
& - s\operatorname{acos}(\sin(a_{19} + a_{80}s))\operatorname{asin}(a_{20} + \sin(a_{45} + s))\operatorname{asin}(\cos(a_{14} + a_{90}s)) - (a_{23} + s)(a_6\sin(a_{79}s) + a_{83})\operatorname{acos}(s) \\
& - (a_{36} + a_{37}s)\sin((a_{56}s + a_{68})(a_{82}s + a_{85})) - (a_0\operatorname{acos}(s) + a_1)(a_{62}s + a_{66})(-\sin(s) + \operatorname{asin}(s))\cos(\sqrt{s}) \\
& + (a_{31}\operatorname{sech}(\sin(a_{46} + a_{89}s)) + a_{38})(a_{39} - s + \cos(s)) \\
& + (a_{67} + s + \operatorname{sech}(s))\sin(s^{a_{41}} - \operatorname{sech}(a_{47} + (a_{18} + a_{57}\sqrt{s})\operatorname{asin}(2s - 1)))\operatorname{asin}(\sin(a_{27} + a_{73}s^{a_{41}})) \\
& - \tanh((a_{32} + a_{33}s)\sin((a_{49} + a_{75}s)(a_{71}s + a_8))) + \sqrt{\operatorname{acos}(s)} \\
& + \operatorname{asin}(s) - \operatorname{sech}(a_{25} + a_{44}\tanh(a_{50} + (a_{24} + s)\operatorname{asin}(s) + \cos(a_{91}s)))
\end{aligned}$$

$$\begin{aligned}
f_{46} = & a_1\sqrt{s}(a_{21} + a_{43}s) + a_{11}\cos((a_{26} + a_{31}s)((\operatorname{acos}(s)\operatorname{asin}(s))^{a_{15}}(a_{25} + \cos(s)) - \tanh(a_2\cos(s) + a_{24}\sin(s)))) \\
& + a_{12}s + a_{18}\cos(a_{34}s) \\
& + a_{37}\operatorname{sech}(a_{27}s) + a_{38}\cos(\tanh(a_{28}s)) \\
& + a_4\cos(a_{33}s) + a_{40}s(a_0 + a_{36}s)\left(a_{16} + a_{29}s + a_5\operatorname{acos}(a_{17} - s) + a_9\sqrt{\operatorname{acos}(s)} + \sqrt{1 - s^2}(a_{23} + a_{3}s)\right) \\
& - (a_{13} + a_8s)\sin(a_{22} + \cos(a_{30}s^{a_{15}} + (a_6 + 2s)(a_{30}s + a_{32}))) + \left(a_7 + (a_{19}\operatorname{sech}(s^2) + a_{39})\tanh(s)\right)(a_{41}s + a_{42}) \\
& - (a_{10}s + a_{14})\operatorname{sech}(a_{20} + s - \operatorname{acos}(-\sin(a_{35}s)))
\end{aligned}$$

$$\begin{aligned}
f_{47} = & a_1s + a_{33}\cos((a_{76} + 2048s)\tanh(a_{45}s))\operatorname{acos}(s) \\
& + a_{42} + a_{72}\operatorname{acos}(\operatorname{sech}(a_{23} + \operatorname{asin}(s))) \\
& + a_8s(a_{19} + s)\left(a_{34} - s^2(a_{22} + s) + (a_{27} + a_{37}\sqrt{s})\cos(a_{61}s)\right)\sin(a_{71}s) + s(a_{26} + a_{38}\sqrt{s})\operatorname{acos}(\sin(a_{63}s(a_{57} - s) + a_9s\tanh(s))) \\
& + (a_{13} + a_{56}s)(a_{31} + (a_{18} + s)(a_{15}s + \sqrt{s}))\tanh(s)\operatorname{acos}(-\sin(a_{14} + (a_{74} + a_{75}\operatorname{asin}(s))\operatorname{acos}(s))) \\
& - (a_{32} + a_{35}s^2\operatorname{acos}(s))\operatorname{asin}(\cos(a_{41} + (a_0 + a_{10}s)\operatorname{acos}(\sqrt{s}))) \\
& + (-\sqrt{s} + s)(a_{16}\tanh(s) + a_{40})\cos(a_{67}s(a_{50} + a_{51}\sin(\operatorname{sech}(s)))\operatorname{acos}(s)) - (a_{28}s + a_{39})\operatorname{acos}\left(\sin\left(a_3\operatorname{sech}\left(\tanh\left(s^2\right)\right) + a_{69}\sin(\tanh(s))\right)\right) \\
& + \left(a_{17}\cos(a_{65}s) + a_{48}\sin(a_{66}s) + a_{62}\tanh(\cos(a_{59}s))\right. \\
& \quad \left.+ (4s - 16)\left\{a_{11}s + a_{53}\sqrt{s} + (a_{20} + a_7s)\left[a_{22}s\operatorname{sech}(\operatorname{asin}(s)) + a_4\operatorname{asin}(s) + a_5s(a_{46} - \cos(s))\operatorname{acos}(\sin(a_{47} + s)) + a_{54} - s^{a_{36}}\right.\right.\right. \\
& \quad \left.\left.\left.- (a_{24} + \sqrt{s})(a_{25}\sin(a_{58}s) + a_6 + a_{64}s) + (a_{60}\sqrt{s} + a_{70})\sin(s)\right\}\right\}\right)\operatorname{acos}(s) \\
& - \sin\left((a_{29} + a_{52}s)\sqrt{\operatorname{acos}(\operatorname{sech}(a_{30} + a_{44}s))}\right) \\
& - \cos((a_{68} + a_{73}s)\operatorname{sech}(a_{49}\sin(s)))\operatorname{asin}(a_{21} + \operatorname{sech}(a_{43} + s(a_{12} + a_{55}s))) - \tanh(s) \\
& + \operatorname{asin}(s)
\end{aligned}$$

$$\begin{aligned}
f_{48} = & s^4 (s - \sin (\operatorname{sech} (\operatorname{asin} (\cos (a_{20} s)))))) \\
& + \left(\left\{ - (a_{12} + a_{19} \operatorname{asin} (s)) \operatorname{asin} (\operatorname{sech} (s - \operatorname{acos} (s))) \right. \right. \\
& \quad + (a_2 + \operatorname{asin} (s)) \operatorname{acos} (s) + (a_{14} s + a_{17}) \left[a_{13} s (a_{10} - s + \operatorname{asin} (\cos (s))) + (a_1 + \sin (a_{16} s)) (a_4 + a_8 s) \right. \\
& \quad \left. \left. - (a_3 \operatorname{acos} (\sin (a_9 + s)) - \operatorname{sech} (a_{18} s)) \operatorname{asin} (s) \right] \tanh (\sqrt{s}) + \operatorname{acos} (-\sin (a_{15} s + a_6)) \right\} \\
& \quad \cdot (a_{11} \operatorname{acos} (\sin (s)) + a_5 + a_7 \operatorname{sech} (\sin (s)) + \operatorname{acos} (\operatorname{acos} (\operatorname{sech} (a_0 + \cos (s)))) + \operatorname{asin} (s)) \Bigg)
\end{aligned}$$

$$\begin{aligned}
f_{49} = & a_1 \operatorname{asin} (\cos (a_7 + \operatorname{acos} (s))) + a_{10} \cos (a_{28} s) \\
& + a_{11} \cos (a_{31} s) + a_{12} \sin (a_{29} s) \\
& + a_{13} \sin (a_{30} s) + a_{24} \sin (\cos (a_{19} + a_{22} s)) \\
& + a_{27} + a_9 \sin (s (a_0 + \operatorname{acos} (s))) \\
& + (a_{20} + a_{26} s) \left(4s \left(a_{17} + a_{18} s (a_{16} + s) \left(a_{14} s \tanh (\sin (4s)) + a_{21} + a_8 \sqrt{1 - s^2} \right) + a_2 s \operatorname{asin} (\operatorname{asin} (\tanh (s))) + a_3 \sqrt{\sqrt{s} + \operatorname{asin} (s)} \right) \right. \\
& \quad \left. + (a_4 + 4s) (a_{15} \sin (a_{23} s) + a_5 + a_6 \sqrt{s}) - \tanh (\operatorname{asin} (\operatorname{sech} (a_{25} s))) \right)
\end{aligned}$$

$$\begin{aligned}
f_{50} = & a_{19} s \left(a_9 \operatorname{asin} (s) + (a_{20} + a_{25} s (a_{12} + s)) (a_{24} s + a_8) \sin (a_{13} + a_2 s + s \operatorname{acos} (s) \operatorname{acos} (s^2) + \operatorname{acos} (s)) + \sin (a_{38} s) \right) \operatorname{acos} (s) + a_3 \tanh (\sin (a_{27} s)) \\
& + a_{39} + a_{40} s \\
& + (a_{23} + a_{29} \sqrt{s}) \operatorname{sech} (a_{10} + a_{37} s) \\
& - (a_{28} - s) \left(a_{14} \operatorname{acos} (\sin (a_{11} + a_{32} s)) + a_{34} \tanh (\operatorname{asin} (\operatorname{sech} (a_{33} s))) - s \left(a_0 s \left(a_{17} s^2 + a_{18} - s \right) + a_1 \operatorname{sech} (a_{26} s) \right) + (a_{21} + a_5 \sin (s)) \sin (a_{30} s) \right) \\
& + \left(a_{22} s^2 + a_{31} \right) \tanh (a_{36} s) \operatorname{acos} (-s) - \tanh (a_{15} \sin ((a_{16} + a_6 s) (a_{35} + a_4 s + a_7 \operatorname{acos} (s)))) \operatorname{sech} (s) \\
& + \sqrt{\operatorname{acos} (s)}
\end{aligned}$$