



MILSTRIP operator guide

Version 1.4.0 · September 24, 2026

Status — September 24, 2026: Both apps are published; licensing is resolved. Stage passed published-player connection and saved-results checks. Prod opens but is disabled pending database selection. In-app administration awaits acceptance. Review approval does not deliver an order.

Use the app

Use **MILSTRIP Stage** for testing and **MILSTRIP Prod** after activation. Select **Check connection**; confirm the environment and **Ready**. The gateway, API and database must run.



MILSTRIP Stage | Intake

STAGE | Ready | Local PostgreSQL Stage

Check connection

SYNTHETIC STAGE PUBLICATION TEST 2026-09-24
A2ASTZ08405016819440 EA00001ZZ999926600001 SC0141MKK 15 SMSAA
A2A

Submit intake

Load recent requests

Allow new submission

More requests

Stage reports Ready with synthetic source text entered.

- 1

Enter the source

Paste the original email or ticket text. Obtain missing values from the source owner.
- 2

Submit the intake

Select **Submit intake** once. Confirm the **Intake saved** receipt and **Request ID**. Keep the ID for follow-up. If confirmation is missing, follow the submission recovery procedure below.



MILSTRIP Stage | Validation results

Request: ff3f3cb5-04f5-4135-af74-f8db41962673
Intake saved | Received: 9/24/2026 12:59 PM
Delivery: not connected

Load / refresh results

Next results page

History

Intake

Record 1 | VALID | review: APPROVED

Inspect / review

Record 2 | REJECTED | review: NONE

Inspect / review

MIL-STR-002: Record is shorter than 71 characters

Saved intake receipt and validation results.

3 Inspect the results

Select **Load / refresh results**, then **Inspect / review** for each record. Read its validation issues. Use **Next results page** when enabled. The canonical record is read-only.



MILSTRIP Stage | Operator review

Review saved. Approval does not authorize delivery.

ff3f3cb5-04f5-4135-af74-f8db41962673:1 | validation: VALID | version: 1

Canonical length: 80 (trailing spaces preserved)

A2ASTZ08405016819440 EA00001ZZ999926600001 SC0141MKK 15 SMSAA

APPROVED



Synthetic Stage release check: canonical 80-character record verified. No delivery.

Save review

Retry same command

Reload after conflict

Results

Review screen showing a saved approval at version 1.

4 Record your decision

Choose **APPROVED** or **REJECTED**, enter a reason of 1–1,000 characters, and select **Save review**. Validation-REJECTED records cannot be approved. Resolve warnings against business evidence; reject or escalate unresolved issues.

5 Verify the saved review

Check the saved message and updated version. Select **Results**, then **Load / refresh results** to confirm the decision.



MILSTRIP Stage | Audit history

Request: ff3f3cb5-04f5-4135-af74-f8db41962673

Load / refresh history

More history

Results

9/24/2026 1:00 PM | REVIEW_DECIDED | milstrip-app

milstrip_record: ff3f3cb5-04f5-4135-af74-f8db41962673:1 | event 28

9/24/2026 12:59 PM | REJECTED | milstrip-app

intake_request: ff3f3cb5-04f5-4135-af74-f8db41962673 | event 27

History screen showing recorded review events.

6 Verify the audit event

Select **History**, then **Load / refresh history**. Find **REVIEW_DECIDED**; use **More history** when enabled. Results shows the decision. The audit identifies the environment's connection, not the individual reviewer.

Recovery procedures

▼ Submission has no confirmation

Keep the source text and **source ID** shown in the error. Select **Load recent requests** and, if needed, **More requests**. Match the source ID and open the request. If absent, have the owner verify it was not saved before selecting **Allow new submission**. Repeated intake submissions can create duplicates.

▼ Validation requires correction or review

For **REJECTED**, obtain corrected source and submit a new intake; retain both Request IDs. For **REQUIRES_REVIEW**, check the evidence before deciding. Do not edit, trim or reconstruct the canonical record.

▼ Review is unconfirmed or conflicts with another review

For an unknown outcome, select **Retry same command** without changing the retained decision or reason. For a conflict, select **Reload after conflict**, inspect the current review and retained reason, then decide whether another review is needed.

▼ Service is unavailable or the app restarted


For environment problems, stop and contact support. After recovery or restart, reconcile requests and history; unsaved input and pending commands are lost on closing. Provide environment, Request ID, record number, time and error.

Operator flowchart

Operator procedure

CURRENT

Use the intended environment; confirm availability before entering source text.



MILSTRIP | September 24, 2026 | Version 1.4.0

Current operator procedure and recovery branches.

Understand the workflow

Canonical records contain 80 characters. Production item and address lookups remain outside the app.

Confirmation	Meaning	Availability
Intake saved	Source and validation records stored; Request ID assigned	Current
Handoff completed	Agreed production destination accepted the handoff	Required in Phase 2


Confirmation	Meaning	Availability
Downstream received	Receiving system supplied a receipt	Required in Phase 2

Current functional flow

Current functional flow

CURRENT

Intake, validation, review and audit within the authenticated environment.



MILSTRIP | September 24, 2026 | Version 1.4.0

Intake workflow alongside the separate manual production process.


Manual production loads MILS staging, checks references/duplicates, and writes the order table.

Current architecture and acceptance limits

Stage and Prod architecture

CURRENT

Published players open. Prod database and in-app administration acceptance remain pending.



Both apps share backend releases and restarts. Changing a string does not move data.

Azure SQL runtime and production handoff remain unverified; no downstream delivery.

MILSTRIP | September 24, 2026 | Version 1.4.0

Separate app connections select fixed database profiles.

Each app's API credential selects a separate database profile. PostgreSQL has runtime evidence; Azure SQL acceptance is pending. Corporate SSO connections are configured; individual-user enforcement and administration screens await deployment acceptance.

Administrator: database configuration

▼ Current procedure: change a database destination on the host

MILSTRIP database configuration

Database configuration

App environment

stage

Database provider

postgresql

Display label

Example Stage database

Current saved target

postgresql | localhost:5432 | example-stage

Replacement connection string

Leave blank to keep the saved string. Stored values are never displayed.

☐ Enable this environment

Stage and Prod require separate databases and API credentials.

Test connection

Save pending configuration

Changes take effect after the API is restarted.

Administrator configuration screen with the replacement connection string hidden.

- Run **Configure-Runtime.ps1** on the API host. Select the environment and provider; enter IT's connection string and certificate settings. Saved strings remain hidden.
- Select **Test connection** to check access, tables and environment identity without changing data. Provision new destinations separately with approval. After a successful test, enable the environment and select **Save pending configuration**.
- Stop intake, restart the API, then verify both apps' environments, availability and saved results. Saving alone does not change the running API.
- Reconcile migrated requests, reviews and history before switching; a connection string does not transfer them. Backend releases and restarts affect both apps.

▼ In-app administration — awaiting acceptance

The implemented **Configuration** screen provides **Load configuration**, **Save draft**, **Test draft** and **Apply draft**. Strings stay hidden. Disable the environment before changing its destination. Once activated, this screen replaces the host editor.

In **Users**, administrators manage corporate access; two protected Owners retain full access. Additions require confirmed access to both apps and supporting flows. Removal denies API access immediately; pending sharing remains incomplete.

These screens have not passed published-player acceptance. Continue using the host procedure. IT's setup SOP records SSO configuration and the remaining user checks.

Phase 2: two production periods

Publication alone does not activate production integration.

Period	Implementation	Acceptance
1 — Azure SQL	Qualify separate Stage/Prod targets, SQL adapter, hosted API, authorization and handoff	SQL freeze resolved; runtime, pilot and recovery tests
2 — PostgreSQL	Migrate data, audit history and pending commands; qualify downstream integration	Accepted migration and one writer switch; target December 31, 2026


▼ Production decisions

Resolve the SQL freeze before writes. Select SQL handoff or Rainbow CSV/FTP; agree hosting, authorization and a receiver receipt. Procedure completion, file creation and SENT are not receipts.

P2.1 architecture: Azure SQL production

PROPOSED

PROPOSED deployment. Adapter implemented; Azure SQL runtime acceptance is pending.



MILSTRIP | September 24, 2026 | Version 1.4.0


Proposed Azure SQL production architecture.

Proposed release and acknowledgement flow

Phase 2 release and acknowledgement

PROPOSED

PROPOSED production workflow. Handoff and downstream receipt are separate events.



MILSTRIP | September 24, 2026 | Version 1.4.0


Proposed release and acknowledgement.

Release requires approval, live checks, authorization and a durable command ID. Reconcile uncertain outcomes against that ID before retrying.

P2.2 architecture: PostgreSQL production

PROPOSED

PROPOSED. Switch only after migration, business parity and production acceptance.



MILSTRIP | September 24, 2026 | Version 1.4.0

Proposed PostgreSQL production architecture.

Databases on one VM share outages.

▼ Capacity and cutover


Test both platforms at twice expected peak. Rehearse migration; stop writers, reconcile data and pending commands, then switch. Preserve new PostgreSQL writes before returning to SQL.

Transition schedule

Two periods: qualify, switch, stabilize

PROPOSED

Q4 2026 is the owner's target. Dates never override the acceptance gates.



BEFORE CUTOVER / two-month MILSTRIP controlled comparison

SQL remains authoritative; PG comparison does not create duplicate production effects.

Start no later than October 31 for a full two-month window ending December 31.

Late readiness means a later date or an explicit gate change, not skipped evidence.

AFTER PG PRODUCTION ACCEPTANCE / 30 stable days of SQL retention

Frozen SQL is a rollback baseline, not an automatic live fallback for new PG writes.

December 31 go-live pushes this window into January 2027.

End-Q4 retirement instead requires acceptance around December 1 and a stable window.

Cutover sequence

Quiesce → capture → reconcile → switch once → observe → separately approve retirement

MILSTRIP | September 24, 2026 | Version 1.4.0

Qualification, production cutover and stabilization schedule.

Qualify for two months; retain SQL for 30 stable days after PostgreSQL acceptance. A December 31 launch extends retention into January 2027.

About this edition

Version **1.4.0**. September 24 player checks and administration implementation status. App/configuration captures show the currently published workflow and host editor; screens use synthetic data. Production databases were not re-inspected.