

Status — September 24, 2026: Stage and Prod are published. Player access is blocked for the current account; IT is handling licensing. Stage passed Studio runtime tests against local PostgreSQL. Prod awaits a database. Approval records a review; delivery is not connected.

MILSTRIP · Use the app

Use **MILSTRIP Stage** for testing. After activation, use **MILSTRIP Prod** for authorized work. Select **Check connection** and confirm the environment and **Ready**. The gateway, API and database must run.



MILSTRIP Stage | Intake

STAGE | Ready | Local PostgreSQL Stage

Check connection

SYNTHETIC STAGE PUBLICATION TEST 2026-09-24
A2ASTZ08405016819440 EA00001ZZ999926600001 SC0141MKK 15 SMSAA
A2A

Submit intake

Load recent requests

Allow new submission

More requests

Stage reports Ready with synthetic source text entered.

- 1

Enter the source

Paste the original email or ticket text. Obtain missing values from the source owner.
- 2

Submit the intake

Select **Submit intake** once. Confirm the **Intake saved** receipt and **Request ID**. Keep the ID for follow-up. If confirmation is missing, follow the submission recovery procedure below.



MILSTRIP Stage | Validation results

Request: ff3f3cb5-04f5-4135-af74-f8db41962673
Intake saved | Received: 9/24/2026 12:59 PM
Delivery: not connected

Load / refresh results

Next results page

History

Intake

Record 1 | VALID | review: APPROVED

Inspect / review

Record 2 | REJECTED | review: NONE

Inspect / review

MIL-STR-002: Record is shorter than 71 characters

Saved intake receipt and validation results.

3 Inspect the results

Select **Load / refresh results**, then **Inspect / review** for each record. Read its validation issues. Use **Next results page** when enabled. The canonical record is read-only.



MILSTRIP Stage | Operator review

Review saved. Approval does not authorize delivery.

ff3f3cb5-04f5-4135-af74-f8db41962673:1 | validation: VALID | version: 1

Canonical length: 80 (trailing spaces preserved)

A2ASTZ08405016819440 EA00001ZZ999926600001 SC0141MKK 15 SMSAA

APPROVED



Synthetic Stage release check: canonical 80-character record verified. No delivery.

Save review

Retry same command

Reload after conflict

Results

Review screen showing a saved approval at version 1.

4 Record your decision

Choose **APPROVED** or **REJECTED**, enter a reason of 1–1,000 characters, and select **Save review**. Validation-REJECTED records cannot be approved. Resolve warnings against business evidence; reject or escalate unresolved issues.

5 Verify the saved review

Check the saved message and updated version. Select **Results**, then **Load / refresh results** to confirm the decision.



MILSTRIP Stage | Audit history

Request: ff3f3cb5-04f5-4135-af74-f8db41962673

Load / refresh history

More history

Results

9/24/2026 1:00 PM | REVIEW_DECIDED | milstrip-app

milstrip_record: ff3f3cb5-04f5-4135-af74-f8db41962673:1 | event 28

9/24/2026 12:59 PM | REJECTED | milstrip-app

intake_request: ff3f3cb5-04f5-4135-af74-f8db41962673 | event 27

History screen showing recorded review events.

6 Verify the audit event

Select **History**, then **Load / refresh history**. Find **REVIEW_DECIDED**; use **More history** when enabled. Results shows the decision. The audit identifies the environment's connection, not the individual reviewer.

Recovery procedures

▼ Submission has no confirmation

Keep the source text and **source ID** shown in the error. Select **Load recent requests** and, if needed, **More requests**. Match the source ID and open the request. If absent, have the owner verify it was not saved before selecting **Allow new submission**. Repeated intake submissions can create duplicates.

▼ Validation requires correction or review

For **REJECTED**, obtain corrected source and submit a new intake; retain both Request IDs. For **REQUIRES_REVIEW**, check the evidence before deciding. Do not edit, trim or reconstruct the canonical record.

▼ Review is unconfirmed or conflicts with another review

For an unknown outcome, select **Retry same command** without changing the retained decision or reason. For a conflict, select **Reload after conflict**, inspect the current review and retained reason, then decide whether another review is needed.

▼ Service is unavailable or the app restarted

Reload after recovery. If the environment is wrong or unavailable, stop and contact support. After restarting, reconcile requests and history; unsaved input and pending commands exist only in memory. Provide the environment, Request ID, record number, time and error.