

MILSTRIP · Use the app

For an authorized tester: have the owner confirm the development laptop, API, database and gateway are running. Open **MILSTRIP Intake Dev** in Power Apps Studio, select **Preview**, and use approved test input.

These are real screens from the development app, using synthetic demonstration data. Select **View larger** on any screen to read it at full size.

 MILSTRIP intake

SYNTHETIC SOP SCREEN CAPTURE 2026-09-23
A2ASTZ08405016819440 EA00001ZZ999926600002 SC0141MKK 15 SMSAA
A2A|

Submit intake

Load recent requests

Allow new submission

More requests

MILSTRIP intake: paste the source, submit once, and reopen recent requests.

- 1

Paste the source

On **MILSTRIP intake**, paste the original email or ticket text. Keep the source unchanged; obtain missing business values rather than guessing.
- 2

Submit once

Select **Submit intake** and wait for results. Keep the **Request ID**: it is your reference for this intake. If no result arrives, use the recovery steps below before submitting again.



Validation results

Validation and review are separate. Approval does not authorize delivery.

Request: 852354ab-e97e-4315-b7d1-410beef6d756

Load / refresh results

Next results page

History

Intake

Inspect / review

Inspect / review

Record 1 | VALID | review: NONE

Record 2 | REJECTED | review: NONE

MIL-STR-002: Record is shorter than 71 characters

Validation results: check each record and open Inspect / review.

3 Check every record

Select **Load / refresh results**, then **Inspect / review** beside a record. Read its status and issues; use **Next results page** when enabled. Accepted canonical output should be 80 characters; the field is read-only.



Operator review

Review saved. Approval does not authorize delivery.

852354ab-e97e-4315-b7d1-410beef6d756:1 | validation: VALID | version: 2

Canonical length: 80 (trailing spaces preserved)

A2ASTZ08405016819440 EA00001ZZ999926600002 SC0141MKK 15 SMSAA

APPROVED



Synthetic SOP demonstration: record inspected; no operational release.

Save review

Retry same command

Reload after conflict

Results

Operator review: inspect the canonical record, choose a decision, and save a reason.

4 Save a decision

Choose **APPROVED** or **REJECTED**, enter a reason of 1–1,000 characters, and select **Save review**. Validation-REJECTED records cannot be approved. Resolve warnings from business evidence; reject or escalate unresolved issues.

Approval records your review. It does not release an order.

5 Confirm it saved

Look for the saved message and updated review version. Return through **Results** and refresh before relying on displayed review status.



Audit history

Request: 852354ab-e97e-4315-b7d1-410beef6d756

Load / refresh history

More history

Results

9/23/2026 4:10 PM | REVIEW_DECIDED | milstrip-app

milstrip_record: 852354ab-e97e-4315-b7d1-410beef6d756:1 | event 18

9/23/2026 4:09 PM | REVIEW_DECIDED | milstrip-app

milstrip_record: 852354ab-e97e-4315-b7d1-410beef6d756:1 | event 17

9/23/2026 4:08 PM | REJECTED | milstrip-app

intake_request: 852354ab-e97e-4315-b7d1-410beef6d756 | event 16

Audit history: load the recorded events and find the matching review event.

6 Check the history

Select **History** → **Load / refresh history**; use **More history** when enabled. Find **REVIEW_DECIDED** for the same record and keep the Request ID. Confirm the decision itself in **Results**; history shows the event and its actor. The current audit actor is the shared development connection, not your individual sign-in.

You are finished when Results shows the saved decision and History shows its matching review event. The existing authorized production process remains separate.

If something goes wrong

▼ Submission timed out or the outcome is unknown

Keep the original text and the **source ID** shown in the message. Select **Load recent requests**, then **More requests** if needed, and match that source ID. Open the matching request if found. If absent, ask the owner to confirm it was not created before selecting **Allow new submission**. A timeout does not mean nothing was saved.

▼ A record is REJECTED or REQUIRES_REVIEW

Read the issue and obtain authoritative corrections. For invalid input, submit corrected source as a **new intake** and keep both Request IDs. Do not trim or rebuild the canonical string. For a warning, review the evidence; reject or escalate if it remains unresolved.

▼ A review did not confirm, or another review changed the record

For an unknown review outcome, stay on the record and select **Retry same command** when enabled. Keep the retained decision and reason unchanged. For a version conflict, select **Reload after conflict**, inspect the current review and retained reason, then decide again if appropriate.

▼ Results will not load, or the app was closed

After service recovery, retry the relevant load/refresh action. Treat retained rows as potentially stale. If the app restarted, reconcile recent requests and history: unsaved input and pending commands are held in memory. Give support the Request ID, record number, approximate time and visible error; exclude passwords and unredacted order screenshots.

Public documentation edition · September 23, 2026 · Current app: unpublished development draft. Phase 2: proposed. Sharing this guide does not share or publish the app.