

MILSTRIP · Use the app

Open **MILSTRIP Intake Dev** in Power Apps Studio and select **Preview**. The owner must have development services running. Use approved test data.

 MILSTRIP intake

SYNTHETIC RECEIPT DEMO 2026-09-23
A2ASTZ08405016819440 EA00001ZZ999926600003 SC0141MKK 15 SMSAA
A2A

Submit intake

Load recent requests

Allow new submission

More requests

Intake screen with synthetic source text.

- 1

Enter the source

Paste the original email or ticket text. Obtain missing values from the source owner.
- 2

Submit the intake

Select **Submit intake** once. Confirm the **Intake saved** receipt and **Request ID**. Keep the ID for follow-up. If confirmation is missing, follow the submission recovery procedure below.



Validation results

Request: 660ee537-9552-44ad-bfc6-165f83873954

Intake saved | Received: 9/23/2026 4:36 PM

Validation at intake: 2 records | 1 rejected | 0 flagged for review | Delivery: not connected

Load / refresh results

Next results page

History

Intake

Record 1 | VALID | review: NONE

Inspect / review

Record 2 | REJECTED | review: NONE

Inspect / review

MIL-STR-002: Record is shorter than 71 characters

Saved intake receipt with one valid record and one rejected record.

3 Inspect the results

Select **Load / refresh results**, then **Inspect / review** for each record. Read its validation issues. Use **Next results page** when enabled. The canonical record is read-only.



Operator review

Review saved. Approval does not authorize delivery.

660ee537-9552-44ad-bfc6-165f83873954:1 | validation: VALID | version: 1

Canonical length: 80 (trailing spaces preserved)

A2ASTZ08405016819440 EA00001ZZ999926600003 SC0141MKK 15 SMSAA

APPROVED



Synthetic SOP demonstration: record inspected; no operational release.

Save review

Retry same command

Reload after conflict

Results

Review screen showing a saved approval at version 1.

4 Record your decision

Choose **APPROVED** or **REJECTED**, enter a reason of 1–1,000 characters, and select **Save review**. Validation-REJECTED records cannot be approved. Resolve warnings against business evidence; reject or escalate unresolved issues.

5 Verify the saved review

Check the saved message and updated version. Select **Results**, then **Load / refresh results** to confirm the decision.



Audit history

Request: 660ee537-9552-44ad-bfc6-165f83873954

Load / refresh history

More history

Results

9/23/2026 4:37 PM | REVIEW_DECIDED | milstrip-app

milstrip_record: 660ee537-9552-44ad-bfc6-165f83873954:1 | event 20

9/23/2026 4:36 PM | REJECTED | milstrip-app

intake_request: 660ee537-9552-44ad-bfc6-165f83873954 | event 19

History screen showing recorded review events.

6 Verify the audit event

Select **History**, then **Load / refresh history**. Find **REVIEW_DECIDED** for the record; use **More history** when enabled. History contains event metadata; the decision appears in Results. The development audit identifies the shared connection, not the individual reviewer.

Recovery procedures

▼ Submission has no confirmation

Keep the source text and **source ID** shown in the error. Select **Load recent requests** and, if needed, **More requests**. Match the source ID and open the request. If absent, have the owner verify it was not saved before selecting **Allow new submission**. Repeated intake submissions can create duplicates.

▼ Validation requires correction or review

For **REJECTED**, obtain corrected source and submit a new intake; retain both Request IDs. For **REQUIRES_REVIEW**, check the evidence before deciding. Do not edit, trim or reconstruct the canonical record.

▼ Review is unconfirmed or conflicts with another review

For an unknown outcome, select **Retry same command** without changing the retained decision or reason. For a conflict, select **Reload after conflict**, inspect the current review and retained reason, then decide whether another review is needed.

▼ Service is unavailable or the app restarted

After recovery, reload before relying on displayed rows. After restarting the app, reconcile requests and history: unsaved input and pending commands are held only in memory. Give support the Request ID, record number, time and error.