

PUSH POSSIBLE™

MANHATTAN SCALE™

RELEASE NOTES

2026

RELEASE NOTES

Copyright and Disclaimer

Copyright © 2026 Manhattan Associates, Inc. All rights reserved.

This documentation, as well as the software described in it, is furnished under license and may be used or copied only in accordance with the terms of such license. The information in this documentation is furnished for informational use only, is subject to change without notice, and should not be construed as a commitment by Manhattan Associates, Inc. ("Manhattan"). No third-party patent liability is assumed with respect to the use of the information contained herein. While every precaution has been taken in the preparation of this documentation, Manhattan assumes no responsibility for errors or omissions.

EXCEPT WHERE EXPRESSLY PROVIDED OTHERWISE, ALL CONTENT, MATERIALS AND INFORMATION, ARE PROVIDED ON AN "AS IS" AND "AS AVAILABLE" BASIS. MANHATTAN EXPRESSLY DISCLAIMS ALL WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.

Except as permitted by license, no part of this documentation may be reproduced, stored in a retrieval system, or transmitted, in any form by any means, electronic, mechanical, recording, or otherwise, without the prior written permission of Manhattan Associates.

Manhattan Associates is a registered trademark of Manhattan Associates, Inc.

All other brands, products, or services are trademarks, registered trademarks, or service marks of their respective companies or organizations.

Contact Address:

Manhattan Associates, Inc.
2300 Windy Ridge Parkway,
Atlanta, Georgia 30339

<http://www.manh.com/>

Region	Telephone	Email
Americas	+1 877.756.7435 (U.S. and Canada only) +1 404.965.4025	callcenter@manh.com
Asia	(00) 800.988.0885 (China only) +86 21 3311 3499	asiacustomersupport@manh.com
Europe, Middle East, and Africa	+44 (0) 1344 318400 (UK) +31 (0)30 214 3400 (NL)	emeacustomersupport@manh.com
Australia	+61 1300787050	aucustomersupport2@manh.com

Unsure whom to contact? Call +1 404.965.4025 and you will be routed to the appropriate support group.

Table of Contents

Introduction	1
Goals	1
Intended Audience	1
Labor Management	2
Warehouse Mobile – Indirect Labor	2
Employee Timeline	2
Intraday Labor progress	3
Configuration	5
Wizard Configurations	5
Personal Alerts Data Query with GraphQL	6
Maximum Number of License Plates in a Location	7
Work Creation Criteria	8
Filter Criteria Toggles	8
User Defined Fields	9
SCALE Assist	10
Base Knowledge Assistant	10
SOP Assist	11
Modern Mobility	12
Warehouse Mobile	12
Multi-Segment Barcode	12
Warehouse Mobile – Receipt Container Nesting	13
Warehouse Mobile – View Picks	13
Catch Weight	15
Receiving	16
Inventory Management and Cycle Count	18
Outbound Shipping and Work-Based Processing	18
Miscellaneous Enhancements	19
Warehouse Mobile API Security	19
Extensibility	20
General Exit Points	20
Inbound Exit Points	20
Outbound Exit Points	20
Warehouse Mobile	20
Warehouse Mobile SRC Customization Inheritance	20
Others	21
Platform Support	22
Hardware Architecture – Printers	22

RELEASE NOTES

Operating Systems – Application/Database Server	22
Identity Providers.....	22
Radio Frequency Devices	22
Certified Android Devices.....	22
Databases	24
Document Printing	25
Reporting Tool	25
Weight Scale Devices.....	25
Vocollect.....	25
Other.....	25

Introduction

Goals

This document outlines the new features and functionality included with **Manhattan SCALE™ 2026**. Additional information on features is available in the online help system, SDK documentation, and Developer Hub portal.

Intended Audience

These release notes are targeted to people familiar with Manhattan SCALE™ functionality. System evaluators (prospects and partners), current users, and internal Manhattan Associates employees will all benefit from this overview.

Labor Management

Warehouse Mobile – Indirect Labor


Warehouse Mobile now supports logging of indirect labor activities. To begin, users select the required indirect activity and press the **GO** button, which records the start time. The next screen displays the user's name, activity type, and start time. When the user presses **GO** again, the system captures the end time, completing the log for that indirect activity.

The image illustrates the workflow for logging indirect labor in the Warehouse Mobile app. It consists of four sequential screens connected by red arrows:

- Warehouse Mobile:** A menu screen with various options. 'Indirect Labor' is highlighted at the bottom.
- Start Indirect Labor Activity:** A screen where the user 'Abhishek S' selects the activity type 'Aisle cleaning'. A 'Go' button is at the bottom.
- End Indirect Labor Activity:** A screen showing the user 'Abhishek S', activity type 'Aisle cleaning', and the start date/time '09/11/2025 09:24:22 AM'. A 'Go' button is at the bottom.
- Confirmation:** A screen displaying a green message: 'Indirect labor activity got successfully inserted. Activity type: Aisle cleaning'.

Employee Timeline

The new **Employee Timeline** screen provides a timeline-based visual representation of labor activities for a selected warehouse date. It allows supervisors and planners to review **direct labor**, **indirect labor**, **shift coverage**, and **gaps** across the day in a time-scaled view, enabling faster identification of coverage issues and better intraday labor planning.




Intraday Labor progress

This release introduces the Intraday Labor Progress screen, which provides supervisors with a real-time view of how labor is progressing against today's work. The screen compares tasked and completed work by activity, shows how many people are currently working (FTE), and calculates an Expected Time to Complete (ETC) to indicate whether each activity is ahead or behind the planned end of the warehouse day.

Summary


- **Real-time intraday monitor** of open work by warehouse, work group, and activity using common labor hierarchy.
- **Tasked vs. Completed views** for both **Units/Containers** and **Hours**, including remaining work and % complete for shipment and dock activities.
- **ETC and Ahead/Behind indicators** that compare projected completion time to the Target End Time (end of last shift) and surface "Ahead by X hours" or "Behind by X hours" for each activity.
- **"What if?" simulations** on each activity card to model the impact of changing FTE, or Throughput% on ETC and ahead/behind status, without changing actual tasking or assignments.



Configuration

Wizard Configurations

In this release, we continue to build the “wizard” based configurations to make the configuration process more straightforward and easier to follow. This release focuses on the following configuration and infrastructure enhancements.



- Advanced Allocation
- Bill of Materials
- Carrier Commitments
- Cycle Count Threshold
- Cycle Count Work Criteria
- Dock Area Carrier Assignment
- Dock Management Work Criteria
- Document Master
- Equipment Type
- Functional Area
- Generic Config Header
- Interface Data Map
- Inventory Adjustment Work Criteria
- Inventory Transfer Work Criteria
- Inventory Status

- Item Location Assignment
- Item Location Capacity
- Item Unit of Measure
- Item Template
- Location Type
- Location Template
- Lot Template
- Pallet Building Master
- Pallet UM Conversion Criteria
- Personal Alerts Data Query
- PRO and BOL Number Criteria
- Receipt Work Criteria
- Replenishment Work Criteria
- Routing Guide
- Serial Number Template

- Shipment Allocation Work Criteria
- Shipping Container Work Criteria
- Shipping Calendar
- Single Sign-On System Values
- Storage Template
- Text Localization (formerly System Text Editor)
- Wave Flow
- Wave Maximums
- Wave Pick Location Group
- Web User
- Work Creation Master
- Work Order Component Work Criteria
- Work Order Finished Item Work Criteria
- Zone

Expanded wizard coverage in 2026 includes additional wizard flows across allocation, carrier, cycle count, dock management, interface, inventory, item, location, lot, personal alerts, routing, shipping calendar, single sign-on system values, web user, work creation, and zone-related configurations.

Personal Alerts Data Query with GraphQL

The screenshot displays the 'PERSONAL ALERTS DATA QUERY' configuration interface. The top bar is purple with the text 'SCALE CONFIGURATION' and navigation icons. The left sidebar shows 'PERSONAL ALERTS DATA QUERY' with a home icon and two steps: '1. Information' and '2. Statement' (the active step). The main area is titled 'Statement' and contains a 'GraphQL Statement' text box with the following query:

```
{
  searchShipmentHeadersAdvanced(
    filter: { warehouse: { eq: "LA" } })
  {
    shipmentId
    carrier
    customer
  }
}
```

Below the query is a purple 'VERIFY GRAPHQL QUERY' button. Underneath is a 'Query Result' section showing a JSON response:


```
{
  "data": {
    "searchShipmentHeadersAdvanced": [
      {
        "shipmentId": "WEO-6-13",
        "carrier": null,
        "customer": "020"
      },
      {
        "shipmentId": "TC-WRKESH-02-0518",
        "carrier": null,
        "customer": null
      },
      {
        "shipmentId": "TC-WRKESH-02-0516",
        "carrier": null,
        "customer": null
      }
    ]
  }
}
```

At the bottom of the main area are 'BACK' and 'FINISH' buttons.

Web configuration now supports GraphQL for Personal Alerts Data Query, providing a safer alternative to legacy Custom SQL for advanced alert scenarios. Users can enter a GraphQL statement, verify it from the UI, and save it with the personal alert.

- Provides a read-only alternative to Custom SQL in Personal Alerts.
- Supports richer entity-based query scenarios that are not possible with the standard filter builder.
- Allows create, update, delete, and verification of GraphQL-based alert queries in Web Configuration.
- Converts the GraphQL JSON response into flat CSV output for personal alert processing.

Maximum Number of License Plates in a Location



The screenshot shows a web interface for configuring a location. On the left is a sidebar titled 'LOCATION' with a home icon and a list of steps: 1. Location Class & Status, 2. Inventory Options (selected), 3. Location Type, 4. Movement Class, 5. Locating Zone, 6. Allocation Zone, 7. Work Zone, 8. Verification Method, 9. Enter Work Details, 10. Quantity UMs, 11. Incoming P&D Selection, 12. Outgoing P&D Selection, and 13. Summary. The main area is titled 'Select Inventory Options' and contains three toggle switches: 'Allocate in Transit' (off), 'Multi-Item Location' (on), and 'Track License Plates' (on). Below these are two input fields: 'Max Number of Lots' with a value of 0, and 'Max Number of License Plates' with a value of 0. A red arrow points to the 'Max Number of License Plates' input field. At the bottom left is a 'BACK' button.

The Location configuration wizard now supports a setting that allows users to define the maximum number of license plates that an inventory storage location can hold. This helps customers enforce operational storage-capacity rules more consistently and align location setup with warehouse picking practices.

The enhancement is designed for license-plate-tracked inventory storage locations and helps prevent locations from being overfilled during everyday inventory movement.

- The setting is available for inventory storage locations that track license plates.
- A default value of 0 allows unlimited license plates.
- Validation counts parent license plates, standalone license plates, and in-transit license plates according to the configured rules.
- A parent license plate counts once toward the limit, while standalone license plates are counted individually.
- Validation is applied in inventory transfers, positive inventory adjustments, locating, cycle count reconciliation, and replenishment.

- This helps enforce location-capacity rules in the same operational flows where users move or place inventory.

Work Creation Criteria

The Work Creation area now includes dedicated work-criteria maintenance flows in web configuration, allowing users to create, edit, and maintain criteria records for multiple work processes directly from the UI.

- Supported process flows include cycle count, dock management, inventory adjustment, inventory transfer, receipt, replenishment, shipment allocation, shipping container, work order component, and work order finished item criteria.
- Users can add, edit, and delete work-criteria records from the Work Creation flow instead of relying on a narrower legacy-only path.
- This addition aligns the Work Creation area with the broader 2026 wizard-based configuration expansion.

Filter Criteria Toggles

SCALE CONFIGURATION

WORK CREATION

1. Work Creation
2. Work Type
3. Process
4. Criteria
5. Maximums

1. Information
2. Filter Builder
3. Order By Builder
4. Maximums

Create The Order By Rules

Condition Builder

ASCENDING DESCENDING

Table Name *
Select

Attribute *
Select

Create Work Unit

SORT

Attribute	Ascending / Descending	Create Work Unit
☐ INV_MGMT_WORK_DATA/ITEM	Ascending	No

Items per page: 10

1 of 1

MOVE UP MOVE DOWN DELETE

BACK CONTINUE

Filter criteria configuration now supports a Create Work Unit toggle in order-by maintenance, allowing users to explicitly control work-unit creation behavior as part of filter configuration.

- The Create Work Unit setting is exposed in the UI as a gated toggle and as a grid column when the feature is enabled.
- The selected value is persisted with order-by rules and returned through the filter criteria API.
- This enhancement makes advanced filter and work-generation behavior easier to manage through configuration instead of code changes.

User Defined Fields


The screenshot shows a dialog box titled "RECEIVING PREFERENCES" with a close button (X) in the top right corner. Below the title bar, the section "User Defined Data" is displayed. It contains eight input fields arranged in two columns. The left column has fields labeled "User Defined Field 1", "User Defined Field 3", "User Defined Field 5", and "User Defined Field 7". The right column has fields labeled "User Defined Field 2", "User Defined Field 4", "User Defined Field 6", and "User Defined Field 8". Fields 1 through 6 are empty text boxes, while fields 7 and 8 contain the number "0". A "CLOSE" button is located in the bottom right corner of the dialog box.

Web configuration now provides consistent support for user-defined fields through a reusable user-defined-fields component and context-aware field mapping. This makes it easier to expose and maintain customer-specific attributes in supported screens and components.

- The capability supports up to eight user-defined fields in the common UDF pattern.
- Fields 1 through 6 are alphanumeric and fields 7 through 8 are numeric in the shared UI implementation.
- The feature is designed to support both regular configuration screens and component-specific contexts such as security permissions.

SCALE Assist

SCALE Assist is an AI-powered knowledge assistant for Manhattan Active SCALE. It includes the Base Knowledge Assistant and SOP Assist agents and provides real-time, conversational support by understanding user questions and delivering answers from approved knowledge sources. Users can access SCALE Assist from the navigation bar in SCALE and Web Configuration screens.



Base Knowledge Assistant

Base Knowledge Assistant is the product knowledge agent for SCALE. It lets users ask plain-language questions and receive answers grounded in Manhattan documentation, including configuration guidance, operational explanations, terminology help, solution concepts, best practices, and product behavior details.

Answers include reference links to supporting documentation, and the interface supports user feedback on responses.

SOP Assist

SOP Assist is the customer-procedure agent for SCALE under SCALE Assist. It is designed to answer questions from customer-owned SOP and FAQ documents so frontline users can get faster guidance without manually searching documents.

Customer SOP Hub provides a centralized location for administrators to upload, manage, and delete supported SOP source documents.

SOP Assist helps users access approved SOP and FAQ content more quickly and consistently.

The capability helps improve onboarding, operational consistency, adherence to documented procedures, and reduces time spent searching for SOP information.

User enablement and access can be controlled through facility-level and user security permissions.

Modern Mobility

Warehouse Mobile

Continuing to build out the technology advancement for mobile users, the following Warehouse Mobile functionality has been added:

- Added Trailer ID-Item Initiation method during Receipt check-in.
- Support *Replenish On Outbound Short Pick* option.
- Added Short Putaway option, which supports putaway to a put-to-store location.
- Override license plates with serial numbers, tracked items from the same or different locations.
- Quick receive supports nesting on a parent using both locate by parent and locate by child.
- Shipping Container QC – Total and Grocery scan support for lot controlled items.
- Receipt check in – supports fulfill immediate needs to an Immediate Needs location (inventory location)
- The system now displays an error message when a user tries to override putaway to a new **P&D location** during cart picking.
- Shipping Container Nesting - A new **Remove** option is introduced using which users can now remove a nested container from a pallet.

Multi-Segment Barcode

Exit Point : Multi-Segment Parser - Before

Exit Point Information

Name

Description

Parameters

Sequence	Parameter	Output Only	Db Type
1	SESSIONVALUE	No	xml
2	BARCODE	No	nvarchar(max)
3	PAYLOAD	No	nvarchar(max)
4	SRCIDENTIFIER	No	int
5	RETURNVALUE	Yes	nvarchar(max)


☐ Active

Warehouse Mobile now supports Multi-Segment GS1 barcodes. The solution is configurable and uses label-type identification, application identifier parsing, and mapped-field configuration to tie barcode data directly to screen processing.

- Supports more flexible label identification beyond simple prefix-based parsing.
- Uses application identifiers to recognize segments such as item, quantity, lot, serial number, expiration date, and license plate.
- Maps parsed values to Warehouse Mobile fields so scans can auto-fill the right inputs during receiving and work execution.
- Includes before and after parser exit points to support extensibility, validation, and enrichment without changing core parser behavior.


Warehouse Mobile – Receipt Container Nesting

A new Receipt Container Nesting option has been added to Warehouse Mobile. This feature allows users to nest one or more receipt containers under a parent receipt container. When a container is nested to a new parent license plate, the system automatically defaults the parent license plate from the previously nested container, reducing manual effort and ensuring consistency.



Warehouse Mobile – View Picks

A new **View Picks** option enables warehouse workers to view the complete list of picks and navigate to specific picks as needed. In addition, the **WM View Picks – Modify** exit point allows customization of the SQL query and the columns displayed.



Catch Weight

This release the catch weight support is now available for Inventory Management, Cycle Count, Receiving and Work execution flows so that variable-weight items can retain accurate weight information beyond inbound receiving. Catch weight can now be captured, updated, and stored during key inventory transactions in Warehouse Mobile and Inventory Insight

Catch weight for Inventory Management transactions

Support for capture and update of catch weight during:

- Inventory Adjustment
- Inventory Transfer
- Company Transfer (where licensed/used).

Available from:

- Warehouse Mobile – Inventory Management workflows.
- Inventory Insight actions initiated from inventory rows (adjust/transfer/company transfer).

When the selected item is catch-weight enabled, WM now displays a Catch Weight input field as part of the transfer/adjustment flow.

The screenshot shows the 'Inventory Adjustment' screen in the background and a 'Catch Weight Entry' modal in the foreground. The modal is titled 'Catch Weight Entry' and contains the following fields:

- Item Info**
 - License Plate**: [Empty field]
 - Quantity**: 2
 - Item**: NOR0002-CW
 - Company**: [Empty field with dropdown arrow]
 - Description**: Bounty Quilted Napkins 100 ct. pkg.
 - Lot**: [Empty field]
 - Expiration Date**: [Empty field with dropdown arrow]
 - Catch Weight**: 0.4
 - UM**: LB

At the bottom of the modal are 'Save' and 'Cancel' buttons. The background 'Inventory Adjustment' screen shows the following fields:

- Adjustment Type**: Negative Adjustment
- License Plate**: [Empty field]
- Location**: 001.10.1
- Item**: NOR0002-CW
- Description**: Bounty Quilted Napkins 100 ct. pkg.
- Lot**: [Empty field]
- Quantity**: -2
- User Defined Fields**: [Empty section]

Inventory Adjustment		Inventory Transfer	
Adjustment Type Positive Adjustment		Adjustment Type Transfer	
Location ⓘ 001.10.3		From Location ⓘ 001.10.3	
Item ⓘ NOR0002-CW		Item ⓘ NOR0002-CW	
Description Bounty Quilted Napkins 100 ct. pkg.		Description Bounty Quilted Napkins 100 ct. pkg.	
Quantity ⓘ 3	UM EA	Quantity ⓘ 6	UM EA
Catch Weight ⓘ 0.60	Weight UM Pounds	Catch Weight ⓘ 1.20	Weight UM Pounds
Catch Weight 0.60		Catch Weight 1.20	
GO		GO	

Receiving

Receiving variable-weight inventory is now captured at the license-plate level and stored so that catch weight travels from the receiving dock through putaway into the inventory location.

- Header-item receiving check-in supports catch weight for manual single-LP flows.
- Header-item receiving check-in supports catch weight for manual multiple-LP flows.
- Header-item receiving check-in supports catch weight for system-assigned LP flows.
- Receipt workbench receiving check-in supports both manual and system LP assignment scenarios.

Receipt Initiation	Receipt Initiation	Receipt Check in	Receipt Check in
Receiving Preference JAC	Receiving Preference JAC	Receipt ID SJARCV0831.01	Receipt ID SJARCV0831.01
Receipt ID SJARCV0831.01	Receipt ID SJARCV0831.01	Item ^① CAT0001	Item ^① CAT0001
		Description Olde Kentucky Whole Boneless Ham 8-10 lb. Avg. (UM no dims)	Description Olde Kentucky Whole Boneless Ham 8-10 lb. Avg. (UM no dims)
		Quantity ^① 84	Quantity ^① 2
		UM EA (1.00) ▼	UM EA
			Scan 1
			Total LP 2
Receipt ID SJARCV0831.01	Item CAT0001	Quantity 2	License Plate LP-1
GO	GO	GO	GO

Receipt initiation and header-item receiving flow through receipt, item, quantity, and license plate entry.

Receipt Check in	Receipt Check in	Receipt Check in	Receipt Check in
Receipt ID SJARCV0831.01	Receipt ID SJARCV0831.01	Receipt ID SJARCV0831.01	Receipt check in successful. Receipt id: SJARCV0831.01, Item: CAT0001.
Item ^① CAT0001	Item ^① CAT0001	Item ^① CAT0001	JAC
Description Olde Kentucky Whole Boneless Ham 8-10 lb. Avg. (UM no dims)	Description Olde Kentucky Whole Boneless Ham 8-10 lb. Avg. (UM no dims)	Description Olde Kentucky Whole Boneless Ham 8-10 lb. Avg. (UM no dims)	Receipt ID SJARCV0831.01
Quantity ^① 1	Quantity ^① 2	Quantity ^① 2	
UM EA	UM EA	UM EA	
Scan 1	Scan 2	Scan 2	
Total LP 2	Total LP 2	Total LP 2	
License Plate LP-1			
Catch Weight ^① 2			
Weight UM Pounds ▼			
Catch Weight 2	License Plate LP-2	License Plate LP-2	Item
GO	GO	GO	GO

Catch weight capture during receipt check-in and successful completion of the receiving flow.

Inventory Management and Cycle Count

Catch weight can now be captured, updated, and stored during key inventory transactions in Warehouse Mobile and Inventory Insight.

- Support for capture and update of catch weight during inventory adjustment, inventory transfer, and company transfer where licensed or used.
- An Update Catch Weight action is available from Inventory Insight for scenarios where weight changes without a physical quantity change.
- Cycle count flows now handle catch weight information, including defaulting and reconcile behavior based on average catch weight where appropriate.

Outbound Shipping and Work-Based Processing

Catch weight support now extends through outbound shipping and work-based warehouse processing so variable-weight items can be tracked from receiving, through inventory storage, and into downstream shipment execution.

- For work-based inventory transactions, catch weight is not prompted when the work is created. Instead, the user is prompted during work execution for scenarios such as adjustments, transfers, and outbound picking.
- Catch weight can be captured by license plate, container, or the total quantity being adjusted, depending on the transaction flow.
- This enhancement moves catch weight beyond receipt check-in and packing-only scenarios, enabling end-to-end tracking from inbound receipt through outbound shipping.

Pick Confirmation	Pick Confirmation	Pick Confirmation	Putaway Confirmation
Work Unit 18J01	Work Unit 18J01	Work Unit 18J01	Work Unit 18J01
Location① 100.14	Location① 100.14	Location① 100.14	Location SHP-1
Item① CAT0120	Item① CAT0120	Item① CAT0120	Item① CAT0120
Description Red Seedless Grapes (no UMs)	Description Red Seedless Grapes (no UMs)	Description Red Seedless Grapes (no UMs)	Description Red Seedless Grapes (no UMs)
Quantity① 3	Quantity① 3	Quantity① 2	Quantity① 5
UM EA	UM EA	UM EA	UM EA
Container 00011465870000032139	Container 00011465870000032139	Container 00011465870000032146	Container Multiple
Container Type C10	Container Type C10	Container Type C10	
	Catch Weight① 3	Catch Weight① 2	
	Weight UM LB	Weight UM LB	
	Catch Weight 3	Catch Weight 2	
GO	GO	GO	GO

Catch weight entry during outbound work execution

Miscellaneous Enhancements

Warehouse Mobile API Security

Warehouse Mobile APIs now enforce security checks consistent with the validation framework already introduced for APIs used by Metadata screens and the newer configuration screens. This enhancement extends the same security model to Warehouse Mobile API calls, helping ensure that API access is validated consistently across SCALE user experiences. By applying these checks to mobile-driven transactions as well, SCALE improves control over API access and reduces the risk of unauthorized use through Warehouse Mobile interfaces.

Extensibility

General Exit Points

The following exit points were added for general processing:

- SSO Resource Override
- Document PDF – Replace
- Multi-Segment Parser - After
- Multi-Segment Parser - Before

Inbound Exit Points

The following exit points were added for inbound processing:

- Suppress Item UOMs At Receipt Checkin
- Receipt Container Dimension SQL - Modify

Outbound Exit Points

The following exit points were added for outbound processing:

- Container Unmanifest – After
- WM View Picks - Modify

Warehouse Mobile

- Users now can use basic grid control in Warehouse Mobile, enabling them to easily view and understand column-based data while performing tasks.

Warehouse Mobile SRC Customization Inheritance

Custom Warehouse Mobile SRC definitions now extend the base SRC automatically, so R&D updates to the base SRC are inherited without customers manually reworking each custom SRC.

- Reduces ongoing maintenance for customers with custom SRC content.
- Supports applying changes through change and delete keys in the new custom SRC format.
- Helps keep custom mobile flows aligned with delivered R&D improvements more consistently.

Others

- A new document generator for Receipt Details has been introduced, which can be used to print receipt detail labels. This enables users to generate labels on demand during the receiving process. Note: No new document, document type, or labels are shipped with this feature.
- SCALE now passes the selected date format and culture settings to Cognos, ensuring that widgets display dates according to the chosen culture.

Platform Support

The 2026 release of Manhattan SCALE™ is certified on the following technologies (except where otherwise indicated as supported):

- *Certified* – Indicates that comprehensive testing has been performed by the Manhattan Associates R&D team.
- *Supported* – Indicates that limited testing has been performed by the Manhattan Associates R&D team during this release cycle. Customers will incur additional costs (i.e., testing, development, etc.) to certify. There is no guarantee of future availability on later product releases.

Hardware Architecture – Printers

- To print labels, a 203 DPI print device with ZPL support is required.

Operating Systems – Application/Database Server

- Windows 2022 (*Desktop Experience*)
- Windows 2025 (*Desktop Experience*)

Identity Providers

- Active Directory Federation Services (AD FS)

• **NOTE: Any servers hosting AD FS need to be running Windows 2019 or higher.**

- Microsoft Entra ID (Azure Active Directory (AAD))
- Okta (API Access Management feature required)
- PingFederate (*Supported*)

Radio Frequency Devices

Certified Android Devices

The following criteria are used to define a certified device for Warehouse Mobile.

Manufacturer

- Zebra
- Honeywell

Android Version

- 8 (Oreo) Google Mobile Services (GMS) enabled (*Supported*)
- 9 Google Mobile Services (GMS) enabled
- 10 Google Mobile Services (GMS) enabled
- 11 Google Mobile Services (GMS) enabled
- 12 Google Mobile Services (GMS) enabled
- 13 Google Mobile Services (GMS) enabled
- 14 Google Mobile Services (GMS) enabled

Web Viewer Version

- 149.0.7827.91

Resolution

- 800 * 480
- 1024 * 768
- 1280 * 720

Screen Size

- Minimum 3 in
- Maximum 10.4 in

Notes

- **Contact a Manhattan representative regarding any device, peripherals, or operating system version other than those listed above.**
- **Some devices have a maximum Android version as defined by the device manufacturer. Please note the Android versions listed above to determine when a device might be at the end of life. Android versions listed as “Supported” have not been Certified and may not continue to be supported in future versions.**
- **The RF application is no longer Certified. It has moved to a Supported status. Customers are encouraged to start moving to the use of Warehouse Mobile going forward.**

Browsers

Browser	Version	Certified OS
Chrome	149.0.7827.114	Windows 11 Windows 2022 Windows 2025 macOS 26 Android 12 (tablet)
Firefox	140.11.0 ESR	Windows 11 Windows 2022 Windows 2025
Microsoft Edge (Chromium)	149.0.4022.69	Windows 11 Windows 2022 Windows 2025
Safari Note: Warehouse Mobile is not supported	26.5	iPadOS (iPad)

- **Android or iOS tablet devices must have a 9.7+ inch screen and operate in *Landscape* mode.**
- **Windows devices must have an i5 CPU or better manufactured in the past 5 years as well as at least 8 GB RAM.**
- **NOTE: Contact a Manhattan representative regarding any device, peripherals, or operating system version other than that listed above.**

Databases

- SQL Server 2025

- SQL Server 2022 CU25
- Azure SQL

Document Printing

- SQL Server Reporting Services
- DynamicPDF PrintManager 4.19.0.44079

Reporting Tool

- IBM Cognos 12.1.2

Weight Scale Devices

Weight scale devices must use a Serial COM port connection to the physical device. A USB cable can be used to convert the Serial COM port connection to a USB connection for the physical connection to workstations.

Vocollect

- Vocollect VoiceConsole 5.0 (and later)
- Vocollect VoiceDirect Version 2.2 for TaskBuilder (*Supported*)
- Vocollect VoiceDirect Version 4.2.1 for Artisan

Other

- Azalea (Barcodes)
- Connectship Prologistics 6.5
- Bootstrap 5.0.2
- FSMS (FedEx Rating Server) 20.xx
- Microsoft Windows Server Hyper-V Server on Intel Xeon (*Supported*)
- Microsoft Excel 2021 (*Optional*)
- Microsoft .NET Framework 4.8
- Microsoft Visual Studio 2013 – for Windows Workflow Foundation 4.5 (*Optional*)
- Microsoft Azure Redis Cache (*Optional*)
- NCache Open-Source Edition 4.9

- Nhibernate 5.6.0.0
- Spring.NET 1.1.0.3
- **PDF.js** library version **4.5.136**
- VMware's ESX for Intel Xeon (*Supported*)