

# SSH Key Creation



Skills  
Network

**Estimated time:** 20 minutes

## What is an SSH key?

An SSH key is an access credential in the SSH protocol. Its function is similar to that of user names and passwords, but the keys are primarily used for automated processes.

## Generating an SSH key

To generate an SSH key, complete the following steps:

1. Launch a terminal. If you are using Windows, launch Git Bash.
2. Type the following command in your terminal, replacing <your email address> with the email address that is linked to your Github account. When you have typed the command, press Enter.

```
ssh-keygen -t rsa -b 4096 -C "<your email address>"
```

A new SSH key is generated.

3. You will be prompted to enter a directory to save the key. You can simply press Enter to accept the default location, which is an .ssh folder in the home directory. This means you will be able to locate the key in ~/.ssh/id\_rsa.
4. You will be prompted to choose a passphrase. You also have the option not to create a passphrase. To skip the passphrase, press Enter twice to confirm that the passphrase is empty.
5. **Optional:** To navigate to the .ssh directory, and check the contents of the directory, run the following commands in the terminal:

```
cd ~/.ssh
```

and then,

```
ls
```

When you list the contents of the `.ssh` directory, you should see `id_rsa` and `id_rsa.pub` in the list of contents, where `id_rsa` is the private version of your key and `id_rsa.pub` is the public version of your key.

6. You now need to add the SSH key to the `ssh-agent`, which helps with the authentication process. To start the `ssh-agent`, run the following command in the terminal:

```
eval "$(ssh-agent -s)"
```

7. To add the key to the agent, run the following command in the terminal:

```
ssh-add ~/.ssh/id_rsa
```

8. Please find Screenshot for reference:

```
MINGW64:/c/Users/[redacted]/.ssh

MINGW64 ~
$ ssh-keygen -t rsa -b 4096 -C "[redacted]"
Generating public/private rsa key pair.
Enter file in which to save the key (/c/Users/[redacted]/.ssh/id_rsa):
Created directory '/c/Users/[redacted]/.ssh'.
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/[redacted]/.ssh/id_rsa
Your public key has been saved in /c/Users/[redacted]/.ssh/id_rsa.pub
The key fingerprint is:
[redacted] [redacted]
The key's randomart image is:
+---[RSA 4096]-----+
|=.o.=ooE+O=.o|
|oB B.++ ++=o |
|+.= =0.00= |
|o....ooo oo|
|. .+.. S |
| o |
| o |
| . |
+---[SHA256]-----+

MINGW64 ~
$ cd ~/.ssh

MINGW64 ~/.ssh
$ ls
id_rsa id_rsa.pub

MINGW64 ~/.ssh
$ eval "$(ssh-agent -s)"
Agent pid 1141

MINGW64 ~/.ssh
$ ssh-add ~/.ssh/id_rsa
Identity added: /c/Users/[redacted]/.ssh/id_rsa [redacted]

MINGW64 ~/.ssh
$
```

## Summary

Congratulations! You have now learned how to generate the SSH key.

## Tutorial details

### Author(s)

- Malika Singla
- Sannareddy Ramesh