

## Start\_Menu in C# Visual Studio By Rohit Programming Zone

### Source Code

---

#### //Form1.cs Code

```
using System;
using System.Drawing;
using System.Windows.Forms;

namespace Start_Menu_in_C_Sharp_Visual_Studio
{
    public partial class Form1 : Form
    {
        public Form1()
        {
            InitializeComponent();
            wplayer.URL = (@"Paste background sound path here");
            wplayer.controls.play();
            axWindowsMediaPlayer1.Hide();
        }

        public static WMPLib.WindowsMediaPlayer wplayer = new
WMPLib.WindowsMediaPlayer();

        private void btn_start_MouseHover(object sender,
EventArgs e)
        {
            btn_start.Image = Properties.Resources.start_hover;
            System.Media.SoundPlayer sound = new
System.Media.SoundPlayer(@"Paste button sound path here");
            sound.Play();
        }

        private void btn_option_MouseHover(object sender,
EventArgs e)
        {
            btn_option.Image = Properties.Resources.option_hover;
            System.Media.SoundPlayer sound = new
System.Media.SoundPlayer(@"Paste button sound path here");
            sound.Play();
        }
    }
}
```

```

        private void btn_exit_MouseHover(object sender, EventArgs
e)
        {
            btn_exit.Image = Properties.Resources.exit_hover;
            System.Media.SoundPlayer sound = new
System.Media.SoundPlayer(@"Paste button sound path here");
            sound.Play();
        }

        private void btn_start_MouseLeave(object sender,
EventArgs e)
        {
            btn_start.Image = Properties.Resources.start_normal;
        }

        private void btn_option_MouseLeave(object sender,
EventArgs e)
        {
            btn_option.Image =
Properties.Resources.option_normal;
        }

        private void btn_exit_MouseLeave(object sender, EventArgs
e)
        {
            btn_exit.Image = Properties.Resources.exit_normal;
        }

        private void btn_start_Click(object sender, EventArgs e)
        {
            menu.Hide();
        }

        private void btn_option_Click(object sender, EventArgs e)
        {
            option_page option = new option_page();
            option.ShowDialog();
        }

        private void btn_exit_Click(object sender, EventArgs e)
        {
            Application.Exit();
        }
    }
}

```

---

### //option\_page.cs Code

```
using System;
using System.Drawing;
using System.Windows.Forms;

namespace Start_Menu_in_C_Sharp_Visual_Studio
{
    public partial class option_page : Form
    {
        public option_page()
        {
            InitializeComponent();

            private void trackBar1_Scroll(object sender, EventArgs e)
            {
                Form1.wplayer.controls.play();
                btn_sound.Image = Properties.Resources.sound_on;
                Form1.wplayer.settings.volume = trackBar1.Value;

                if(trackBar1.Value==0)
                {
                    btn_sound.Image = Properties.Resources.sound_off;
                }
            }
        }
    }
}
```

-----  
**For More Tutorial visit- <https://rohitprogrammingzone.blogspot.com>**  
-----