The TOGAF® Standard, 10th Edition Technical Corrigendum 1

Source: The Open Group Architecture Forum



Copyright © 2025, The Open Group

All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior permission of the copyright owners. Specifically, without such written permission, the use or incorporation of this publication, in whole or in part, is NOT PERMITTED for the purposes of training or developing large language models (LLMs) or any other generative artificial intelligence systems, or otherwise for the purposes of using, or in connection with the use of, such technologies, tools, or models to generate any data or content and/or to synthesize or combine with any other data or content.

ArchiMate, FACE, FACE logo, Future Airborne Capability Environment, Making Standards Work, Open Footprint, Open O logo, Open O and Check certification logo, Open Subsurface Data Universe, OSDU, SOSA, SOSA logo, The Open Group, TOGAF, UNIX, UNIXWARE, and X logo are registered trademarks and Boundaryless Information Flow, Build with Integrity Buy with Confidence, Commercial Aviation Reference Architecture, Dependability Through Assuredness, Digital Practitioner Body of Knowledge, DPBoK, EMMM, FHIM Profile Builder, FHIM logo, FPB, IT4IT, IT4IT logo, O-AA, O-DA, O-DEF, O-HERA, O-PAS, O-TTPS, O-VBA, Open Agile Architecture, Open FAIR, Open Process Automation, Open Trusted Technology Provider, Sensor Integration Simplified, and Sensor Open Systems Architecture are trademarks of The Open Group.

The TOGAF® Standard, 10th Edition Technical Corrigendum 1

Document Number: U254

Published by The Open Group, May 2025.

Comments relating to the material contained in this document may be submitted to:

The Open Group, Apex Plaza, Forbury Road, Reading, Berkshire, RG1 1AX, United Kingdom

or electronically at:

www.opengroup.org/doc-review

The TOGAF® Standard, 10th Edition – Fundamental Content Technical Corrigendum 1

This Document

From time to time errors or inconsistencies will be found in The Open Group standards. These can be corrected through production of a Technical Corrigendum, detailing a list of corrections to the standard.

A Technical Corrigendum against an approved standard changes the normative meaning of the standard upon its approval and thus must be developed through the Company Review process. The approved Technical Corrigendum will be made available on The Open Group website.

Details of the Company Review process are available at www.opengroup.org/standardsprocess.

The Changes

For ease of reference, all changes described reference the PDF version of the TOGAF® Standard, 10th Edition – Fundamental Content (Doc. No. C220), referring to specific section numbers and page numbers.

Paragraph/line *n* means the *n*th paragraph/line from the start of the section.

- For example: §2.4 Para 3 (Page 10) means the 3rd paragraph from the start of Section 2.4 (on Page 10)

Paragraph/line –*n* means the *n*th paragraph/line from the end of the referenced section.

- For example: §11.5 Para -2 (Page 170) means the 2nd paragraph from the end of Section 11.5 (on Page 170)

When counting paragraphs, a bullet list and the introductory sentence are considered to be a single paragraph.

Changes are provided in two columns, the existing text (Change From:), with the proposed revision (To:).

In some instances, especially large sections of text or diagrams, more general directions are provided; for example, delete Section xxx.yyy (Pages *nnn* to *nnn*), or change label *zzzz* on Figure *nnn-xx* from *abc* to *def*. In this case, the Change Request is available for review and voting, and a separate section of this document includes the full replacement section of text.

Where we have “competing” changes, the block of changes are shaded, and the lead change has a note in bold in the “change from” column.

TOGAF Standard, 10th Edition: Introduction and Core Concepts

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
§1.1, *Executive Overview*, Para 9	Clearly the creation of this basic documentation arises from the changed fundamental considerations and this is now crucial.	Clearly the requirement to create documentation responding to this type of legislation is now crucial.	To improve readability	Issue 13	Editorial
§3.2, *What is Architecture in the Context for the TOGAF Standard?* Para 1	ISO/IEC/IEEE 42010:2011 defines "architecture" as: "The fundamental concepts or properties of a system in its environment embodied in its elements, relationships, and in the principles of its design and evolution." The TOGAF Standard embraces but does not strictly adhere to ISO/IEC/IEEE 42010:2011 terminology. In addition to the ISO/IEC/IEEE 42010:2011 definition of "architecture", the TOGAF Standard defines a second meaning depending upon the context:	ISO/IEC/IEEE 42010:2020 defines "architecture" as: "[The] fundamental concepts or properties of an entity in its environment and governing principles for the realization and evolution of this entity and its related life cycle processes" The TOGAF Standard supports but does not fully follow the ISO/IEC/IEEE 42010:2020 terminology. In addition to the ISO/IEC/IEEE 42010:2020 definition of "architecture", the TOGAF Standard defines a second meaning depending upon the context:	Updating the text for alignment with ISO/IEC/IEEE 42010:2020	Issue 161	Technical
§3.6, *Deliverables, Artifacts, and Building Blocks*, Para 7	**Solution Building Blocks (SBBs)** represent components that will be used to implement the required capability; for example, a network is a building block that can be described through complementary artifacts and then put to use to realize solutions for the enterprise	**Solution Building Blocks** (SBBs) represent actual implementation choices to realize a required capability; for example, a network is an ABB that can be realized by different implementation choices (SBBs), such as a satellite network in two major configurations: a hive of myriad microsatellites or a small set of large satellites.	The example given (of a network) is at too high a level of abstraction to be an actual implementation choice. SBBs should be implementation choices.	Issue 2	Technical
§3.7, *Architecture Abstraction*, Para 1	An architectural technique for dividing a problem area into smaller problem areas that are easier to model and therefore easier to solve.	An approach that involves creating simplified models of complex systems to highlight their fundamental aspects while suppressing unnecessary details. This helps architects and stakeholders understand and manage complexity.	This is not an accurate description of 'abstraction'. It describes the technique of 'decomposition'.	Issue 14	Technical

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
§3.8, *Architecture Principles*, Para 6	Architecture Principles define the underlying general rules and guidelines for the use and deployment of all resources and assets across the enterprise. They reflect a level of consensus among the various elements of the enterprise and form the basis for making future architecture decisions.	(Relocated to after Bullet 1 in Para 3, before Such Principles.) Enterprise Principles define the underlying general rules and guidelines for the use and deployment of all resources and assets across the enterprise. They reflect a level of consensus among the relevant architects and other decision-making stakeholders.	This text is describing Enterprise Principles, not Architecture Principles.	Issue 15	Technical
§3.8, *Architecture Principles*, Para 7	Each Architecture Principle should be clearly related back to the business objectives and key architecture drivers.	The Architecture Principle must provide clarity and influence the decision(s) to be made when the architect is faced with a decision where they cannot identify an appropriate direction in a timely manner.	Improve the description of the purpose of an Architecture Principle.	Issue 16	Technical
§4.x	Addition	4.x EA Landscape See 4.15 Architecture Landscape	The term EA Landscape is widely used across the standard to refer to the Architecture Landscape.	Issue 11	Editorial

TOGAF Standard, 10th Edition: Architecture Development Method

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
§1.2.2, *Basic Structure*, Figure 1-1: Architecture Development Cycle	Arrowheads on the ADM Diagram See Annex A.	Global change: Remove all arrowheads	Removing some but not all arrowheads has created confusion.	Issue 32	Technical
§9.3.1, *Determine / Confirm Key Corporate Change Attributes*, Para 2	For organizations where Enterprise Architecture is well established, this step can be simple, but the matrix has to be established so that it can be used as an archive and record of decisions taken.	The catalog has to be established so that it can be used as an archive and record of decisions taken.	The Implementation Factor catalog is mistakenly referred to as a matrix. It also does not seem relevant to the step whether an organization has an Enterprise Architecture that is well established.	Issue 172	Editorial
§10.3.4, *Prioritize the Migration Projects through the Conduct of a Cost / Benefit Assessment and Risk Validation*, Heading	Prioritize the Migration Projects through the Conduct of a Cost/Benefit Assessment and Risk Validation	Prioritize the Migration Projects by Conducting a Cost/Benefit Assessment and Risk Assessment	Grammar and consistency; this was the only place in the Fundamental Content where “Risk Validation” is used. In the Risk Management chapter we use the term Risk Assessment, and also use “assessment” in the description in §10.3.4.	Issue 170	Editorial
§13.3, *Steps*, Step 5, Column 1,d	Generate Requirements Impact Statement (see the TOGAF Standard — Architecture Content) for steering the architecture team	Generate Requirements Impact Assessment (see the TOGAF Standard — Architecture Content) for steering the architecture team	There is no artifact or deliverable named “Requirements Impact Statement” defined in the TOGAF Standard.	Issue 137	Technical
§13.3, *Steps*, Step 6, Column 2, d	Issue Requirements Impact Statement, Version n+1	Issue Requirements Impact Assessment, Version n+1	There is no artifact or deliverable named “Requirements Impact Statement” defined in the TOGAF Standard.	Issue 137	Technical

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
§13.4, *Outputs*, Para 4	When new requirements arise, or existing ones are changed, a Requirements Impact Statement is generated, which identifies the phases of the ADM that need to be revisited to address the changes.	When new requirements arise, or existing ones are changed, a Requirements Impact Assessment is created, which identifies the phases of the ADM that need to be revisited to address the changes.	There is no artifact or deliverable named "Requirements Impact Statement" defined in the TOGAF Standard.	Issue 137	Technical

TOGAF Standard, 10th Edition: ADM Techniques

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
§2.6.2, *Data Principles,* Principle 15, Data Security, Implications, 2nd Bullet Point	The current practice of having separate systems to contain different classifications needs to be rethought Is there a software solution to separating classified and unclassified data? The current hardware solution is unwieldy, inefficient, and costly. It is more expensive to manage unclassified data on a classified system. Currently, the only way to combine the two is to place the unclassified data on the classified system, where it must remain.	The current practice of having separate systems to contain different classifications needs to be rethought Is there a software solution that enables the segregation of classified and unclassified data? The current hardware solution is unwieldy, inefficient, and costly. It is more expensive to manage unclassified data on a classified system.	The current text is confusing	Issue 149	Technical
§3.4, *Template Stakeholder Map*	Capability/Organization matrix is listed twice in the Catalogs, Matrices, and Diagrams column in a number of rows.	Remove the duplicate entries	Typographic error	Issue 148	Editorial
§4.2, *Some Pattern Resources*	All of Section 4.2	Removed	All but one of these links are variously unavailable, not updated since 2000 or point to other resources. Only hillside.net/patterns still works. Readers are capable of finding reference works on patterns by themselves.	Issue 43	Technical
§5.3, *Example*, Figure 5-1: Gap Analysis Example	Gap: Enhanced services to be developed or produced Gap: To be developed or produced See Annex A.	Gap: Enhanced services to be developed or procured Gap: To be developed or procured	For consistency with the text (underlined) used in Section 5.2	Issue 129	Editorial

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
§6, *Migration Planning Techniques*	Refactor all of this section “Migration Planning Techniques”, relocate to §3.6 in the TOGAF Standard®, 10th Edition - Architecture Content, and insert and refactor after §3.6.7 to create a new Section 3.6.8 Phase F: Migration Planning.	Remove the current subsection numbering to conform to the layout established in https://pubs.opengroup.org/togaf-standard/architecture-content/chap03.html, §3.6 (i.e., the subsections are not numbered). Remove the opening text of each section that reads "The technique of creating an/a". For the text under Business Value Matrix, change the sentence: "A technique to assess business value is to draw up a matrix based on a value index dimension and a risk index dimension." to "A Business Value Matrix shows a value index dimension and a risk index dimension." (see also Issue #17 for an additional proposed change to this section) Change the subsection title "Business Value Assessment Technique" to "Business Value and Risk Matrix" Change the subsection title "Consolidated Gaps, Solutions, & Dependencies Matrix" to "Consolidated Gaps, Solutions, and Dependencies Matrix"	This section does not describe techniques. It defines artifacts that are not currently defined in §3.6 Architectural Artifacts by ADM Phase. It is useful text but is in the wrong place.	Issue 144	Technical
§6.5, *Business Value Assessment Technique*, Figure 6-5	The current format of Figure 6-5: Sample Project Assessment with Respect to Business Value and Risk; see Annex A	Remove the color coding and corresponding key.	It is illogical to represent the current project status in a migration planning activity.	Issue 17	Technical

TOGAF Standard, 10th Edition: Applying the ADM

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
§4.2.1, *Activities within the Preliminary Phase*, Figure 4-1: Allocation of Teams to Architecture Scope	Addition, after Figure 4-1	In Figure 4-1, we can see that: • The Enterprise Layer is defined through collaboration between the Corporate Enterprise Capability and Segment EA Capability • The Segment Layer is defined through collaboration between the Corporate Enterprise Capability, the Segment EA Capability, and the Portfolio Team • The Capability Layer is defined through collaboration between the Portfolio Team and the Project Team	Figure 4-1 needs supporting text to describe the collaborations implied by the diagram.	Issue 7	Technical

TOGAF Standard, 10th Edition: Architecture Content

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
§1.1, *Overview*	A building block represents a potentially re-usable component of enterprise capability that can be combined with other building blocks to deliver architectures and solutions	A building block represents a potentially re-usable component that can be combined with other building blocks to deliver architectures and solutions	To ensure consistency with the definition of a Building Block given in TOGAF® Standard — Introduction – Definitions	Issue 151	Technical
§1.2.3, *Enterprise Metamodel*, Para 4, 2nd Bullet Point	The TOGAF Standard may use the ArchiMate® modeling language, Business Process Modeling Notation™ (BPMN™), Unified Modeling Language™ (UML®), entity relationship diagramming, flowcharting, or any other notation that can express some TOGAF ideas.	The TOGAF Standard can be used with the ArchiMate® modeling language, Business Process Model and Notation™ (BPMN™), Unified Modeling Language™ (UML®), entity relationship diagramming, flowcharting, or any other notation that can express some TOGAF ideas.	Grammar and trademark correction	Issue 42	Editorial
§2.5, *TOGAF Enterprise Metamodel Attributes*	For the table entry for Service Quality, change the text in the Description column from: This metamodel entity has only basic attributes.	This metamodel entity fulfills some or all of the attributes of its associated Contract(s).	The entity Service Quality cannot fulfill its purpose because it has no attributes connected to it. The purpose of it is to contain the service qualities of the contracts and all services (and application and technical components).	Issue 36	Technical
§3.6.2, *Phase A: Architecture Vision*, Para 1	The purpose of the Stakeholder catalog is to identify the stakeholders for the architecture engagement, their influence over the engagement, and their key questions, issues, or concerns that must be addressed by the architecture framework.	The purpose of the Stakeholder catalog is to identify the stakeholders for the architecture engagement, their influence over the engagement, and their key questions, issues, or concerns that must be addressed by the architecture framework. The Stakeholder catalog is referenced in creating a stakeholder map, showing which stakeholders are involved with a specific aspect of the Enterprise Architecture, their level of involvement, and their key concerns; see the TOGAF Standard — ADM Techniques.	The relationship between Stakeholder catalog and stakeholder map is not explained in the Standard. The catalog is the list of stakeholders and associated attributes. The map is a matrix of stakeholders and aspects of the Enterprise Architecture in a specific context.	Issue 9	Technical

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
§4.1 *Introduction*, Table of Phase Inputs and Outputs	Addition	In the table that shows Deliverables as inputs/outputs of Phases, update the entry for Change Request to add phase H to the input column, showing that a Change Request is an input to the Architecture Change Management phase.	In the ADM phase H description of inputs 12.2.3, Change Request is an input to phase H.	Issue 10	Technical
§4.1, *Introduction*, Table of Phase Inputs and Outputs	The table entry for Architecture Building Blocks: Output from: F, H Input to: A, B, C, D, E	Output from: B, C, D, F, H Input to: A, B, C, D, E, F, G, H	Consistency with the ADM text	Issue 150	Technical
§4.2.8, *Architecture Vision*, Para 2 1st Bullet Point	List of issues/scenarios to be addressed	List of Business Scenarios to be addressed	This would make section 4.2.8 consistent with TOGAF® Standard — Introduction - Phase A: Architecture Vision (opengroup.org). The existing reference to "issues" ought to be within the scope of the preceding bullet point "Stakeholders and their concerns" (see TOGAF® Standard — Introduction - Phase A: Architecture Vision (opengroup.org) section 3.3.2).	Issue 145	Technical
§6.4.1, *Architecture Continuum*, Para 2	The arrows in the Architecture Continuum represent the relationship that exists between the different architectures in the Architecture Continuum. The leftwards direction focuses on meeting enterprise needs and business requirements, while the rightwards direction focuses on leveraging architectural components and building blocks.	Removed	The text is wrong. It mixes up left and right.	Issue 133	Technical

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
§6.4.1, *Architecture Continuum,* Para 3	The enterprise needs and business requirements are addressed in increasing detail from left to right. The architect will typically look to find reusable architectural elements toward the left of the continuum. When elements are not found, the requirements for the missing elements are passed to the left of the continuum for incorporation. Those implementing architectures within their own organizations can use the same continuum models specialized for their business.	The requirements are addressed in increasing detail from left to right. The architect will typically look to find reusable architectural elements toward the left of the continuum.	Clarity is achieved with fewer words.	Issue 133	Technical

TOGAF Standard, 10th Edition: Enterprise Architecture Capability and Governance

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
§2.2, *Phase A: Architecture Vision*, Para 2	**Establish the Project**: this step should focus on defining the stakeholders in the architecture practice. The stakeholders would include the roles and organization units participating in the architecture practice, as well as people who will benefit from the deliverables generated by the architecture practice and who can therefore be defined as customers of the architecture practice.	**Establish the Project**: this step should focus on performing the necessary procedures to secure recognition of the project, the endorsement of corporate management, and the support and commitment of the necessary line management. Include references to other management frameworks in use within the enterprise, explaining how this project relates to those frameworks.	Current text is inconsistent with 3.3.1 of the Phase A: Architecture Vision	Issue 33	Technical
§4.3.1, *Triggers*, Heading	4.3.1 Triggers	4.3.1 Enterprise Architecture Sponsorship	Other than the list of triggers, the text of this section is about EA sponsorship.	Issue 21	Technical
§4.3.1, *Triggers*, Para 1	One or more of the following occurrences typically triggers the establishment of an Architecture Board: • New CIO • Merger or acquisition • Organizational restructuring • Consideration of a move to newer forms of computing • Recognition that IT is poorly aligned to business • Desire to achieve competitive advantage via technology • Creation of an Enterprise Architecture program • Significant business change or rapid growth • Requirement for complex, cross-functional solutions	Removed	This listing of “triggers” implies a “one-off” character to the operation of an Architecture Board. This list has no relation to the text that immediately follows, which is about EA sponsorship.	Issue 21	Technical

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
§5.1, *Role*, Para 3 Final bullet point	When the finalized Architecture Definition Document is available (at the end of Phase F), an Architecture Contract will normally be drawn up between the architecting function (or the IT governance function, subsuming the architecting function) and the business users who will subsequently be building and deploying application systems in the architected environment	When the finalized Architecture Definition Document is available (at the end of Phase F), an Architecture Contract will normally be drawn up between the architecting function (or the IT governance function, subsuming the architecting function) and the business stakeholders who will subsequently be building and deploying systems in the architected environment	The phrase "application systems" is too narrow.	Issue 31	Technical
§5.2.3, *Contract between Architecting Function and Business Stakeholders*, Para 1	When the Implementation and Migration Plan has been agreed (at the end of Phase F), an Architecture Contract may be drawn up between the architecting function and the business stakeholders who will subsequently be building and deploying the architected business solutions.	When the Implementation and Migration Plan has been agreed (at the end of Phase F), an Architecture Contract may be drawn up between the architecting function and the business stakeholders who will subsequently be building and deploying systems in the architected environment.	Changed for consistency with §5.1	Issue 31	Technical
§6.2 *Terminology: The Meaning of Architecture Compliance*, Figure 6.1: Levels of Architecture Conformance	Change the text associated with Conformant: All the features in the architecture specification are implemented in accordance with the specification, but some more features are implemented that are not in accordance with it. See Annex A.	All the features in the architecture specification are implemented in accordance with the specification, but additional features that are not included in the specification are also implemented.	Current text is confusing and implies that Conformant = Non-Conformant	Issue 131	Technical
§6.5 *Architecture Compliance Review Checklists*	All text in this section	Removed to create a Guide (carrying no formal status) that carries all the content currently in Section 6.5. Re-number the current Section 6.6 Architecture Compliance Review Guidelines to Section 6.5 Architecture Compliance Review Guidelines.	This detailed checklist is not appropriate content for the TOGAF Standard.	Issue 22	Technical
§6.6.2 *Conducting Architecture*	Addition, as a final sentence	For examples of questions that may be used in conducting architecture compliance reviews, refer to the Guide	To be added	Issue 22	Technical

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
Compliance Reviews		(reference number TBD – see row above) Architecture Compliance Review Checklists.			

TOGAF Standard, 10th Edition – TOGAF® Series Guide: A Practitioners' Approach to Developing Enterprise Architecture Following the TOGAF ADM

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
Section 3.2.1, *Introduction to the EA Landscape*, Para 1	At any point in time, a typical Enterprise will have several architectures described.	The Enterprise may have many different architectures described.	Allows for a broader, less deterministic reading of the text	Issue 146	Technical
§6.1.2, *Trade-Off*, Para 2	Trade-off requires a compromise between one stakeholder's preferences as well as between different stakeholders' preferences.	Trade-off requires deliberate selection between one stakeholder's preferences as well as between different stakeholders' preferences.	Current text advocates compromise, which is inconsistent with section 6.2, "trade-offs are never about compromises…"	Issue 6	Technical
§6.2, *Trade-Off Decisions,* Para 1	In developing an Enterprise Architecture, trade-offs are never about compromises but about a question of when or the context. When the context or the objective of the Enterprise is poorly analyzed, some choices will appear obvious or low-cost. Jumping to employ those choices as a viable candidate will result in sub-optimal achievement of the target or total failure of the initiative.	In developing an Enterprise Architecture, trade-offs are never about compromises where a middle ground is sought. Trade-off requires understanding the complete set of all stakeholder preferences and their interaction. Trade-off assesses a complex set of benefits and costs to find the optimal value point where all minimum benefits are included, and the highest total value is reached at an acceptable cost. Stakeholder concerns are critical in assessing potential benefits and cost. When the context or the objective of the Enterprise is poorly analyzed, some choices will appear obvious or low-cost. Jumping to employ those choices as a viable candidate will result in sub-optimal achievement of the target or total failure of the initiative.	Additional guidance on the typical "questions in context" is offered.	Issue 6	Technical
B.1, *Common Stakeholder Classes*, Para 3	Note: The architecture may not be provided to members, but must be evaluated from their perspective.	Note: The architecture may not be provided to customers but must be evaluated from their perspective.	Typographic error	Issue 160	Editorial

TOGAF Standard, 10th Edition – TOGAF® Series Guide: Integrating Risk and Security within a TOGAF Enterprise Architecture

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
§2.4, *COBIT*®, Para 1	"COBIT 5 provides a comprehensive framework that assists enterprises in achieving their objectives for the governance and management of enterprise IT. Simply stated, it helps enterprises create optimal value from Information Technology (IT) by maintaining a balance between realizing benefits and optimizing risk levels and resource use. COBIT 5 for Information Security builds on the COBIT 5 framework in that it focuses on information security and provides more detailed and more practical guidance for information security professionals and other interested parties at all levels of the enterprise." [10] COBIT 5 for Information Security is regarded as a relevant framework for security governance. However, in this Guide the structure of ISO/IEC 27001:2013 is used because that is a broader recognized definition of a security management system.	The COBIT framework is regarded as a relevant framework for security governance. However, in this document, the structure of ISO/IEC 27001:2022 is used because that is a more-broadly recognized definition of a security management system.	To be less specific. The purpose of this section is to explain that the TOGAF Standard does not apply the COBIT framework.	Issue 45	Technical
§3.2.3, *Core Concepts for Information Security Management*, Para 2	The following core security concepts are relevant for the ISM process. Their descriptions as well as their relationship with the TOGAF ADM are given later in this Guide. Their role in the ISM process will be described in the Security Architecture Practitioners Guide. They are listed here in order to enumerate the core information security concepts that should be part of the TOGAF Standard. The main categories of ISO/IEC 27001:2013 are	The following core security concepts are relevant for the ISM process. Their descriptions as well as their relationship with the TOGAF ADM are given later in this document. They are listed here in order to enumerate the core information security concepts that should be part of the TOGAF Standard. The main categories of ISO/IEC 27001:2022 are used to understand better how the concepts are related.	The Security Architecture Practitioners Guide does not exist.	Issue 164	Editorial

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
	used to understand better how the concepts are related.				

TOGAF Standard, 10th Edition – TOGAF® Series Guide: Digital Technology Adoption: A Guide to Readiness Assessment and Roadmap Development

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
Chapter 6, *Architectural Implication and Alignment to the TOGAF ADM,* Table 2: Architectural Implications	In the table row for Requirements Management, change: "Changes in requirements need to be addressed with requirements impact statements."	"Changes in requirements need to be addressed with requirements impact assessments."	There is no artifact or deliverable named "requirements impact statement" in the TOGAF Standard	Issue 137	Technical

TOGAF Standard, 10th Edition – TOGAF® Series Guide: Value Streams

Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
§1.4, *Relationship of Value Streams to Other Business Architecture Concepts*, Para 1	Addition	For example, Figure 2 shows that a Stakeholder receives value, and that a value stream consists of value stage(s) (please note that the direction of the triangles indicates the object of the relationship in a subject-verb-object grammatical structure).	To clarify the meaning of the diagram	Issue 141	Technical



TOGAF Standard, 10th Edition – TOGAF® Series Guide: TOGAF Digital Business Reference Model (DBRM)



Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
§4.3.3, *Business Services and Products*, Para 5	The enterprise may over and above provide its primary Business Services and Products, and also identify opportunities to delight its customers or expand its portfolio of products and services offering without losing the essence of what they are about.	The enterprise may go over and above providing its primary Business Services and Products, and also identify opportunities to delight its customers or expand its portfolio of products and services offering without losing the essence of what they are about.	To replace missing word ("**go** over and above"	Issue 27	Editorial



TOGAF Standard, 10th Edition – TOGAF® Series Guide: Customer Master Data Management (C-MDM)



Document Ref.	Change from:	To:	Rationale	Defect Ref.	Category
§2.1, *The ArchiMate Specification*, Figure 3	Figure 3: ArchiMate Modeling Notation Elements Used in this Document See Annex A.	Redraw Figure 3 to add missing elements: Strategy: Capability element – used in Figure 4 Motivation: Stakeholder element – used in Figure 5 Business: Business Collaboration – used in Section 5.21 (untitled figure at start of section) Application: Application Component – used in Figure 4 Implementation and Migration: Plateau – used in Figure 7 Update the supporting text to explain these additional concepts	The figure does not show all the elements used in the document.	Issue 168	Technical



Annex A: Diagrams

Change from:	Change to:
Issue 32: Figure 1-1  *Figure 1-1: Architecture Development Cycle*	 Please note: This will also apply to other instances where the ADM diagram occurs.

Change from:	Change to:
Issue 129: Figure 5-1 	

Change from:	Change to:
Issue 131: Figure 6-1  © The Open Group **Irrelevant:** The implementation has no features in common with the architecture specification (so the question of conformance does not arise). **Consistent:** The implementation has some features in common with the architecture specification, and those common features are implemented in accordance with the specification. However, some features in the architecture specification are not implemented, and the implementation has other features that are not covered by the specification. **Compliant:** Some features in the architecture specification are not implemented, but all features implemented are covered by the specification, and in accordance with it. **Conformant:** All the features in the architecture specification are implemented in accordance with the specification, but some more features are implemented that are not in accordance with it. **Fully Conformant:** There is full correspondence between architecture specification and implementation. All specified features are implemented in accordance with the specification, and there are no features implemented that are not covered by the specification. **Non-conformant:** Any of the above in which some features in the architecture specification are implemented not in accordance with the specification.	 © The Open Group **Irrelevant:** The implementation has no features in common with the architecture specification (so the question of conformance does not arise). **Consistent:** The implementation has some features in common with the architecture specification, and those common features are implemented in accordance with the specification. However, some features in the architecture specification are not implemented, and the implementation has other features that are not covered by the specification. **Compliant:** Some features in the architecture specification are not implemented, but all features implemented are covered by the specification, and in accordance with it. **Conformant:** All the features in the architecture specification are implemented in accordance with the specification, but additional features that are not included in the specification are also implemented. **Fully Conformant:** There is full correspondence between architecture specification and implementation. All specified features are implemented in accordance with the specification, and there are no features implemented that are not covered by the specification. **Non-conformant:** Any of the above in which some features in the architecture specification are implemented not in accordance with the specification. Please note that this is a rough version. If approved, it will be redrawn prior to publication, preserving the colors and fonts from the current version. The red box will be removed from the published version, as it serves simply to show the changed text.

Change from:	Change to:
Issue 17: Figure 6-5  	 Please note that this is a rough version. It will be properly redrawn prior to publication.

Change from:	Change to:
Issue 168: Figure 3  	 Please note that this is a rough draft. If approved, the diagram will be redrawn using the colors and fonts from the original.