

## **Cambridge International Examinations**

Cambridge International AS & A Level CANDIDATE NAME	Cambridge International Examina Cambridge International Advanced		
CENTRE NUMBER		CANDIDATE NUMBER	

**BIOLOGY** 9700/33

Advanced Practical Skills 1

May/June 2015

2 hours

Candidates answer on the Question Paper.

Additional Materials: As listed in the Confidential Instructions.

#### READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do **not** use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

For Examiner's Use		
1		
2		
Total		

This document consists of 13 printed pages and 3 blank pages.



Before you proceed, read carefully through the whole of Question 1 and Question 2.

Plan the use of the two hours to make sure that you finish all the work that you would like to do

www.papaCambridge.com If you have enough time, consider how you can improve the accuracy of your results, for example by obtaining and recording one or more additional measurements.

You will **gain marks** for recording your results according to the instructions.

1 When onion cells are placed into a solution, water will move depending on the water potential inside the cells and the water potential of the surrounding solution.

The water potential of a solution depends on both the concentration and the type of molecule dissolved.

You are required to:

- identify S1, S2 and S3 by carrying out tests for carbohydrates, using the reagents
- investigate the effect of water and each of the solutions S1, S2 and S3 on onion cells.

You are provided with:

labelled	contents	hazard
<b>S1</b> , <b>S2</b> and <b>S3</b>	see below	none
w	water with one piece of onion tissue	none

Each of S1, S2 and S3 contains a piece of onion tissue and one of the following:

- a mixture of sucrose solution and glucose solution
- sodium chloride solution
- starch solution.

By using **only two** of the biological molecule tests for carbohydrates, you should be able to identify the solutions, S1, S2 and S3.

www.PapaCambridge.com Identify S1, S2 and S3 by carrying out tests using the apparatus and reage Decide which biological molecule to identify in the first test. Complete the following: First test: Test for ..... Describe how you will use the reagent(s) to carry out this test. .....[1] Carry out the first test and record your observations in (a)(iii). (ii) Decide which biological molecule to identify in the **second** test. Complete the following: Second test: Test for ..... Describe how you will use the reagent(s) to carry out this test. Carry out the **second test** and record your observations in (a)(iii).

(iii) Prepare the space below and record your observations for each test.

(iv) Complete the table to identify S1, S2 and S3.

molecule(s)	solution
mixture of sucrose and glucose	
sodium chloride	
starch	

[1]

www.PapaCambridge.com

When carrying out a practical procedure, the hazards of the use of all the apparatus and all of the reagents need to be considered, then the level of risk needs to be assessed as low or medium or high.

(V)	State the hazard with the greatest level of risk when using the apparatus and reagents to
	test S1, S2 and S3 for biological molecules.
	State the level of risk of the procedure: low or medium or high.

hazard		 	 	 	 	
level of	risk	 	 			

[1]

[1]

You are required to investigate the effect of water,  $\mathbf{W}$ , and each of the solutions,  $\mathbf{S1}$ ,  $\mathbf{S2}$  and  $\mathbf{S3}$ , on the cells of the epidermis of onion.

(b) (i) Complete the sentence below by choosing from the following words:

enters leaves plasmolysed turgid

You may use each word once or more than once or not at all.

When onion cells are placed into a solution with a more negative water potential than the cells, water ...... the vacuoles and the cells become ......

You are required to investigate the effect of water and **each** of the solutions on the onion cells by:

- observing 10 cells in one field of view
- counting and recording the number of these cells which are plasmolysed
- making a drawing of one typical cell from each of W and S1.

### Proceed as follows:

- 1. Label one **clean, dry** microscope slide 'W' and put the slide on a paper towel.
- 2. Put a few drops of **W** onto the slide.
- 3. Remove a piece of the onion tissue from **W** and, using forceps or fingers, peel off the inner epidermis, as shown in Fig. 1.1.




Fig. 1.1

- Cut one piece of the epidermis that will fit under a coverslip. Replace the remaining epidermis into W.
- 5. Place the epidermis on the slide as shown in Fig. 1.2. If the epidermis is folded, you may need to add more drops of W so that it floats and uncurls.
- It is important to prevent the epidermis from drying out so add more drops of **W** if needed. 6.




Fig. 1.2

- 7. Cover the epidermis with a coverslip and use a paper towel to remove any excess liquid that is outside the coverslip.
- 8. Select an area of cells which show the effect of W. Observe 10 cells and record in (b)(ii) the number of these cells which show signs of plasmolysis.
- 9. Repeat step 8 for a different field of view.

You may need to reduce the amount of light entering the microscope to observe cells clearly.

- 10. Repeat steps 1 to 9 using the piece of onion from **S1** and mounting the piece of epidermis in the solution from S1.
- 11. Repeat steps 1 to 9 using the piece of onion from S2 and then the piece of onion from S3.

© UCLES 2015 [Turn over

www.ParaCambridge.com

[3]

(ii) Prepare the space below and record your results.

(iii)	Identify one significant error in measuring the dependent variable.
	[1]
You	are required to use a sharp pencil for drawings.
(iv)	Make a drawing of one cell from the epidermis in ${\bf W}$ and one cell from the epidermis in ${\bf S1}$ . The cells you choose must show the effect of ${\bf W}$ and ${\bf S1}$ .
	Use <b>one</b> ruled label line and label to identify the cytoplasm in <b>each</b> cell.
	cell from epidermis in <b>W</b>

[4]

[Total: 19]

(v)	Explain, using your knowledge of the movement of water, the effect of <b>S1</b> and <b>S3</b> on the cells of the epidermis.
	S1
	S3
	[3]

© UCLES 2015 [Turn over

2 (a) A student used a model to study the loss of water from stomata in leaves.

www.PapaCambridge.com At the start of the investigation the model was set up as shown in Fig. 2.1.




Fig. 2.1

The student investigated the effect that different numbers of holes in the lids had on the evaporation of water from the tube.

Each tube was set up with a lid with either 5 or 10 or 15 or 20 holes.

The tubes were left for 9 days and then the volume of the water remaining was marked with a second line on the tube. The volume of water at the start,  $V_0$ , and the volume of water after 9 days, **V**<sub>o</sub>, were measured.

The volume of water lost by evaporation was calculated.

You are provided with four tubes labelled 1, 2, 3 and 4. Each tube is marked with lines to show the volume of water at the start and after 9 days.

You are required to:

- measure the volume of water at the start of the investigation in each tube, V<sub>n</sub>
- measure the volume of water remaining in each tube after the 9 days, V<sub>9</sub>
- calculate the volume of water lost by evaporation in each tube (processed results).

(1)	provided.
	[1]

Carry out your method as described in (a)(i) for each of the four tubes and record your raw results and processed results in (a)(ii) on page 9.

www.PapaCambridge.com (ii) Prepare the space below and record your raw and processed results.

[4]

Fig. 2.2 shows four lids labelled P, Q, R and T.




Fig. 2.2

(iii) Using your processed results, complete the table below to show which lid was used to cover which tube.

tube label	lid used to cover the tube
1	
2	
3	
4	

[1]

[Turn over © UCLES 2015

(iv) A control experiment is set up to make sure that the trend in the results is

	variable under investigation and not by some other variable.
	Describe a control experiment for this investigation.
	[1]
(v)	The student wanted to increase the rate of evaporation from the tubes, without removing the lid or altering the number or size of the holes.
	Describe how the student could have changed the procedure to increase the rate of evaporation.
	[2]

A student investigated the relationship between the total circumference of the holes and rate of evaporation.

The student repeated the investigation with different lids with 0 or 5 or 10 or 20 holes. All the holes had the same diameter.

The student processed the results by calculating the total circumference of the holes and the rate of evaporation of water per day.


The processed results are shown in Table 2.1.

Table 2.1

total circumference of holes /mm	rate of evaporation of water /cm³ day <sup>-1</sup>
0.00	0.22
7.75	0.53
15.50	0.85
23.25	1.17
26.00	1.28

You are required to use a sharp pencil for graphs.

(b) Plot a graph of the data shown in Table 2.1.



[4]

[Turn over © UCLES 2015

**(c)** Fig. 2.3 is a stained transverse section through a plant stem. You are not expected to be familiar with this specimen.




Fig. 2.3

Draw a large plan diagram of the quarter of the stem as shown in Fig. 2.4.




Fig. 2.4

www.PapaCambridge.com

(d)	A s	tudent calibrated the eyepiece graticule in a light microscope using a stage lesson that the actual length of the tissues could be found.
	The	calibration was: one eyepiece graticule division equal to 0.024 mm.
	(i)	The use of the unit mm is <b>not</b> the most appropriate unit for use with the light microscope.
		State which unit is most appropriate for use with the light microscope and show how 0.024 mm is converted to this unit.
		You may lose marks if you do not show your working.

unit	[2	2]
٠		- 1

(ii) Fig. 2.3 shows a photomicrograph taken using the same microscope with the same lenses as the student.

Use the calibration of the eyepiece graticule division from (d)(i) and Fig. 2.3 to calculate the actual total width of the pith, shown by line Y.

You may lose marks if you do not show all the steps in your calculation and do not use appropriate units.

actual total width	
	[2]

[Total: 21]

# **BLANK PAGE**

www.PapaCambridge.com

15

**BLANK PAGE** 

www.ParaCambridge.com

© UCLES 2015

16

## **BLANK PAGE**

www.PapaCambridge.com

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.