

Cambridge International Examinations

Cambridge International AS & A Level	Cambridge International Examinations Cambridge International Advanced Subsidiary and Advanced Level
NAME	
CENTRE NUMBER	CANDIDATE NUMBER

BIOLOGY 9700/35

Advanced Practical Skills 1

May/June 2015

2 hours

Candidates answer on the Question Paper.

Additional Materials:

As listed in the Confidential Instructions.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paperclips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use		
1		
2		
Total		

This document consists of 12 printed pages.



To do: hy

Before you proceed, read carefully through the whole of Question 1 and Question 2.

Plan the use of the two hours to make sure that you finish all the work that you would like to do.

If you have enough time, consider how you can improve the accuracy of your results, for example by obtaining and recording one or more additional measurements.

You will gain marks for recording your results according to the instructions.

1 The enzyme **E** catalyses the reaction of urea with water to form ammonium carbonate and carbon dioxide.

urea + water → ammonium carbonate + carbon dioxide

Aqueous ammonium carbonate produces ammonium ions. This forms an alkaline solution which causes red litmus paper to change to blue.

This colour change will be used to indicate the end-point of the reaction.

The end-point of the reaction is when **all of the surface** of the red litmus paper is blue.

You are required to:

- prepare different concentrations of the urea solution, U
- investigate the effect of different concentrations of ${\bf U}$ (independent variable) on the reaction of ${\bf U}$ with water, ${\bf W}$.

You are provided with:

labelled	contents	hazard	volume / cm ³
U	U 5% urea solution		50
W	distilled water	none	100
E	enzyme solution	harmful irritant	10

labelled	contents	hazard	quantity
R	red litmus paper	none	2 strips

When carrying out a practical procedure, the hazards of the use of all the apparatus and all of the reagents need to be considered, then the **level** of risk needs to be assessed as low or medium or high.

(a)	State the hazard	with the	greatest	level o	of risk	when	using	the	apparatus	and	reagents	ir
	step 1 on page 4.	ı										

State the level of risk of the procedure: low or medium or high.

level of risk[1]

You are required to make a serial dilution of the 5% urea solution, U, which (b) (i) concentration of the urea solution by half between each successive dilution.

You will need to **prepare** 40 cm³ of each concentration.

www.papaCambridge.com You should use the beakers shown in Fig. 1.1 to show how you will prepare the serial dilutions.

For each beaker, complete Fig. 1.1 to show how you will dilute the solution by:

- stating, under the beaker, the concentration and volume of the urea solution available for use in the investigation
- using one arrow, with a label above the beaker, to show the concentration and **volume** of urea solution added to prepare the concentration
- using another arrow, with a label above the beaker, to show the volume of W added to prepare the concentration.




Fig. 1.1

© UCLES 2015 [Turn over

[3]

www.PapaCambridge.com

Proceed as follows:

- 1. Prepare the concentrations of urea solution, as stated in (b)(i).
- Cut the red litmus paper into lengths of approximately 0.5cm. Put one piece of litmus paper in the bottom of each of the four test-tubes.
- 3. Put 0.5 cm³ of **E** into each test-tube.
- 4. Put 5 cm³ of the **lowest** concentration of urea solution into one of these test-tubes and mix well. Immediately start timing.
- 5. During the investigation, shake the test-tube occasionally to mix the contents.
- 6. Record in (b)(ii) the time taken for all of the surface of the red litmus paper to change to blue (the end-point).
 If the piece of litmus paper does not reach the end-point after 180 seconds (3 minutes), stop the experiment and record 'more than 180'.
- 7. Repeat steps 4 to 6 with the next lowest concentration of urea solution.
- 8. Repeat step 7 with the other concentrations of urea solution.

You are now required to replicate the investigation.

- 9. Repeat steps 2 to 8.
 - (ii) Prepare the space below and record your results.

Significant sources of error may cause some of the raw data to be inaccurated

(iii)

www.PapaCambridge.com anomalous results. The end-point of this investigation was the change in colour of the red li paper. State how this might have caused the results to be inaccurate. Identify **one other** significant source of error for this investigation. [2] Describe one improvement to this investigation which would increase confidence in your (iv) results. State **one** piece of apparatus used in this investigation that may have a systematic error. When a student carried out this investigation, the red litmus paper changed to blue in a (vi) very short time. This made measuring the time inaccurate. Describe how the student could change the procedure to increase the time taken to reach the end-point.

© UCLES 2015 [Turn over (c) The 'urea breath test' is used to detect human stomach infections caused by bacteria are present in the stomach, an enzyme produced by the bacteria breaks urea to carbon dioxide. This carbon dioxide is absorbed from the stomach into the blo travels to the lungs where it is released in the breath.


To test for the presence of the bacteria, the patient drinks a solution of urea containing 13 C, which is an isotope of carbon. The breath of the patient is then sampled at intervals for 110 minutes and analysed for the presence of 13 CO₂ (carbon dioxide containing 13 C).

The results are shown in Table 1.1.

Table 1.1

time of sampling / minutes	¹³ CO ₂ in the breath / arbitrary units
30	21.8
40	19.0
60	14.5
75	12.5
110	10.7

Plot a graph of the data in Table 1.1.



		[-]
(ii)	Using your knowledge of enzymes, explain the trend shown in the data.	
		[2]

[Turn over © UCLES 2015

[4]

[Total: 21]

You are required to use a sharp pencil for drawings.

2 (a) K1 is a slide of a stained transverse section through a plant stem. This plant genus of Europe, Africa and Asia.

You are not expected to be familiar with this specimen.

(i) Draw a large plan diagram of the half of the stem, as shown in Fig. 2.1.




Fig. 2.1

Use **one** ruled label line and label to identify the pith.

- (ii) Observe a corner or bulge of the stem. Select and make a large drawing of:
 - two whole, adjacent cells from the epidermis which touch each other
- www.PapaCambridge.com two whole, adjacent cells from the cortex (the layer of tissue under the epidermis) which touch each other.

The drawings should show any difference in size (linear magnification) observed between each pair of cells.

Use **one** ruled label line and label to identify **one** cell wall.

cells from epidermis

cells from cortex

[5]

(b) Fig. 2.2 is a stained transverse section through the stem of a different plant spec This plant species grows throughout the world.

You are not expected to be familiar with this specimen.




Fig. 2.2

A student calibrated the eyepiece graticule in a light microscope using a stage micrometer scale so that the actual length of specimens could be found.

The calibration was: one eyepiece graticule division equal to 0.028 mm.

The use of the unit mm is **not** the most appropriate unit for use with the light microscope.

State which unit is the most appropriate for use with the light microscope and show how the value 0.028 mm is converted to this unit.

You may lose marks if you do not show your working.

unit	[2	Ì

(ii)	Fig. 2.2 shows a photomicrograph taken using the same microscope will lenses as the student.	
	Use the calibration of the eyepiece graticule division from (b)(i) and line X in Fig. 2 calculate the actual total width of the tissue as shown by line X .	

You may lose marks if you do not show all your working and do not use the appropriate units.

	actual width of the tissue shown by line X	[2]
(iii)	Suggest one observable feature of the stem in Fig. 2.2 which supports the conclusi that this is from a plant growing in a freshwater pond.	on
	Explain how this feature supports this conclusion.	
	feature	
	explanation	
		[1]

© UCLES 2015 [Turn over

www.PanaCambridge.com (c) Prepare the space below so that it is suitable for you to record observable different the specimen on K1 and Fig. 2.2.

Record your observations in the space you have prepared.

[4]

[Total: 19]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.