

Section 1. Registration Information

Source Identification

Facility Name:	International Paper
Parent Company #1 Name:	International Paper
Submission Type:	Resubmission
Receipt Date:	May 2022

Facility Identification

Facility ID:	1000 0009 2918
--------------	----------------

Dun and Bradstreet Numbers (DUNS)

Facility DUNS:	3112265
----------------	---------

Facility Location Address

Street 1:	34040 Union Camp Drive
Street 2:	N/A
City:	Franklin
State:	VA
ZIP:	23851
ZIP4:	N/A
County:	Isle Of Wight

Facility Latitude and Longitude

Latitude (decimal):	36.680278
Longitude (decimal):	-076.912778

Local Emergency Planning Committee and Regulations

LEPC:	Isle of Wight/Franklin LEPC
OSHA PSM:	Yes
EPCRA 302:	N/A
CAA Title V:	Yes

Process Chemicals

Program Level:	Program Level 3 process
Chemical Name:	Chlorine dioxide [Chlorine oxide (ClO ₂)]
CAS Number:	10049-04-4
Flammable/Toxic:	Toxic

Process NAICS

NAICS Code:	32211
NAICS Description:	Pulp Mills

Section 6. Accident History

Accident History ID: Accident 1

Date of Accident:	February 2018
Time Accident Began (HH:MM):	09:00
NAICS Code of Process Involved:	32211
NAICS Description:	Pulp Mills
Release Duration:	001 Hours 20 Minutes

Release Event

Gas Release:	Yes
Liquid Spill/Evaporation:	N/A
Fire:	N/A
Explosion:	N/A
Uncontrolled/Runaway Reaction:	N/A

Release Source

Storage Vessel:	N/A
Piping:	N/A
Process Vessel:	Yes
Transfer Hose:	N/A
Valve:	N/A
Pump:	N/A
Joint:	N/A
Other Release Source:	scrubber (process was down but contained residual ClO ₂)

Weather Conditions at the Time of Event

Wind Speed:	5.0
Units:	Miles/h
Direction:	SE
Temperature:	40
Atmospheric Stability Class:	N/A
Precipitation Present:	N/A
Unknown Weather Conditions:	N/A

On-Site Impacts

Employee or Contractor Deaths:	0
Public Responder Deaths:	0
Public Deaths:	0
Employee or Contractor Injuries:	0
Public Responder Injuries:	0
Public Injuries:	0
On-Site Property Damage (\$):	0

Known Off-Site Impacts

Deaths:	0
Hospitalizations:	0
Public Deaths:	0
Other Medical Treatments:	0
Evacuated:	0
Sheltered-in-Place:	0
Off-Site Property Damage (\$):	0

Environmental Damage

Fish or Animal Kills:	N/A
Tree, Lawn, Shrub, or Crop Damage:	N/A
Water Contamination:	N/A
Soil Contamination:	N/A
Other Environmental Damage:	N/A

Initiating Event

Initiating Event:	Human Error
-------------------	-------------

Contributing Factors

Equipment Failure:	N/A
Human Error:	N/A
Improper Procedures:	N/A
Overpressurization:	N/A
Upset Condition:	N/A
By-Pass Condition:	N/A
Maintenance Activity/Inactivity:	Yes
Process Design Failure:	N/A
Unsuitable Equipment:	N/A
Unusual Weather Condition:	N/A
Management Error:	N/A
Other Contributing Factor:	System being flushed with water after shut down. Some residual CLO2 released from scrubber as a result.

Off-Site Responders Notified

Off-Site Responders Notified:	No, not notified
-------------------------------	------------------

Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment:	N/A
Revised Maintenance:	N/A
Revised Training:	Yes
Revised Operating Procedures:	Yes
New Process Controls:	N/A
New Mitigation Systems:	N/A
Revised Emergency Response Plan:	N/A
Changed Process:	N/A
Reduced Inventory:	N/A
None:	N/A
Other Changes Introduced:	N/A

Chemicals in Accident History

Quantity Released (lbs):	1
Percent Weight:	100
Chemical Name:	Chlorine dioxide [Chlorine oxide (CLO2)]
CAS Number:	10049-04-4
Flammable/Toxic:	Toxic

Accident History ID: Accident 2

Date of Accident:	January 2018
Time Accident Began (HH:MM):	10:00
NAICS Code of Process Involved:	32211
NAICS Description:	Pulp Mills
Release Duration:	000 Hours 05 Minutes

Release Event

Gas Release:	N/A
Liquid Spill/Evaporation:	Yes
Fire:	N/A
Explosion:	N/A
Uncontrolled/Runaway Reaction:	N/A

Release Source

Storage Vessel:	N/A
Piping:	Yes
Process Vessel:	N/A
Transfer Hose:	N/A
Valve:	N/A
Pump:	N/A
Joint:	N/A
Other Release Source:	N/A

Weather Conditions at the Time of Event

Wind Speed:	10.0
Units:	Miles/h
Direction:	N
Temperature:	20
Atmospheric Stability Class:	N/A
Precipitation Present:	N/A
Unknown Weather Conditions:	N/A

On-Site Impacts

Employee or Contractor Deaths:	0
Public Responder Deaths:	0
Public Deaths:	0
Employee or Contractor Injuries:	0
Public Responder Injuries:	0
Public Injuries:	0
On-Site Property Damage (\$):	0

Known Off-Site Impacts

Deaths:	0
Hospitalizations:	0
Public Deaths:	0
Other Medical Treatments:	0
Evacuated:	0
Sheltered-in-Place:	0
Off-Site Property Damage (\$):	0

Environmental Damage

Fish or Animal Kills:	N/A
Tree, Lawn, Shrub, or Crop Damage:	N/A
Water Contamination:	N/A
Soil Contamination:	N/A
Other Environmental Damage:	N/A

Initiating Event

Initiating Event:	Equipment Failure
-------------------	-------------------

Contributing Factors

Equipment Failure:	Yes
Human Error:	N/A
Improper Procedures:	N/A
Overpressurization:	N/A
Upset Condition:	N/A
By-Pass Condition:	N/A
Maintenance Activity/Inactivity:	N/A
Process Design Failure:	N/A
Unsuitable Equipment:	N/A
Unusual Weather Condition:	N/A
Management Error:	N/A
Other Contributing Factor:	small weep at pipe elbow

Off-Site Responders Notified

Off-Site Responders Notified:	No, not notified
-------------------------------	------------------

Changes Introduced as a Result of the Accident

Improved or Upgraded Equipment:	Yes
Revised Maintenance:	N/A
Revised Training:	N/A
Revised Operating Procedures:	N/A
New Process Controls:	N/A
New Mitigation Systems:	N/A
Revised Emergency Response Plan:	N/A
Changed Process:	N/A
Reduced Inventory:	N/A
None:	N/A
Other Changes Introduced:	replaced pipe elbow

Chemicals in Accident History

Quantity Released (lbs):	5
Percent Weight:	1
Chemical Name:	Chlorine dioxide [Chlorine oxide (ClO ₂)]
CAS Number:	10049-04-4
Flammable/Toxic:	Toxic

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Isle of Wight/Franklin LEPC

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

(757) 562-8581