EPA Facility Identifier: 1000 0006 4306 Plan Sequence Number: 12987

Section 1. Registration Information

Source Identification

Facility Name: City of Port Huron Wastewater

Treatment Plant

Parent Company #1 Name:

Submission Type:

Receipt Date:

Status:

Deregistered

March 2000

Facility Identification

Facility ID: 1000 0006 4306

Dun and Bradstreet Numbers (DUNS)

Facility DUNS: N/A

Facility Location Address

Street 1: 100 Merchant Street

Street 2: N/A

City: Port Huron

 State:
 MI

 ZIP:
 48060

 ZIP4:
 N/A

 County:
 St. Clair

Facility Latitude and Longitude

Latitude (decimal): 42.975
Longitude (decimal): -82.419444

Local Emergency Planning Committee and Regulations

LEPC: St. Clair County LEPC

 OSHA PSM:
 Yes

 EPCRA 302:
 Yes

 CAA Title V:
 N/A

Facility Name: City of Port Huron Wastewater Treatment Plant

EPA Facility Identifier: 1000 0006 4306 Plan Sequence Number: 12987

Process Chemicals

Program Level: Program Level 3 process

Chemical Name: Chlorine
CAS Number: 7782-50-5
Flammable/Toxic: Toxic

Process NAICS

NAICS Code: 22132

NAICS Description: Sewage Treatment Facilities

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

regulated substance(s)?):

Community Plan (Is facility included in Yes written community emergency response plan?):

Facility Plan (Does facility have its own written emergency response plan?):

Response Actions (Does ER plan Yes include specific actions to be taken in response to accidental releases of

Public Information (Does ER plan Yes include procedures for informing the public and local agencies responding to accidental release?):

Healthcare (Does facility's ER plan Yes

include information on emergency health care?):

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

St. Clair County LEPC

(810) 987-1710

Yes