Facility Name: MUNCY ELEVATOR, INC. EPA Facility Identifier: 1000 0004 2456

Plan Sequence Number: 35103

Section 1. Registration Information

Source Identification

Facility Name: MUNCY ELEVATOR, INC.

Parent Company #1 Name: DBA: SANDHILL ELEVATOR &

FERTILIZER

Submission Type: Resubmission
Receipt Date: June 2004
Status: Deregistered
Deregistration Effective Date: March 2007

Facility Identification

Facility ID: 1000 0004 2456

Dun and Bradstreet Numbers (DUNS)

Facility DUNS: 66398827

Facility Location Address

Street 1: INTERSECTION OF FM 378 & fm 784

Street 2: N/A

City: FLOYDADA

 State:
 TX

 ZIP:
 79235

 ZIP4:
 N/A

 County:
 Floyd

Facility Latitude and Longitude

Latitude (decimal): 33.994583 Longitude (decimal): -101.478861

Local Emergency Planning Committee and Regulations

LEPC: Floyd County LEPC

 OSHA PSM:
 N/A

 EPCRA 302:
 Yes

 CAA Title V:
 N/A

Process Chemicals

Program Level: Program Level 2 process
Chemical Name: Ammonia (anhydrous)

CAS Number: 7664 41.7

CAS Number: 7664-41-7 Flammable/Toxic: Toxic

Process NAICS

NAICS Code: 42491

NAICS Description: Farm Supplies Merchant Wholesalers

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in N/A written community emergency response plan?):

Facility Plan (Does facility have its own written emergency response plan?):

Response Actions (Does ER plan Yes include specific actions to be taken in response to accidental releases of

Public Information (Does ER plan Yes include procedures for informing the public and local agencies responding to accidental release?):

Healthcare (Does facility's ER plan
include information on emergency

health care?):

regulated substance(s)?):

Local Agency

Agency Name (Name of local agency FIRE DEPT with which the facility ER plan or response activities are coordinated):

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

(000) 000-0911

Yes