

## Section 1. Registration Information

### Source Identification

---

Facility Name:	SPOON RIVER FS, INC./RIVERLAND FS FAIRVIEW NH3
Parent Company #1 Name:	N/A
Submission Type:	Resubmission
Receipt Date:	July 2004
Status:	Deregistered
Deregistration Effective Date:	June 2009

### Facility Identification

---

Facility ID:	1000 0004 2811
--------------	----------------

### Dun and Bradstreet Numbers (DUNS)

---

Facility DUNS:	57735383
----------------	----------

### Facility Location Address

---

Street 1:	RR 1
Street 2:	N/A
City:	FAIRVIEW
State:	IL
ZIP:	61432
ZIP4:	N/A
County:	Fulton

### Facility Latitude and Longitude

---

Latitude (decimal):	40.634722
Longitude (decimal):	-090.155278

### Local Emergency Planning Committee and Regulations

---

LEPC:	Fulton County LEPC
OSHA PSM:	N/A
EPCRA 302:	Yes
CAA Title V:	N/A

## Process Chemicals

---

Program Level:	Program Level 2 process
Chemical Name:	Ammonia (anhydrous)
CAS Number:	7664-41-7
Flammable/Toxic:	Toxic

## Process NAICS

---

NAICS Code:	42491
NAICS Description:	Farm Supplies Merchant Wholesalers

## Section 6. Accident History

No records found.

## Section 9. Emergency Response

### Written Emergency Response (ER) Plan

---

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	N/A
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	N/A
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	N/A
Healthcare (Does facility's ER plan include information on emergency health care?):	N/A

### Local Agency

---

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):	FULTON CO. EMER. RESPONSE COMMITTEE
Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):	(309) 647-7701