Facility Name: Arnco - South Gate EPA Facility Identifier: 1000 0006 6509

Plan Sequence Number: 31494

# **Section 1. Registration Information**

#### Source Identification

Facility Name: Arnco - South Gate

Parent Company #1 Name: N/A

Submission Type: Resubmission
Receipt Date: June 2004
Status: Deregistered
Deregistration Effective Date: April 2007

**Facility Identification** 

Facility ID: 1000 0006 6509

**Dun and Bradstreet Numbers (DUNS)** 

Facility DUNS: 59795468

**Facility Location Address** 

Street 1: 5141 Firestone Place

 Street 2:
 N/A

 City:
 South Gate

 State:
 CA

 ZIP:
 90280

 ZIP4:
 3535

County: Los Angeles

Facility Latitude and Longitude

Latitude (decimal): 33.951417 Longitude (decimal): -118.176611

Local Emergency Planning Committee and Regulations

LEPC: California Region 1 LEPC

 OSHA PSM:
 N/A

 EPCRA 302:
 Yes

 CAA Title V:
 N/A

#### **Process Chemicals**

Program Level: Program Level 3 process

Chemical Name: Toluene diisocyanate (unspecified

isomer) [Benzene, 1,3-diisocyanatomethyl-]

CAS Number: 26471-62-5 Flammable/Toxic: Toxic

Program Level: Program Level 3 process

Chemical Name: Toluene diisocyanate (unspecified

isomer) [Benzene, 1,3-diisocyanatomethyl-]

CAS Number: 26471-62-5 Flammable/Toxic: Toxic

#### **Process NAICS**

NAICS Code: 325211

NAICS Description: Plastics Material and Resin

Manufacturing

## **Section 6. Accident History**

No records found.

## **Section 9. Emergency Response**

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):

Facility Plan (Does facility have its own written emergency response plan?):

Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):

Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):

Healthcare (Does facility's ER plan include information on emergency health care?):

Yes

Yes

Yes

Yes

Yes

Facility Name: Arnco - South Gate EPA Facility Identifier: 1000 0006 6509

Plan Sequence Number: 31494

### Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

United Pumping Services, Inc.

(626) 961-9326