

## Section 1. Registration Information

### Source Identification

---

Facility Name:	City of Manassas Water Treatment Plant
Parent Company #1 Name:	NA
Submission Type:	First Time
Receipt Date:	June 1999
Status:	Deregistered
Deregistration Effective Date:	January 2004

### Facility Identification

---

Facility ID:	1000 0008 9076
--------------	----------------

### Dun and Bradstreet Numbers (DUNS)

---

Facility DUNS:	30342448
----------------	----------

### Facility Location Address

---

Street 1:	14329 Glenkirk Road
Street 2:	N/A
City:	Nokesville
State:	VA
ZIP:	20181
ZIP4:	N/A
County:	Prince William

### Facility Latitude and Longitude

---

Latitude (decimal):	38.762778
Longitude (decimal):	-77.622222

### Local Emergency Planning Committee and Regulations

---

LEPC:	Prince William Joint LEPC
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	N/A

## Process Chemicals

---

Program Level:	Program Level 3 process
Chemical Name:	Chlorine
CAS Number:	7782-50-5
Flammable/Toxic:	Toxic

## Process NAICS

---

NAICS Code:	22131
NAICS Description:	Water Supply and Irrigation Systems

## Section 6. Accident History

No records found.

## Section 9. Emergency Response

### Written Emergency Response (ER) Plan

---

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

### Local Agency

---

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):	VA Dept. of Emergency Services
Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):	(800) 468-8892