

## Section 1. Registration Information

### Source Identification

---

Facility Name:	Archer Daniels Midland-Marshall
Parent Company #1 Name:	Archer Daniels Midland
Submission Type:	Resubmission
Receipt Date:	April 2021

### Facility Identification

---

Facility ID:	1000 0006 8605
--------------	----------------

### Dun and Bradstreet Numbers (DUNS)

---

Facility DUNS:	1307586
----------------	---------

### Facility Location Address

---

Street 1:	400 West Erie Road
Street 2:	N/A
City:	Marshall
State:	MN
ZIP:	56258
ZIP4:	N/A
County:	Lyon

### Facility Latitude and Longitude

---

Latitude (decimal):	44.470560
Longitude (decimal):	-095.784170

### Local Emergency Planning Committee and Regulations

---

LEPC:	N/A
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	Yes

## Process Chemicals

---

Program Level:	Program Level 3 process
Chemical Name:	Pentane
CAS Number:	109-66-0
Flammable/Toxic:	Flammable

## Process NAICS

---

NAICS Code:	325193
NAICS Description:	Ethyl Alcohol Manufacturing
NAICS Code:	311221
NAICS Description:	Wet Corn Milling and Starch Manufacturing

## Section 6. Accident History

No records found.

## Section 9. Emergency Response

### Written Emergency Response (ER) Plan

---

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

## Local Agency

---

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Lyon County Emergency Management

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

(507) 929-6615