Facility Name: Salem

EPA Facility Identifier: 1000 0001 1701 Plan Sequence Number: 10132

Section 1. Registration Information

Source Identification

Facility Name: Salem

Parent Company #1 Name: JACKSON-JENNINGS FARM

BUREAU COOP

Submission Type: First Time
Receipt Date: May 1999
Status: Deregistered
Deregistration Effective Date: July 2011

Facility Identification

Facility ID: 1000 0001 1701

Dun and Bradstreet Numbers (DUNS)

Facility DUNS: 6939698

Facility Location Address

 Street 1:
 hwy 60w

 Street 2:
 N/A

 City:
 Salem

 State:
 IN

 ZIP:
 47167

 ZIP4:
 N/A

 County:
 Washington

Facility Latitude and Longitude

Latitude (decimal): 38.595556 Longitude (decimal): -86.101389

Local Emergency Planning Committee and Regulations

LEPC: Washington County LEPC

 OSHA PSM:
 N/A

 EPCRA 302:
 Yes

 CAA Title V:
 N/A

Facility Name: Salem

EPA Facility Identifier: 1000 0001 1701 Plan Sequence Number: 10132

Process Chemicals

Program Level: Program Level 2 process

Chemical Name: Propane
CAS Number: 74-98-6
Flammable/Toxic: Flammable

Process NAICS

NAICS Code: 42291

NAICS Description: Farm Supplies Wholesalers

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

regulated substance(s)?):

Community Plan (Is facility included in Yes written community emergency response plan?):

Facility Plan (Does facility have its own written emergency response plan?):

Response Actions (Does ER plan Yes include specific actions to be taken in response to accidental releases of

Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):

Healthcare (Does facility's ER plan
Yes

include information on emergency health care?):

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

(812) 883-2063

LEPC

Yes

Yes