Facility Name: Atoka Gas Processing Plant EPA Facility Identifier: 1000 0020 1667

Plan Sequence Number: 50943

Section 1. Registration Information

Source Identification

Facility Name: Atoka Gas Processing Plant

Parent Company #1 Name: Atoka Midstream LLC

Submission Type: First Time
Receipt Date: February 2008
Status: Deregistered
Deregistration Effective Date: October 2011

Facility Identification

Facility ID: 1000 0020 1667

Dun and Bradstreet Numbers (DUNS)

Facility DUNS: N/A

Facility Location Address

Street 1: 552 West Highway 7

 Street 2:
 N/A

 City:
 Atoka

 State:
 OK

 ZIP:
 74525

 ZIP4:
 N/A

 County:
 Atoka

Facility Latitude and Longitude

Latitude (decimal): 34.374185 Longitude (decimal): -096.226601

Local Emergency Planning Committee and Regulations

LEPC: Atoka County LEPC

 OSHA PSM:
 Yes

 EPCRA 302:
 N/A

 CAA Title V:
 N/A

Facility Name: Atoka Gas Processing Plant EPA Facility Identifier: 1000 0020 1667

Plan Sequence Number: 50943

Process Chemicals

Program Level: Program Level 3 process
Chemical Name: Flammable Mixture

CAS Number: 00-11-11 Flammable/Toxic: Flammable

Flammable Mixture Chemical Components

Chemical Name: Isopentane [Butane, 2-methyl-]

CAS Number: 78-78-4
Flammable/Toxic: Flammable

Chemical Name: Ethane
CAS Number: 74-84-0
Flammable/Toxic: Flammable

Chemical Name: Propane
CAS Number: 74-98-6
Flammable/Toxic: Flammable

Chemical Name: Isobutane [Propane, 2-methyl]

CAS Number: 75-28-5
Flammable/Toxic: Flammable

Chemical Name: Butane
CAS Number: 106-97-8
Flammable/Toxic: Flammable

Chemical Name: Pentane
CAS Number: 109-66-0
Flammable/Toxic: Flammable

Process NAICS

NAICS Code: 211112

NAICS Description: Natural Gas Liquid Extraction

Section 6. Accident History

No records found.

Section 9. Emergency Response

Written Emergency Response (ER) Plan

Community Plan (Is facility included in written community emergency response plan?):

N/A

Facility Plan (Does facility have its own written emergency response plan?):

Yes

Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):

Yes

Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):

Yes

Healthcare (Does facility's ER plan include information on emergency health care?):

Yes

Local Agency

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):

Atoka LEPC

Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):

(580) 889-3341