

## Section 1. Registration Information

### Source Identification

---

Facility Name:	San Juan Chlorine Warehouse Distribution Center
Parent Company #1 Name:	Puerto Rico Aqueduct and Sewer Authority
Submission Type:	Resubmission
Receipt Date:	February 2024

### Facility Identification

---

Facility ID:	1000 0012 4126
--------------	----------------

### Dun and Bradstreet Numbers (DUNS)

---

Facility DUNS:	N/A
----------------	-----

### Facility Location Address

---

Street 1:	Ave. Kennedy, Km.2.0 Calle Marginal
Street 2:	Guillermo Federico Ortiz Final
City:	San Juan
State:	PR
ZIP:	00926
ZIP4:	N/A
County:	San Juan

### Facility Latitude and Longitude

---

Latitude (decimal):	18.431000
Longitude (decimal):	-066.086111

### Local Emergency Planning Committee and Regulations

---

LEPC:	SAN JUAN LEPC
OSHA PSM:	Yes
EPCRA 302:	Yes
CAA Title V:	N/A

## Process Chemicals

---

Program Level:	Program Level 3 process
Chemical Name:	Chlorine
CAS Number:	7782-50-5
Flammable/Toxic:	Toxic

## Process NAICS

---

NAICS Code:	49319
NAICS Description:	Other Warehousing and Storage

## Section 6. Accident History

No records found.

## Section 9. Emergency Response

### Written Emergency Response (ER) Plan

---

Community Plan (Is facility included in written community emergency response plan?):	Yes
Facility Plan (Does facility have its own written emergency response plan?):	Yes
Response Actions (Does ER plan include specific actions to be taken in response to accidental releases of regulated substance(s)?):	Yes
Public Information (Does ER plan include procedures for informing the public and local agencies responding to accidental release?):	Yes
Healthcare (Does facility's ER plan include information on emergency health care?):	Yes

### Local Agency

---

Agency Name (Name of local agency with which the facility ER plan or response activities are coordinated):	State Emergency Management
Agency Phone Number (Phone number of local agency with which the facility ER plan or response activities are coordinated):	(787) 724-0124